

英文簡寫與中英文對照表

英文簡寫	英文	中文
	adherence	服藥順從性
ADR	adverse drug reaction	藥物不良反應
AFB	acid-fast bacilli	耐酸性桿菌
	acquired resistance	續發性抗藥
ALT	alanine aminotransferase	麩丙酮酸轉胺酶
AST	aspartate aminotransferase	麩草醋酸轉胺酶
BCG	Bacille Calmette–Guérin	卡介苗
	case	個案
CBC/DC	complete blood count/differential count	全套血球計數/白血球分類
Ccr	creatinine clearance rate	肌酸酐廓清率
	continuation phase	持續期
CXR	chest radiography	胸部 X 光

DOPT	directly observed preventive therapy	直接觀察預防治療
DOTS	directly observed treatment short-course	都治
DOTS-Plus	directly observed treatment short-course-plus	進階都治
DR-TB	drug-resistant tuberculosis	抗藥結核
DST	drug susceptibility test	藥物感受性試驗
EBA	early bactericidal activity	早期殺菌力
FQ	fluoroquinolone	氟喹諾酮
IGRA	interferon-gamma release assay	丙型干擾素釋放試驗
	Intensive phase	加強期
LTBI	latent tuberculosis infection	潛伏結核感染
LPA	line probe assay	線性探針檢測法
MDR-TB	multidrug-resistant tuberculosis	多重抗藥結核
MTB	mycobacterium tuberculosis	結核分枝桿菌
NAA	nucleic acid amplification	核酸增幅
NAT	N-acetyltransferase	乙醯轉移酶

NTM	nontuberculous mycobacteria	非結核分枝桿菌
PCR	polymerase chain reaction	聚合酶鏈鎖反應
	re-challenge	重新試藥
	smear	塗片
	sensitivity	敏感度
	specificity	特異度
TB	tuberculosis	結核病
TST	tuberculin skin test	結核菌素皮膚試驗
WHO	World Health Organization	世界衛生組織
XDR-TB	extensively drug-resistant Tuberculosis	廣泛抗藥結核
Xpert	GeneXpert	“賽沛”結核基因檢測
3HP	3 months Isoniazid + Rifapentine (once weekly)	3 個月速克伏
9H	9 months Isoniazid (daily)	9 個月 isoniazid

※本指引所提及商品名的目的僅止於辨識用，非代表本署推薦之意。