week 9-week 10, 2023 (Feb. 26, 2023-Mar. 11, 2023)

DOI: 10.6525/TEB.202303 39(6).0003

Weekly Data of Notifiable Inases (by week of diagnosis)

| Case diagnosis year | | Week 9★ | | Week 1-9 | | | |
|---------------------|--|------------|----------|--------------|----------------|--------------|----------------|
| Classifi | | | | 2023 2022 | | | |
| Classification | Disease Diagnosed | 2023 | 2022 | Total cases★ | Imported cases | Total cases★ | Imported cases |
| Category I | Plague | 0 | 0 | 0 | 0 | 0 | 0 |
| | Rabies | 0 | 0 | 0 | 0 | 0 | 0 |
| | SARS Smallney | 0 | 0 | 0 | 0 | 0 | 0 |
| | Smallpox Acute Flaccid Paralysis | 1 | 0 | <u> </u> | 0 | 0 4 | 0 |
| | Acute Viral Hepatitis type A | 0 | 0 | 20 | 0 | 58 | 0 |
| Category II | Amoebiasis | 2 | 4 | 44 | 12 | 39 | 9 |
| | Anthrax | 0 | 0 | 0 | 0 | 0 | 0 |
| | Chikungunya Fever | 0 | 0 | 2 | 2 | 0 | 0 |
| | Cholera | 0 | 0 | 0 | 0 | 0 | 0 |
| | Dengue Fever | 2 0 | 0 | 15 | 15 | 0 | 0 |
| | Diphtheria Enterohemorrhagic E. coli Infection | 0 | 0 0 | 0 0 | 0 | 0 0 | 0 |
| | Epidemic Typhus Fever | 0 | 0 | 0 | 0 | 0 | 0 |
| | Hantavirus syndrome | 0 | 1 | 2 | 0 | 1 | 0 |
| | Malaria | 0 | 0 | 1 | 1 | 0 | 0 |
| | Measles | 0 | 0 | 0 | 0 | 0 | 0 |
| | Meningococcal Meningitis | 0 | 0 | 0 | 0 | 0 | 0 |
| | Paratyphoid Fever Poliomyelitis | 0 | 0 0 | 1 0 | 0 | 0 0 | 0 |
| | Rubella | 0 | 0 | 0 | 0 | 0 | 0 |
| | Shigellosis | 1 | 2 | 8 | 3 | 18 | 0 |
| | Typhoid fever | 0 | 0 | 0 | 0 | 0 | 0 |
| | West Nile Fever | 0 | 0 | 0 | 0 | 0 | 0 |
| | Zika virus infection | 0 | 0 | 0 | 0 | 0 | 0 |
| | Mpox | 3 | - | 4 | 1 | - | - |
| Category III | Acute Viral Hepatitis type B Acute Viral Hepatitis type C | 4 | 2 | 31 | 1 0 | 22 | 0 |
| | Acute Viral Hepatitis type C Acute Viral Hepatitis type D | 6 0 | 16 0 | 107 0 | 0 | 70 0 | 0 |
| | Acute Viral Hepatitis type E | 0 | 0 | 2 | 1 | 2 | 0 |
| | Congenital Syphilis | 0 | 0 | 0 | 0 | 0 | 0 |
| | Congenital Rubella Syndrome | 0 | 0 | 0 | 0 | 0 | 0 |
| | Enteroviruses Infection with Severe Complications | 0 | 0 | 4 | 0 | 0 | 0 |
| | Haemophilus Influenza type b Infection | 0 | 0 | 0 | 0 | 0 | 0 |
| | Japanese Encephalitis | 0 | 0 | 0 | 0 | 0 | 0 |
| | Legionnaires' Disease | 2 | 5 | 49 | 0 | 60 | 0 |
| | Mumps | 4 | 9 | 41 | 1 | 43 | 0 |
| | Neonatal Tetanus | 0 | 0 | 0 | 0 | 0 | 0 |
| | Pertussis | 0 | 0 | 0 | 0 | 0 | 0 |
| | Tetanus | 0 | 0 | 0 | 0 | 1 | 0 |
| Category IV | Botulism | 0 | 0 | 0 | 0 | 0 | 0 |
| | Brucellosis Complicated Varicella | 0 | 0 | 0 9 | 0 | 0 6 | 0 |
| | Endemic Typhus Fever | 1 0 | 2 0 | 2 | 0 | 0 | 0 |
| | Herpesvirus B Infection | 0 | 0 | 0 | 0 | 0 | 0 |
| | Influenza Case with Severe Complications | 3 | 0 | 36 | 1 | 0 | 0 |
| | Invasive Pneumococcal Disease | 6 | 4 | 62 | 0 | 28 | 0 |
| | Leptospirosis | 0 | 1 | 4 | 0 | 6 | 0 |
| | Listeriosis | 5 | 2 | 31 | 0 | 19 | 0 |
| | Lyme Disease | 0 | 0 | 0 | 0 | 1 | 1 |
| | Melioidosis | 0 | 0 | 5 | 0 | 0 | 0 |
| | Q Fever | 0 | 0 | 1 | 0 | 2 | 0 |
| | Scrub Typhus | 0 | 8 | 27 | 0 | 29 | 0 |
| | Toxoplasmosis | 0 | 0 | 4 | 0 | 4 | 0 |
| | Tularemia | 0 | 0 | 0 | 0 | 0 | 0 |
| Category V | Ebola Virus Disease | 0 | 0 | 0 | 0 | 0 | 0 |
| | Lassa Fever | 0 | 0 | 0 | 0 | 0 | 0 |
| | Marburg Hemorrhagic Fever | 0 | 0 | 0 | 0 | 0 | 0 |
| | Middle East Respiratory Syndrome | 0 | 0 | 0 | 0 | 0 | 0 |
| | Coronavirus Infections | _ | - | - | - | - | _ |
| | Novel Influenza A Virus Infections | 0 | 0 | 0 | 0 | 0 | 0 |
| | Rift Valley Fever | 0 | 0 | 0 | 0 | 0 | 0 |
| | Severe Pneumonia with Novel Pathogens Yellow Fever | 79680 0 | 423 0 | 1232348 0 | 15851 0 | 3762 0 | 2905 0 |
| | pkly and cumulative total numbers include indigene | | | | | | U |

^{1. ★}The weekly and cumulative total numbers include indigenous and imported cases of notifiable infectious diseases.
2. MDR-TB, Tuberculosis, Syphilis, Gonorrhea, HIV Infection, AIDS, Hansen's Disease and Creutzfeldt-Jakob Disease are excluded from the table.

^{3.} Numbers of mumps and tetanus cases are summed up by the week of report.
4. Since 2022/6/23, " Monkeypox " was listed as a Notifiable Infectious Disease.

Suspected Clusters

● Thirty clusters related to diarrhea (21), tuberculosis (2), varicella (1) and upper respiratory tract infection (6) were reported during week 9.

Imported Infectious Diseases

● There were 1220 imported cases from at least 27 countries / areas during week 9.

Severe Pneumonia with Novel Pathogens: 1217 cases from Japan (45), Korea (17), USA (13), Hong Kong (9), Thailand (9), Vietnam (8), Malaysia (6), Germany (5), Turkey (5), Singapore (4), Indonesia (4), Canada (4), New Zealand (3), China (3), India (2), France (2), the Philippines (2), Macau (1), South Africa (1), Qatar (1), Hungary (1), UK (1), Austria (1), Mexico (1), UAE (1), Egypt (1), Australia (1), and Unknown (1066).

Shigellosis: 1 case from Indonesia (1).

Dengue Fever: 2 cases from Vietnam (1), Malaysia (1).

- ●During week 1-9, there were 15889 imported cases from at least 40 countries / areas. The top three countries are China (3145), Japan (583), Korea (136).
- During week 1-9, the notifiable diseases with the highest number of imported cases is Severe Pneumonia with Novel Pathogens (15851).

Summary of Epidemic

Severe Pneumonia with Novel Pathogens: The epidemic is gradually declining.

Weekly Data of Notifiable Inases (by week of diagnosis)

| Classification | Case diagnosis year | | 10★ | Week 1-10 | | | | |
|----------------|--|-----------------|---------------|----------------------|-----------------|----------------------|----------------|--|
| | Disease Diagnosed | 2023 | 2022 | 2022 Total cases★ | Imported | 202: Total cases★ | Imported | |
| | Plague | 0 | 0 | 0 | cases 0 | 0 | cases 0 | |
| Category I | Rabies | Ö | Ö | Ö | Ö | Ö | Ö | |
| | SARS | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Smallpox | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Acute Flaccid Paralysis | 1 | 1 | 6 | 0 | 5 | 0 | |
| | Acute Viral Hepatitis type A Amoebiasis | 4 6 | 6 3 | 24 50 | 0 12 | 64 42 | 0 10 | |
| | Anthrax | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Chikungunya Fever | 0 | 0 | 2 | 2 | Ö | 0 | |
| | Cholera | Ö | Ō | 0 | 0 | 0 | 0 | |
| | Dengue Fever | 0 | 0 | 15 | 15 | 0 | 0 | |
| | Diphtheria | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Enterohemorrhagic E. coli Infection | 0 0 | 0 | 0 | 0 | 0 | 0 | |
| | Epidemic Typhus Fever Hantavirus syndrome | 0 | 0 | 0 2 | 0 | 0 1 | 0 0 | |
| | Malaria | 0 | 0 | 1 | 1 | 0 | 0 | |
| | Measles | Ō | 0 | 0 | 0 | 0 | 0 | |
| | Meningococcal Meningitis | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Paratyphoid Fever | 0 | 0 | 1 | 0 | 0 | 0 | |
| | Poliomyelitis | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Rubella Shigellosis | 0 1 | 0 | 0 9 | 0 3 | 0 18 | 0 | |
| | Typhoid fever | 0 | 0 | 0 | 0 | 0 | 0 | |
| | West Nile Fever | Ö | Ö | Ö | Ö | Ö | Ö | |
| | Zika virus infection | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Мрох | 4 | - | 8 | 1 | - | - | |
| | Acute Viral Hepatitis type B | 1 | 2 | 32 | 1 | 24 | 0 | |
| | Acute Viral Hepatitis type C | 13 | 4 | 120 | 0 | 74 | 0 | |
| | Acute Viral Hepatitis type D | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Acute Viral Hepatitis type E Congenital Syphilis | 0 0 | 0 | 2 0 | 1 0 | 2 0 | 0 | |
| | Congenital Rubella Syndrome | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Enteroviruses Infection with Severe Complications | 0 | 0 | 4 | 0 | 0 | 0 | |
| | Haemophilus Influenza type b Infection | 0 | 0 | 0 | 0 | Ö | 0 | |
| | Japanese Encephalitis | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Legionnaires' Disease | 6 | 11 | 55 | 0 | 71 | 0 | |
| | Mumps | 6 | 2 | 47 | 1 | 45 | 0 | |
| | Neonatal Tetanus | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Pertussis | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Tetanus | 1 | 0 | 1 | 0 | 1 | 0 | |
| | Botulism | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Brucellosis | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Complicated Varicella | 0 | 0 | 9 | 0 | 6 | 0 | |
| Category IV | Endemic Typhus Fever | 1 0 | 0 | 3 0 | 0 | 0 0 | 0 | |
| | Herpesvirus B Infection Influenza Case with Severe Complications | 4 | 0 | _ | 1 | 0 | 0 | |
| | Invasive Pneumococcal Disease | 10 | 0 0 | 40 72 | 1 | 28 | 0 | |
| | Leptospirosis | 0 | 1 | 4 | 0 | 7 | 0 | |
| | Listeriosis | 5 | 4 | 36 | 0 | 23 | 0 | |
| | Lyme Disease | 0 | 0 | 0 | 0 | 1 | 1 | |
| | Melioidosis | 0 | 0 | 5 | 0 | 0 | 0 | |
| | Q Fever | 0 | 0 | 1 | 0 | 2 | 0 | |
| | Scrub Typhus | 0 | 3 | 27 | 0 | 32 | 0 | |
| | Toxoplasmosis | 0 | 1 | 4 | 0 | 5 | 0 | |
| | Tularemia | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Ebola Virus Disease | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Lassa Fever | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Marburg Hemorrhagic Fever | 0 | 0 | 0 | 0 | 0 | 0 | |
| | Middle East Respiratory Syndrome | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | U | J | J | | J | | |
| Category V | Coronavirus Infections | _ | _ | _ | _ | _ | _ | |
| Category V | Coronavirus Infections Novel Influenza A Virus Infections | 0 | 0 | 0 | 0 | 0 | 0 | |
| Category V | Coronavirus Infections | 0 0 65549 | 0 0 436 | 0 0 1297891 | 0 0 16847 | 0 0 4198 | 0 0 3314 | |

^{1. ★}The weekly and cumulative total numbers include indigenous and imported cases of notifiable infectious diseases.

^{2.} MDR-TB, Tuberculosis, Syphilis, Gonorrhea, HIV Infection, AIDS, Hansen's Disease and Creutzfeldt-Jakob Disease are excluded from the table.

^{3.} Numbers of mumps and tetanus cases are summed up by the week of report.

^{4.} Since 2022/6/23, " Monkeypox " was listed as a Notifiable Infectious Disease.

Suspected Clusters

Twenty-eight clusters related to diarrhea (20), tuberculosis (2), enterovirus (1) and upper respiratory tract infection (5) were reported during week 10.

Imported Infectious Diseases

There were 992 imported cases from at least 25 countries / areas during week 10.

Severe Pneumonia with Novel Pathogens: 991 cases from Japan (44), Korea (21), Thailand (12), Singapore (11), Vietnam (10), the Philippines (7), Hong Kong (5), Germany (4), New Zealand (4), Austria (3), China (3), UAE (3), Norway (2), Macau (2), India (2), Malaysia (2), USA (2), Netherlands (2), UK (1), Saudi Arabia (1), Indonesia (1), Italy (1), Turkey (1), France (1), Australia (1), and Unknown (845).

Invasive Pneumococcal Disease: 1 case from Indonesia (1).

- ●During week 1-10, there were 16886 imported cases from at least 44 countries / areas. The top three countries are China (3148), Japan (627), Korea (159).
- During week 1-10, the notifiable diseases with the highest number of imported cases is Severe Pneumonia with Novel Pathogens (16847).

Summary of Epidemic

Severe Pneumonia with Novel Pathogens: The epidemic is gradually declining.

Influenza: Influenza vims activity is persistence.

Enterovirus: The epidemic is gradually increasing.

The Taiwan Epidemiology Bulletin series of publications is published by Centers for Disease Control,

Ministry of Health and Welfare, Taiwan (R.O.C.) since Dec. 15, 1984.

Publisher: Jen-Hsiang Chuang **Editor-in-Chief:** Yung-Ching Lin

Executive Editor: Hsueh-Ju Chen, Hsin-Lun Lee

Address: No.6, Linsen S. Rd, Jhongjheng District, Taipei City 10050, Taiwan (R.O.C.)

Telephone No: +886-2-2395-9825 Website: https://www.cdc.gov.tw/En

Suggested Citation:

[Author].[Article title]. Taiwan Epidemiol Bull 2023;39:[inclusive page numbers]. [DOI]