



# Disease Surveillance Express

## Weekly Data of Notifiable Infectious Diseases (by week of diagnosis)

Case diagnosis week		Week 16		Week 1 – 16	
Classification	Disease Diagnosed <sup>1</sup>	2015	2014	2015	2014
Category I	Plague	0	0	0	0
	Rabies	0	0	0	0
	SARS	0	0	0	0
	Smallpox	0	0	0	0
Category II	Acute Flaccid Paralysis	0	0	6	11
	Acute Viral Hepatitis type A	2	1	26	49
	Amoebiasis	5	2	104	72
	Anthrax	0	0	0	0
	Chikungunya Fever	0	0	3	5
	Cholera	0	0	0	0
	Dengue Fever	5	4	186	110
	Dengue Hemorrhagic Fever/Dengue Shock Syndrome	0	0	0	4
	Diphtheria	0	0	0	0
	Enterohemorrhagic E. coli Infection	0	0	0	0
	Epidemic Typhus Fever	0	0	0	0
	Hantavirus Pulmonary Syndrome	0	0	0	0
	Hemorrhagic Fever with Renal Syndrome	0	0	0	1
	Malaria	0	1	3	6
	Measles	0	1	1	9
	Meningococcal Meningitis	0	0	1	2
	Paratyphoid Fever	0	0	1	6
	Poliomyelitis	0	0	0	0
	Rubella	0	0	3	3
	Shigellosis	1	3	67	49
Typhoid fever	0	0	12	8	
West Nile Fever	0	0	0	0	
Category III	Acute Viral Hepatitis type B	2	1	34	24
	Acute Viral Hepatitis type C <sup>5</sup>	3	3	61	45
	Acute Viral Hepatitis type D	0	0	1	0
	Acute Viral Hepatitis type E	0	0	1	5
	Acute Viral Hepatitis untype	0	0	0	1
	Congenital Rubella Syndrome	0	0	0	0
	Enteroviruses Infection with Severe Complications	0	0	1	1
	Haemophilus Influenza type b Infection	0	0	1	1
	Japanese Encephalitis	0	0	0	0
	Legionellosis	1	1	43	36
	Mumps <sup>2</sup>	22	17	233	231
	Neonatal Tetanus	0	0	0	0
	Pertussis	2	1	38	11
	Tetanus <sup>2</sup>	0	0	1	1
Category IV	Botulism	0	0	1	0
	Brucellosis	0	0	0	0
	Complicated Influenza	27	17	325	1437
	Complicated Varicella <sup>4</sup>	0	0	20	25
	Endemic Typhus Fever	0	0	1	5
	Herpesvirus B Infection	0	0	0	0
	Invasive Pneumococcal Disease	7	14	215	283
	Leptospirosis	0	0	11	12
	Lyme Disease	0	0	0	0
	Melioidosis	0	0	6	7
	Q Fever	2	0	10	18
	Scrub Typhus	1	0	63	69
	Toxoplasmosis	0	0	1	5
Tularremia	0	0	0	0	
Category V	Ebola Virus Disease	0	0	0	0
	Ebola-Marburg Hemorrhagic Fever	0	0	0	0
	Novel Influenza A Virus Infections <sup>6</sup>	0	0	0	0
	Lassa Fever	0	0	0	0
	Rift Valley Fever	0	0	0	0
	Middle East Respiratory Syndrome Coronavirus	0	0	0	0
Yellow Fever	0	0	0	0	

- The following 8 chronic diseases are excluded from the table: MDR-TB, Tuberculosis, Syphilis, Gonorrhea, HIV Infection, AIDS, Hansen Disease and Creutzfeldt-Jakob Disease.
- Reported cases.
- The epidemiological week calendar established by the World Health Organization is adopted for calculating each week's cumulative total.
- Since 2014/1/1, "Varicella" was modified to "Complicated Varicella".
- Since 2014/3/6, the case definition for confirmed Acute hepatitis C was changed from "meet the clinical **and** laboratory conditions" to "meet the clinical **or** laboratory conditions".
- Since 2014/7/1, various subtypes of human cases of avian influenza are reported as "novel influenza A virus infections", a Category V Notifiable Infectious Disease. The original "H5N1 flu" and "H7N9 flu", which were respectively listed as a Category I Notifiable Infectious Disease and a Category V Notifiable Infectious Disease were removed from the list on the same day.



## Suspected Clusters

- Thirty-four clusters were reported, including 12 upper respiratory tract infection clusters, 9 diarrhea clusters, 6 influenza-like illness clusters, 4 tuberculosis clusters, 2 fever of unknown origin clusters, and 1 pertussis cluster.

## Imported Infectious Diseases

- 6 confirmed cases were imported from 2 countries during week 16 of 2015.

Disease	Country		
	Indonesia	China	Total
Dengue Fever	4		4
Q Fever		1	1
Amoebiasis	1		1
Total	5	1	6

Note: The statistics listed in this table include imported cases that were either confirmed or updated<sup>\*</sup> in the previous week.

- A total of 208 confirmed cases were imported from 23 countries in 2015.
- Top 3 imported diseases : Dengue fever (70), Amoebiasis (62), Shigellosis (37).
- Top 3 countries responsible for most imported cases : Indonesia (139), Vietnam (11), Philippines (11).

## Summary of Epidemic

- **Influenza** : The influenza epidemic has not fluctuated. Since January 1, 2015, a total number of 325 cases of severe complicated influenza have been confirmed, including 58 cases infected by H1N1, 225 cases infected by H3N2, 6 cases infected by untyped influenza A and 36 cases infected by influenza B. Among these cases, 37 deaths were caused by infection with H3N2, 3 deaths were caused by infection with H1N1 and 4 deaths were caused by infection with influenza B. During week 16, H3N2 was the dominant strain circulating in the community and followed by influenza B, which became more active. Thus far, no resistant viruses have been detected.
- **Dengue Fever** : Two new cases were confirmed in Fongshan District, Kaohsiung City. Both cases had visited market prior to disease onset. Thus far this year, the average of number of cases reported every week is approximately 50. However, the number of cases reported during week 16 is comparatively lower than those reported in the past weeks. The public is urged to seek medical attention immediately when suspected symptoms develop. Doctors are advised to stay vigilant for suspected cases to ensure prompt reporting.



- **Enterovirus** : The ER consultation rate for enterovirus infection has fluctuated around the epidemic threshold. Coxsackie A virus is currently the dominant strain circulating in the community accounting for approximately 68.8% of all cases. So far, one severe case of enterovirus infection has been confirmed (CB5). Taiwan CDC will continue to monitor the development of the epidemic and the variation in of the dominant strain.

