



Disease Surveillance Express

Numbers of New Cases and Cumulative Cases of Notifiable Infectious Diseases (by week of diagnosis)

Classification	Case diagnosis week Disease Diagnosed ¹	Week 42		Week 1–42	
		2016	2015	2016	2015
Category I	Plague	0	0	0	0
	Rabies	0	0	0	0
	SARS	0	0	0	0
	Smallpox	0	0	0	0
Category II	Acute Flaccid Paralysis	1	0	33	13
	Acute Viral Hepatitis type A	18	4	911	110
	Amoebiasis	6	5	258	300
	Anthrax	0	0	0	0
	Chikungunya Fever	0	0	8	4
	Cholera	0	2	10	10
	Dengue Fever	11	2091	735	27584
	Diphtheria	0	0	0	0
	Enterohemorrhagic E. coli Infection	0	0	0	0
	Epidemic Typhus Fever	0	0	0	0
	Hantavirus Pulmonary Syndrome	0	0	0	0
	Hemorrhagic Fever with Renal Syndrome	0	0	3	2
	Malaria	2	0	13	8
	Measles	0	0	13	29
	Meningococcal Meningitis	1	1	6	3
	Paratyphoid Fever	0	0	5	4
	Poliomyelitis	0	0	0	0
	Rubella	0	0	4	6
	Shigellosis	8	3	176	150
	Typhoid fever	2	0	6	24
West Nile Fever	0	0	0	0	
Category III	Acute Viral Hepatitis type B	0	4	87	103
	Acute Viral Hepatitis type C ⁴	4	2	169	171
	Acute Viral Hepatitis type D	0	0	1	1
	Acute Viral Hepatitis type E	1	0	15	2
	Acute Viral Hepatitis untype	0	0	0	1
	Congenital Rubella Syndrome	0	0	0	0
	Enteroviruses Infection with Severe Complications	2	0	25	5
	Haemophilus Influenza type b Infection	1	0	14	2
	Japanese Encephalitis	0	1	23	29
	Legionellosis	2	4	86	146
	Mumps ²	21	15	499	638
	Neonatal Tetanus	0	0	0	0
	Pertussis	0	0	17	80
	Tetanus ²	1	1	10	9
	Category IV	Botulism	0	0	5
Brucellosis		0	0	0	2
Complicated Influenza		7	1	1890	805
Complicated Varicella ³		0	0	31	43
Endemic Typhus Fever		0	1	13	30
Herpesvirus B Infection		0	0	0	0
Invasive Pneumococcal Disease		6	7	467	422
Leptospirosis		11	5	94	74
Lyme Disease		0	0	2	2
Melioidosis		3	1	36	32
Q Fever		0	1	40	39
Scrub Typhus		22	19	381	350
Toxoplasmosis		0	1	8	10
Tularremia	0	0	0	0	
Category V	Ebola Virus Disease	0	0	0	0
	Marburg Hemorrhagic Fever	0	0	0	0
	Novel Influenza A Virus Infections ⁵	0	0	0	0
	Lassa Fever	0	0	0	0
	Rift Valley Fever	0	0	0	0
	Middle East Respiratory Syndrome Coronavirus	0	0	0	0
	Yellow Fever	0	0	0	0
Zika Virus Infection ⁶	1	0	13	0	

1. The following 8 chronic diseases are excluded from the table: MDR-TB, Tuberculosis, Syphilis, Gonorrhoea, HIV Infection, AIDS, Hansen Disease and Creutzfeldt-Jakob Disease.

2. Reported cases.

3. Since 2014/1/1, "Varicella" was modified to "Complicated Varicella".

4. Since 2014/3/6, the case definition for confirmed Acute hepatitis C was changed from "meet the clinical **and** laboratory conditions" to "meet the clinical **or** laboratory conditions".

5. Since 2014/7/1, various subtypes of human cases of avian influenza are reported as "novel influenza A virus infections", a Category V Notifiable Infectious Disease. The original "H5N1 flu" and "H7N9 flu", which were respectively listed as a Category I Notifiable Infectious Disease and a Category V Notifiable Infectious Disease were removed from the list on the same day.

6. Since 2016/1/22, "Zika Virus Infection" was listed as a Notifiable Infectious Disease.



Suspected Clusters

- Eleven clusters were reported, including 7 diarrhea clusters, 2 tuberculosis clusters, 1 upper respiratory tract infection cluster, and 1 varicella cluster.

Imported Infectious Diseases

- 22 confirmed cases were imported from 7 countries during Week 42 of 2016.

Country Disease	Indonesia	Philippines	Myanmar	Vietnam	Thailand	China	Malaysia	Total
Dengue Fever	2	4	2	2	2		1	13
Amoebiasis	4							5
Shigellosis	2					1		3
Typhoid fever						1		1
Total	8	4	2	2	2	2	1	22

Note: The statistics listed in this table include imported cases that were either confirmed or updated* in the previous week.

- A total of 654 confirmed cases were imported from 37 countries in 2016.
- Top 3 imported diseases : Dengue fever (297), Amoebiasis (128), Shigellosis (82).
- Top 3 countries responsible for most imported cases : Indonesia (275), Philippines (76), Thailand (63).

Summary of Epidemic

- Dengue Fever** : Although dengue activity has decreased in some countries in Southeast Asia, it has remained at its peak in Southeast Asia. Imported cases have continued to be reported. The recent occurrence of rain has become less frequent, but mosquito activity remains high. The public is urged to clean up and remove any vector breeding sites and take prevention measures against mosquito bites.
- Zika Virus Infection** : The epidemic has continuously increased in Southeast Asian countries, elevating the risk of importing Zika virus from these countries. New cases imported from Southeast Asian country have been confirmed.
- Scrub Typhus** : The number of cases reported has continuously decreased. The endemic areas are primarily Penghu County, Kinmen County and Hualien County.



- **Enterovirus** : New cases have been recently reported in the western Taiwan. Coxsackie A virus is currently the dominant strain circulating in the community. Sporadic cases of enterovirus 71 infection have been recently confirmed. This year, a total of 149 cases of enterovirus 71 infection, including 21 severe cases and 128 mild cases, have been confirmed. The public is urged to enhance personal hygiene and stay vigilant for suspicious symptoms of enterovirus infection with severe complications in infants.
- **Influenza** : The numbers of severe and mild cases have increased slightly. H3N2 is currently the dominant strain circulating in the community.

