



Disease Surveillance Express

Numbers of New Cases and Cumulative Cases of Notifiable Infectious Diseases (by week of diagnosis)

Classification	Case diagnosis week Disease Diagnosed ¹	Week 22		Week 1–22		
		2016	2015	2016	2015	
Category I	Plague	0	0	0	0	
	Rabies	0	0	0	0	
	SARS	0	0	0	0	
	Smallpox	0	0	0	0	
Category II	Acute Flaccid Paralysis	1	1	14	8	
	Acute Viral Hepatitis type A	41	0	370	35	
	Amoebiasis	14	8	118	157	
	Anthrax	0	0	0	0	
	Chikungunya Fever	0	0	4	3	
	Cholera	0	0	0	4	
	Dengue Fever	4	16	552	241	
	Diphtheria	0	0	0	0	
	Enterohemorrhagic E. coli Infection	0	0	0	0	
	Epidemic Typhus Fever	0	0	0	0	
	Hantavirus Pulmonary Syndrome	0	0	0	0	
	Hemorrhagic Fever with Renal Syndrome	0	0	3	0	
	Malaria	0	0	5	4	
	Measles	0	8	4	21	
	Meningococcal Meningitis	0	0	2	2	
	Paratyphoid Fever	1	0	1	3	
	Poliomyelitis	0	0	0	0	
	Rubella	0	0	4	6	
	Shigellosis	3	2	93	82	
	Typhoid fever	0	0	2	14	
West Nile Fever	0	0	0	0		
Category III	Acute Viral Hepatitis type B	1	2	41	52	
	Acute Viral Hepatitis type C ⁴	3	1	89	95	
	Acute Viral Hepatitis type D	0	0	1	1	
	Acute Viral Hepatitis type E	0	0	8	1	
	Acute Viral Hepatitis untype	0	0	0	0	
	Congenital Rubella Syndrome	0	0	0	0	
	Enteroviruses Infection with Severe Complications	0	1	4	2	
	Haemophilus Influenza type b Infection	0	0	5	1	
	Japanese Encephalitis	0	0	1	0	
	Legionellosis	0	6	43	68	
	Mumps ²	22	16	241	329	
	Neonatal Tetanus	0	0	0	0	
	Pertussis	1	2	7	51	
	Tetanus ²	1	1	4	5	
	Category IV	Botulism	0	0	1	1
		Brucellosis	0	0	0	0
Complicated Influenza		1	35	1831	489	
Complicated Varicella ³		4	3	19	29	
Endemic Typhus Fever		0	1	4	8	
Herpesvirus B Infection		0	0	0	0	
Invasive Pneumococcal Disease		10	11	318	276	
Leptospirosis		5	2	25	25	
Lyme Disease		0	0	0	0	
Melioidosis		0	1	5	12	
Q Fever		0	1	18	16	
Scrub Typhus		19	4	150	124	
Toxoplasmosis		0	1	5	6	
Tularremia	0	0	0	0		
Category V	Ebola Virus Disease	0	0	0	0	
	Marburg Hemorrhagic Fever	0	0	0	0	
	Novel Influenza A Virus Infections ⁵	0	0	0	0	
	Lassa Fever	0	0	0	0	
	Rift Valley Fever	0	0	0	0	
	Middle East Respiratory Syndrome Coronavirus	0	0	0	0	
	Yellow Fever	0	0	0	0	
Zika Virus Infection	0	0	2	0		

1. The following 8 chronic diseases are excluded from the table: MDR-TB, Tuberculosis, Syphilis, Gonorrhoea, HIV Infection, AIDS, Hansen Disease and Creutzfeldt-Jakob Disease.

2. Reported cases.

3. Since 2014/1/1, "Varicella" was modified to "Complicated Varicella".

4. Since 2014/3/6, the case definition for confirmed Acute hepatitis C was changed from "meet the clinical **and** laboratory conditions" to "meet the clinical **or** laboratory conditions".

5. Since 2014/7/1, various subtypes of human cases of avian influenza are reported as "novel influenza A virus infections", a Category V Notifiable Infectious Disease. The original "H5N1 flu" and "H7N9 flu", which were respectively listed as a Category I Notifiable Infectious Disease and a Category V Notifiable Infectious Disease were removed from the list on the same day.



Suspected Clusters

- Thirteen clusters were reported, including 6 varicella clusters, 4 diarrhea clusters, 1 tuberculosis cluster, 1 upper respiratory tract infection cluster, and 1 influenza-like illness cluster.

Imported Infectious Diseases

- 21 confirmed cases were imported from 9 countries during Week 22 of 2016.

Country Disease	Indonesia	Philippines	Malaysia	Fiji	China	Thailand	Nepal	Peru	India	Total
Amoebiasis	5	1				1				7
Dengue Fever	1	1	2							4
Hepatitis A					2	1		1		4
Chikungunya Fever				2						2
Shigellosis	1						1			2
Zika virus infection	1									1
Paratyphoid Fever									1	1
Total	8	2	2	2	2	2	1	1	1	21

Note: The statistics listed in this table include imported cases that were either confirmed or updated* in the previous week.

- A total of 288 confirmed cases were imported from 25 countries in 2016.
- Top 3 imported diseases : Dengue fever (117), Amoebiasis (54), Shigellosis (44).
- Top 3 countries responsible for most imported cases : Indonesia (133), Thailand (26), Malaysia (22).

Summary of Epidemic

- Enterovirus** : The enterovirus activity has increased continuously and the peak of enterovirus season is fast approaching. Coxsackie A virus is currently the dominant strain circulating in the community. Sporadic cases of enterovirus 71 infection have been confirmed recently. This year, a total of 52 cases of enterovirus 71 infection, including 5 severe cases, 42 mild cases and 5 suspected severe cases, have been confirmed. The public is urged to enhance personal hygiene and stay vigilant for suspicious symptoms of enterovirus infection with severe complications in infants.
- Dengue Fever** : Imported cases have continued to be reported. The recent high temperatures and the continuous occurrence of intermittent rain have promoted mosquito growth, elevating the risk of dengue transmission. The public is urged to clean up and remove any vector breeding sites and



take prevention measures against mosquito bites.

- **Scrub Typhus** : The numbers of cases reported and confirmed are expected to continue increasing. The peak of scrub typhus season is during the months of June to July. The endemic areas are primarily eastern and outlying islands of Taiwan.

