



Disease Surveillance Express

Numbers of New Cases and Cumulative Cases of Notifiable Infectious Diseases (by week of diagnosis)

Classification	Case diagnosis week Disease Diagnosed ¹	Week 37		Week 1–37		
		2016	2015	2016	2015	
Category I	Plague	0	0	0	0	
	Rabies	0	0	0	0	
	SARS	0	0	0	0	
	Smallpox	0	0	0	0	
Category II	Acute Flaccid Paralysis	0	0	29	11	
	Acute Viral Hepatitis type A	19	7	803	87	
	Amoebiasis	6	8	222	263	
	Anthrax	0	0	0	0	
	Chikungunya Fever	0	0	8	4	
	Cholera	0	1	9	7	
	Dengue Fever	4	3682	700	13075	
	Diphtheria	0	0	0	0	
	Enterohemorrhagic E. coli Infection	0	0	0	0	
	Epidemic Typhus Fever	0	0	0	0	
	Hantavirus Pulmonary Syndrome	0	0	0	0	
	Hemorrhagic Fever with Renal Syndrome	0	0	3	1	
	Malaria	0	0	7	7	
	Measles	0	1	13	28	
	Meningococcal Meningitis	0	0	2	2	
	Paratyphoid Fever	0	0	5	4	
	Poliomyelitis	0	0	0	0	
	Rubella	0	0	4	6	
	Shigellosis	2	3	147	129	
	Typhoid fever	0	0	3	22	
West Nile Fever	0	0	0	0		
Category III	Acute Viral Hepatitis type B	0	3	72	91	
	Acute Viral Hepatitis type C ⁴	3	6	152	153	
	Acute Viral Hepatitis type D	0	0	1	1	
	Acute Viral Hepatitis type E	0	0	13	2	
	Acute Viral Hepatitis untype	0	0	0	1	
	Congenital Rubella Syndrome	0	0	0	0	
	Enteroviruses Infection with Severe Complications	2	0	21	4	
	Haemophilus Influenza type b Infection	0	0	13	1	
	Japanese Encephalitis	0	0	16	28	
	Legionellosis	0	3	77	129	
	Mumps ²	9	6	409	575	
	Neonatal Tetanus	0	0	0	0	
	Pertussis	0	3	14	73	
	Tetanus ²	0	0	9	7	
	Category IV	Botulism	0	0	4	2
		Brucellosis	0	0	0	2
Complicated Influenza		2	7	1864	793	
Complicated Varicella ³		0	0	30	38	
Endemic Typhus Fever		1	0	13	24	
Herpesvirus B Infection		0	0	0	0	
Invasive Pneumococcal Disease		9	10	425	384	
Leptospirosis		8	3	69	58	
Lyme Disease		0	0	1	2	
Melioidosis		0	1	18	27	
Q Fever		0	1	34	32	
Scrub Typhus		2	0	322	291	
Toxoplasmosis		0	1	8	9	
Tularremia	0	0	0	0		
Category V	Ebola Virus Disease	0	0	0	0	
	Marburg Hemorrhagic Fever	0	0	0	0	
	Novel Influenza A Virus Infections ⁵	0	0	0	0	
	Lassa Fever	0	0	0	0	
	Rift Valley Fever	0	0	0	0	
	Middle East Respiratory Syndrome Coronavirus	0	0	0	0	
	Yellow Fever	0	0	0	0	
Zika Virus Infection ⁶	1	0	8	0		

1. The following 8 chronic diseases are excluded from the table: MDR-TB, Tuberculosis, Syphilis, Gonorrhoea, HIV Infection, AIDS, Hansen Disease and Creutzfeldt-Jakob Disease.

2. Reported cases.

3. Since 2014/1/1, "Varicella" was modified to "Complicated Varicella".

4. Since 2014/3/6, the case definition for confirmed Acute hepatitis C was changed from "meet the clinical **and** laboratory conditions" to "meet the clinical **or** laboratory conditions".

5. Since 2014/7/1, various subtypes of human cases of avian influenza are reported as "novel influenza A virus infections", a Category V Notifiable Infectious Disease. The original "H5N1 flu" and "H7N9 flu", which were respectively listed as a Category I Notifiable Infectious Disease and a Category V Notifiable Infectious Disease were removed from the list on the same day.

6. Since 2016/1/22, "Zika Virus Infection" was listed as a Notifiable Infectious Disease.



Suspected Clusters

- Seventeen clusters were reported, including 12 diarrhea clusters, 3 upper respiratory tract infection clusters, 1 tuberculosis cluster, and 1 varicella cluster.

Imported Infectious Diseases

- 12 confirmed cases were imported from 5 countries during Week 37 of 2016.

Disease \ Country	Country					Total
	Indonesia	China	Philippines	Japan	Thailand	
Shigellosis	3	1				4
Amoebiasis	4					4
Dengue Fever			1		1	2
Hepatitis A		1		1		2
Total	7	2	1	1	1	12

Note: The statistics listed in this table include imported cases that were either confirmed or updated* in the previous week.

- A total of 578 confirmed cases were imported from 36 countries in 2016.
- Top 3 imported diseases : Dengue fever (260), Amoebiasis (109), Hepatitis A (77).
- Top 3 countries responsible for most imported cases : Indonesia (243), Philippines (60), Thailand (57).

Summary of Epidemic

- Dengue Fever** : The epidemic has increased gradually in Southeast Asian countries. Imported cases have continued to be reported. After Typhoon Meranti lashed Taiwan with torrential rain last week, the occurrence of rain has still promoted mosquito growths and elevated the risk of dengue transmission. New case of dengue has been confirmed. The public is urged to clean up and remove any vector breeding sites and take prevention measures against mosquito bites.
- Zika Virus Infection** : The epidemic has increased in Singapore, Thailand and Malaysia, elevating the risk of importing Zika virus from these countries.
- Scrub Typhus** : The epidemic activity remains at its peak and is expected to gradually increase in September and October. The endemic areas are primarily eastern and outlying islands of Taiwan.
- Enterovirus** : The number of visits to outpatient services and ER for enterovirus infection has



increased slightly, and the epidemic is expected to gradually increase. Coxsackie A virus is currently the dominant strain circulating in the community. Sporadic cases of enterovirus 71 infection have been confirmed recently. This year, a total of 139 cases of enterovirus 71 infection, including 20 severe cases and 119 mild cases, have been confirmed. The public is urged to enhance personal hygiene and stay vigilant for suspicious symptoms of enterovirus infection with severe complications in infants.

