

week 12–14(Mar.15– Apr.4, 2020)

DOI: 10.6525/TEB.202004\_36(7).0003

## Weekly Data of Notifiable Infectious Diseases (by week of diagnosis)

Classification	Disease Diagnosed	Case diagnosis year		Week 1–12			
		Week 12★		2020		2019	
		2020	2019	Total cases★	Imported cases	Total cases★	Imported cases
Category I	Plague	0	0	0	0	0	0
	Rabies	0	0	0	0	0	0
	SARS	0	0	0	0	0	0
	Smallpox	0	0	0	0	0	0
Category II	Acute Flaccid Paralysis	1	0	5	0	12	0
	Acute Viral Hepatitis type A	1	4	25	5	22	8
	Amoebiasis	7	9	63	25	72	37
	Anthrax	0	0	0	0	0	0
	Chikungunya Fever	0	0	2	2	0	0
	Cholera	0	0	0	0	0	0
	Dengue Fever	3	6	51	51	100	99
	Diphtheria	0	0	0	0	0	0
	Enterohemorrhagic E. coli Infection	0	0	0	0	0	0
	Epidemic Typhus Fever	0	0	0	0	0	0
	Hantavirus Pulmonary Syndrome	0	0	0	0	0	0
	Hemorrhagic Fever with Renal Syndrome	0	0	3	0	0	0
	Malaria	0	0	1	1	1	1
	Measles	0	2	2	2	35	15
	Meningococcal Meningitis	0	0	3	0	2	0
	Paratyphoid Fever	0	0	0	0	0	0
	Poliomyelitis	0	0	0	0	0	0
	Rubella	0	3	0	0	6	4
Shigellosis	3	6	45	17	30	11	
Typhoid fever	0	0	5	3	4	4	
West Nile Fever	0	0	0	0	0	0	
Zika virus infection	0	0	2	2	1	1	
Category III	Acute Viral Hepatitis type B	3	0	25	2	25	0
	Acute Viral Hepatitis type C	11	18	164	2	134	0
	Acute Viral Hepatitis type D	0	0	0	0	0	0
	Acute Viral Hepatitis type E	0	0	4	0	5	1
	Congenital Syphilis	0	0	0	0	0	0
	Congenital Rubella Syndrome	0	0	0	0	0	0
	Enteroviruses Infection with Severe Complications	0	0	7	0	4	1
	Haemophilus Influenza type b Infection	0	0	1	0	0	0
	Japanese Encephalitis	0	0	0	0	0	0
	Legionnaires' Disease	1	6	59	2	59	4
	Mumps	11	16	110	2	137	0
	Neonatal Tetanus	0	0	0	0	0	0
Pertussis	0	1	8	0	10	0	
Tetanus	1	0	1	0	0	0	
Category IV	Botulism	0	0	0	0	0	0
	Brucellosis	0	0	0	0	0	0
	Complicated Varicella	3	1	16	0	19	1
	Endemic Typhus Fever	0	0	1	0	1	0
	Herpesvirus B Infection	0	0	0	0	0	0
	Influenza Case with Severe Complications	0	37	545	6	627	2
	Invasive Pneumococcal Disease	5	7	117	0	138	1
	Leptospirosis	1	1	9	0	13	0
	Listeriosis	0	7	24	0	44	0
	Lyme Disease	0	0	0	0	1	1
	Melioidosis	0	0	3	1	0	0
	Q Fever	0	0	1	0	1	0
	Scrub Typhus	3	0	52	1	69	0
Toxoplasmosis	0	0	0	0	3	0	
Tularemia	0	0	0	0	0	0	
Category V	Ebola Virus Disease	0	0	0	0	0	0
	Lassa Fever	0	0	0	0	0	0
	Marburg Hemorrhagic Fever	0	0	0	0	0	0
	Middle East Respiratory Syndrome	0	0	0	0	0	0
	Coronavirus Infections	0	0	0	0	0	0
	Novel Influenza A Virus Infections	0	0	0	0	0	0
	Rift Valley Fever	0	0	0	0	0	0
Severe Pneumonia with Novel Pathogens	100	-	153	120	-	-	
Yellow Fever	0	0	0	0	0	0	

- ★The weekly and cumulative total numbers include indigenous and imported cases of notifiable infectious diseases.
- MDR-TB, Tuberculosis, Syphilis, Gonorrhoea, HIV Infection, AIDS, Hansen's Disease and Creutzfeldt-Jakob Disease are excluded from the table.
- Numbers of mumps and tetanus cases are summed up by the week of report.
- Since 2020/1/15, "Severe Pneumonia with Novel Pathogens" was listed as a Notifiable Infectious Disease.

## Suspected Clusters

- Eighteen clusters were reported during week 12, including 7 tuberculosis clusters, 10 diarrhea clusters, 1 upper respiratory tract infection cluster.

## Imported Infectious Diseases

- There were 102 imported cases from 22 countries / areas during week 12 of 2020.
- ◆ Of all the 94 cases for Severe Pneumonia with Novel Pathogens, 64 cases were from European countries involving Turkey, France, Spain, UK, Austria, Czech Republic, Germany, Netherlands, Greece, Iceland, Switzerland, Poland; 15 cases from America (USA, Canada), 8 cases from Africa (Egypt, South Africa) and 7 cases from Asia (the Philippines, Indonesia, Japan, Qatar).
- ◆ Other 8 cases as below :

Diseases	Countries / Areas				Total
	Indonesia	Philippines	Australia	Thailand	
Dengue Fever	2			1	3
Amoebiasis	2	1			3
Acute Hepatitis C			1		1
Acute Hepatitis A		1			1
Total	4	2	1	1	8

- As of week 12 in 2020, there were 242 imported cases from 36 different countries. The top 3 countries are Indonesia (52), the Philippines (25), China (19).
- The three notifiable diseases with the highest number of imported cases are Severe Pneumonia with Novel Pathogens (120), Dengue Fever (51), Amoebiasis (25).

## Summary of Epidemic

- **Severe Pneumonia with Novel Pathogens** : Both the risk of having imported and locally acquired cases in Taiwan are increasing.

### Weekly Data of Notifiable Infectious Diseases (by week of diagnosis)

Case diagnosis year		Week 13★		Week 1-13			
Classification	Disease Diagnosed	2020	2019	2020		2019	
				Total cases★	Imported cases	Total cases★	Imported cases
Category I	Plague	0	0	0	0	0	0
	Rabies	0	0	0	0	0	0
	SARS	0	0	0	0	0	0
	Smallpox	0	0	0	0	0	0
Category II	Acute Flaccid Paralysis	1	1	6	0	13	0
	Acute Viral Hepatitis type A	2	4	27	5	26	8
	Amoebiasis	5	6	68	26	78	40
	Anthrax	0	0	0	0	0	0
	Chikungunya Fever	0	0	2	2	0	0
	Cholera	0	0	0	0	0	0
	Dengue Fever	3	6	54	54	106	105
	Diphtheria	0	0	0	0	0	0
	Enterohemorrhagic E. coli Infection	0	0	0	0	0	0
	Epidemic Typhus Fever	0	0	0	0	0	0
	Hantavirus Pulmonary Syndrome	0	0	0	0	0	0
	Hemorrhagic Fever with Renal Syndrome	0	0	3	0	0	0
	Malaria	0	0	1	1	1	1
	Measles	0	5	2	2	40	18
	Meningococcal Meningitis	0	0	3	0	2	0
	Paratyphoid Fever	0	0	0	0	0	0
	Poliomyelitis	0	0	0	0	0	0
	Rubella	0	0	0	0	6	4
Shigellosis	1	4	46	17	34	12	
Typhoid fever	0	0	5	3	4	4	
West Nile Fever	0	0	0	0	0	0	
Zika virus infection	0	0	2	2	1	1	
Category III	Acute Viral Hepatitis type B	1	2	26	2	27	0
	Acute Viral Hepatitis type C	6	11	170	2	145	1
	Acute Viral Hepatitis type D	0	0	0	0	0	0
	Acute Viral Hepatitis type E	1	0	5	0	5	1
	Congenital Syphilis	0	0	0	0	0	0
	Congenital Rubella Syndrome	0	0	0	0	0	0
	Enteroviruses Infection with Severe Complications	0	0	7	0	4	1
	Haemophilus Influenza type b Infection	0	0	1	0	0	0
	Japanese Encephalitis	0	0	0	0	0	0
	Legionnaires' Disease	3	8	62	2	67	5
	Mumps	11	18	121	2	155	0
	Neonatal Tetanus	0	0	0	0	0	0
	Pertussis	0	2	8	0	12	0
Tetanus	1	0	2	0	0	0	
Category IV	Botulism	0	0	0	0	0	0
	Brucellosis	0	0	0	0	0	0
	Complicated Varicella	0	1	16	0	20	1
	Endemic Typhus Fever	1	1	2	0	2	0
	Herpesvirus B Infection	0	0	0	0	0	0
	Influenza Case with Severe Complications	1	23	546	6	650	2
	Invasive Pneumococcal Disease	5	8	122	0	146	2
	Leptospirosis	0	1	9	0	14	0
	Listeriosis	5	0	29	0	44	0
	Lyme Disease	0	0	0	0	1	1
	Melioidosis	0	0	3	1	0	0
	Q Fever	0	0	1	0	1	0
	Scrub Typhus	6	2	58	1	71	0
Toxoplasmosis	0	1	0	0	4	0	
Tularemia	0	0	0	0	0	0	
Category V	Ebola Virus Disease	0	0	0	0	0	0
	Lassa Fever	0	0	0	0	0	0
	Marburg Hemorrhagic Fever	0	0	0	0	0	0
	Middle East Respiratory Syndrome	0	0	0	0	0	0
	Coronavirus Infections	0	0	0	0	0	0
	Novel Influenza A Virus Infections	0	0	0	0	0	0
	Rift Valley Fever	0	0	0	0	0	0
Severe Pneumonia with Novel Pathogens	130	-	283	241	-	-	
Yellow Fever	0	0	0	0	0	0	

1. ★The weekly and cumulative total numbers include indigenous and imported cases of notifiable infectious diseases.  
2. MDR-TB, Tuberculosis, Syphilis, Gonorrhea, HIV Infection, AIDS, Hansen's Disease and Creutzfeldt-Jakob Disease are excluded from the table.  
3. Numbers of mumps and tetanus cases are summed up by the week of report.  
4. Since 2020/1/15, "Severe Pneumonia with Novel Pathogens" was listed as a Notifiable Infectious Disease.

### Suspected Clusters

- Twelve clusters were reported during week 13, including 5 tuberculosis clusters, 4 diarrhea clusters, 1 upper respiratory tract infection cluster, 2 varicella clusters.

### Imported Infectious Diseases

- There were 125 imported cases from 22 countries / areas during week 13 of 2020.
- ◆ Of all the 121 cases for Severe Pneumonia with Novel Pathogens, 65 cases were from European countries involving UK, France, Spain, Netherlands, Ireland, Czech Republic, Switzerland, Belgium, Denmark, Italy, Germany; 41 cases from Americas (USA, Mexico); 6 cases from Asia (the Philippines, Indonesia, Malaysia, Thailand); 4 cases from Africa (Egypt, Morocco); 4 cases from Oceania (Australia, New Zealand) and 1 case from Middle East (Turkey).
- ◆ Other 4 cases as below :

Diseases \ Countries / Areas	Indonesia
Dengue Fever	3
Amoebiasis	1
Total	4

- As of week 13 in 2020, there were 367 imported cases from 40 different countries. The top 3 countries are Indonesia (57), USA (54), UK (47).
- The three notifiable diseases with the highest number of imported cases are Severe Pneumonia with Novel Pathogens (241), Dengue Fever (54), Amoebiasis (26).

### Summary of Epidemic

- **Severe Pneumonia with Novel Pathogens** : Both the risk of having imported and locally acquired cases in Taiwan are increasing.

### Weekly Data of Notifiable Infectious Diseases (by week of diagnosis)

Case diagnosis year		Week 14★		Week 1-14			
Classification	Disease Diagnosed	2020	2019	2020		2019	
				Total cases★	Imported cases	Total cases★	Imported cases
Category I	Plague	0	0	0	0	0	0
	Rabies	0	0	0	0	0	0
	SARS	0	0	0	0	0	0
	Smallpox	0	0	0	0	0	0
Category II	Acute Flaccid Paralysis	2	2	8	0	15	0
	Acute Viral Hepatitis type A	1	2	28	5	28	8
	Amoebiasis	3	7	71	37	85	44
	Anthrax	0	0	0	0	0	0
	Chikungunya Fever	0	0	2	2	0	0
	Cholera	0	0	0	0	0	0
	Dengue Fever	1	2	55	55	108	107
	Diphtheria	0	0	0	0	0	0
	Enterohemorrhagic E. coli Infection	0	0	0	0	0	0
	Epidemic Typhus Fever	0	0	0	0	0	0
	Hantavirus Pulmonary Syndrome	0	0	0	0	0	0
	Hemorrhagic Fever with Renal Syndrome	0	0	3	0	0	0
	Malaria	0	0	1	1	1	1
	Measles	0	4	2	2	44	22
	Meningococcal Meningitis	0	0	3	0	2	0
	Paratyphoid Fever	0	0	0	0	0	0
	Poliomyelitis	0	0	0	0	0	0
	Rubella	0	0	0	0	6	4
	Shigellosis	2	1	48	19	35	12
Typhoid fever	0	0	5	3	4	4	
West Nile Fever	0	0	0	0	0	0	
Zika virus infection	0	0	2	2	1	1	
Category III	Acute Viral Hepatitis type B	1	1	27	2	28	1
	Acute Viral Hepatitis type C	4	6	174	2	151	1
	Acute Viral Hepatitis type D	0	0	0	0	0	0
	Acute Viral Hepatitis type E	0	1	5	0	6	2
	Congenital Syphilis	0	0	0	0	0	0
	Congenital Rubella Syndrome	0	0	0	0	0	0
	Enteroviruses Infection with Severe Complications	0	0	7	0	4	1
	Haemophilus Influenza type b Infection	0	0	1	0	0	0
	Japanese Encephalitis	0	0	0	0	0	0
	Legionnaires' Disease	2	3	64	3	70	6
	Mumps	10	5	131	3	160	0
	Neonatal Tetanus	0	0	0	0	0	0
	Pertussis	0	2	8	0	14	0
Tetanus	1	0	3	0	0	0	
Category IV	Botulism	0	0	0	0	0	0
	Brucellosis	0	0	0	0	0	0
	Complicated Varicella	0	2	16	0	22	1
	Endemic Typhus Fever	0	0	2	0	2	0
	Herpesvirus B Infection	0	0	0	0	0	0
	Influenza Case with Severe Complications	0	23	546	6	673	2
	Invasive Pneumococcal Disease	5	6	127	0	152	2
	Leptospirosis	2	0	11	0	14	0
	Listeriosis	3	6	32	0	50	0
	Lyme Disease	0	0	0	0	1	1
	Melioidosis	0	1	3	1	1	0
	Q Fever	0	0	1	0	1	0
	Scrub Typhus	1	2	59	1	73	0
Toxoplasmosis	0	0	0	0	4	0	
Tularemia	0	0	0	0	0	0	
Category V	Ebola Virus Disease	0	0	0	0	0	0
	Lassa Fever	0	0	0	0	0	0
	Marburg Hemorrhagic Fever	0	0	0	0	0	0
	Middle East Respiratory Syndrome	0	0	0	0	0	0
	Coronavirus Infections	0	0	0	0	0	0
	Novel Influenza A Virus Infections	0	0	0	0	0	0
	Rift Valley Fever	0	0	0	0	0	0
	Severe Pneumonia with Novel Pathogens	72	-	355	304	-	-
Yellow Fever	0	0	0	0	0	0	

1. ★The weekly and cumulative total numbers include indigenous and imported cases of notifiable infectious diseases.  
2. MDR-TB, Tuberculosis, Syphilis, Gonorrhea, HIV Infection, AIDS, Hansen's Disease and Creutzfeldt-Jakob Disease are excluded from the table.  
3. Numbers of mumps and tetanus cases are summed up by the week of report.  
4. Since 2020/1/15, "Severe Pneumonia with Novel Pathogens" was listed as a Notifiable Infectious Disease.

### Suspected Clusters

- Twelve clusters were reported during week 14, including 4 tuberculosis clusters, 6 diarrhea clusters, 1 upper respiratory tract infection cluster, 1 influenza-like illness cluster.

### Imported Infectious Diseases

- There were 78 imported cases from 16 countries / areas during week 14 of 2020.
- ◆ Of all the 63 cases for Severe Pneumonia with Novel Pathogens, 30 cases were from European countries involving UK, France, Switzerland, Austria, Spain, Denmark, Germany; 23 cases from Americas (USA, Argentina); 7 cases from Asia (Indonesia, the Philippines, Thailand); 2 cases from Africa (Morocco, Egypt) and 1 case from Middle East (Turkey).
- ◆ Other 15 cases as below :

Diseases	Countries / Areas				Total
	Indonesia	Philippines	Vietnam	Thailand	
Amoebiasis	9	1		1	11
Shigellosis	2				2
Legionnaires' Disease			1		1
Dengue Fever	1				1
Total	12	1	1	1	15

- As of week 14 in 2020, there were 445 imported cases from 41 different countries. The top 3 countries are USA (76), Indonesia (72), UK (65).
- The three notifiable diseases with the highest number of imported cases are Severe Pneumonia with Novel Pathogens (304), Dengue Fever (55), Amoebiasis (37).

### Summary of Epidemic

- **Severe Pneumonia with Novel Pathogens** : The risk of having imported cases of COVID-19 sustained in Taiwan due to the rapid spread of the COVID-19 pandemic. This also raised the risk of locally-acquired cases and clusters of coronavirus.

The Taiwan Epidemiology Bulletin series of publications is published by Centers for Disease Control, Ministry of Health and Welfare, Taiwan (R.O.C.) since Dec. 15, 1984.

**Publisher:** Jih-Haw Chou

**Editor-in-Chief:** Yung-Ching Lin

**Executive Editor:** Hsueh-Ju Chen, Hsin-Lun Lee

**Address:** No.6, Linsen S. Rd, Zhongjheng District, Taipei City 10050, Taiwan (R.O.C.)

**Telephone No:** +886-2-2395-9825

**Website:** <https://www.cdc.gov.tw/En>

**Suggested Citation:**

[Author].[Article title].Taiwan Epidemiol Bull 2020;36:[inclusive page numbers]. [DOI]