

Taiwan Tuberculosis Control Report 2010

Annual

November 2010

Edited by
Centers for Disease Control,
Department of Health,
R.O.C. (Taiwan)

Chief Editor: Feng-Yee Chang

Associate Editors

Wen-Yi Shi, Ting Lin, Jih-Haw Chou, Ying-Hwei Chen,
Jen-Hsiang Chuang, Chin-Hui Yang

Executive Editors

Shiang-Lin Yang, Hsiu-Yun Lo, Cheng-Yi Lee,
Kwei-Feng Wang, Pei-Chun Chan

Published by
Centers for Disease Control,
Department of Health, R.O.C. (Taiwan)

Preface

Tuberculosis (TB) is one of the most important infectious diseases worldwide and also a notifiable communicable disease with the highest number of confirmed cases and deaths in Taiwan. The World Health Organization (WHO) estimated that globally there were 8.9-9.9 million new cases, 9.6-13.3 million prevalent cases, 1.1-1.7 million TB deaths in HIV-negative patients and 450-620 thousand TB deaths in HIV-positive patients in 2008. In terms of treatment outcome, the success rate of the 2007 treatment cohort was 86%. Around 30,000 TB patients in the world were registered as MDR-TB in 2008.


Since 2005, Taiwan has implemented the “Mobilization Plan for Halving TB Incidence in Ten Years”. A declining trend in the numbers of newly reported TB cases and deaths has been evident over the last couple of years. Based on the most recent (2009) statistics, 13,336 new cases were reported (58 cases per 100,000 population) and 748 deaths were reported (3.2 cases per 100,000 population). Overall, the incidence rate and death rate decreased by 6.5% and 1.8% respectively when compared with the previous year. However, continuous effort is required to achieve the target of halving TB cases in ten years.

In 2008, the detection rate for new sputum smear-positive cases in Taiwan was 75%, which exceeded the WHO's target rate (70%). In terms of treatment outcome, the treatment success rate was 67%, which was still below the target rate (85%) recommended by WHO. In other words, improvement in terms of case follow-up, treatment and management is still needed.

In 2008, the percentage of MDR-TB reported was 1.0% among all new TB cases and 6.3% among previously treated TB cases. On the other hand, the HIV incidence rate was 0.7% among all new TB cases and 0.5% among new TB

cases aged between 15 and 49 years. According to the aforementioned data, Taiwan is still facing great challenges in TB control. While an aggressive approach has been adopted for implementing strategies such as DOTS, DOTS-Plus and LTBI, full cooperation from all levels of the health authorities, health care provider and the general public is required to achieve the target of halving TB in ten years.

This report documents Taiwan's TB epidemiology (statistics) from 2007 into 2008. It is hoped that this publication will improve the public knowledge of the TB situation and the relevant control measures in Taiwan. Your comments in making this report more comprehensive will be much appreciated.



Director-General
Taiwan Centers for Disease Control

Contents

Preface	I
Contents	II
Explanation	III
1. Summary	1
2. Definitions of Tuberculosis Cases and Treatment Outcomes	7
3. Estimated Incidence and Prevalence of TB	9
4. TB Epidemiology and Surveillance	11
5. Case Notification	27
6. Sites of extra-pulmonary TB	57
7. Treatment Outcomes of New TB cases	85
8. Treatment Outcomes of New Smear-positive TB cases	139
9. Estimated TB Burden	195
10. Country Profiles	199

Explanation

1. This report covers areas including Taiwan, Penghu, Kinmen and Matsu. To echo the World Health Organization's (WHO) Stop TB Strategy target and align calculation benchmarks internationally, country profiles mentioned in this report have been extracted from the WHO 2010 Global Tuberculosis Control Report.
2. Taiwan TB statistics mentioned in this report have been extracted through case analysis of data from the "National Notifiable Disease Surveillance System".
3. According to current law in Taiwan, suspected TB should be reported immediately as an infectious disease. To ensure matching comparison standards internationally, the definition of reported TB cases in Taiwan used throughout this report adopts the same definition used by the WHO, that is, the number of confirmed TB cases.
4. In the WHO Global Tuberculosis Control Report, incidence and prevalence of TB in countries contribute to the estimated burden. Sections 8 and 9 of this report estimate the burden of TB incidence and prevalence in Taiwan using WHO suggested calculation equation.
5. Definitions of TB reporting, TB burden estimation and TB case definition reflect those mentioned in the WHO report- number of confirmed cases reported in 2008. Clinical outcome evaluation analyzed cases from the 2007 and 2008 follow-up cohorts.
6. Country profiles mentioned in this report include all areas where DOTS has been implemented. Taiwan has adopted and fully implemented the standard DOTS program (WHO) since 1st of April 2006. All study cohorts after the year 2006 are considered cases covered under the DOTS program.
7. This reports used population figures from the Demographic fact book, Republic of China, (published in June 2009) in the calculation of incidence rates.
8. Where "--" is present, this indicates that data is not available.
9. This year report is expected to be published 4 months after the publication of WHO Global Tuberculosis Control report.

- ■ Summary
- ■ Definitions of tuberculosis cases and treatment outcomes
- ■ Estimated Incidence and Prevalence of TB

2005 - 16472

2008 - 14265

2009 - 13336

Summary

1. Incidence surveillance

- (1) The number of new TB cases notified was 14,265 cases (62 cases per 10,000 population) in 2008 and 13,336 cases (58 cases per 10,000 population) in 2009 in Taiwan. Overall, when using 2005 as a base value, incident cases and rate have declined by 19.0% and 20.3%, respectively, from 2005 to 2009.
- (2) A total of 14,845 new cases of TB were notified in 2008 (14,265 new cases, 580 relapse) with sputum smear-positive TB accounting for 41% of new cases. This is comparatively low when 57% (2008) of total global notifications were suggested to be smear positive (WHO 2009 TB year report).
- (3) Of all new TB (all forms) notified in 2009, incidence was highest in eastern parts of Taiwan (111 cases per 100,000 population), followed by Kaohsiung and Pingtung areas (73 cases per 100,000 population) and southern areas (62 cases per 100,000 population). With reference to counties and cities, the highest incidences were found in Taitung County (113 cases per 10,000 population) followed by Hualien County (109 cases per 10,000 population) and Pingtung County (89 cases per 100,000 population). In terms of age, a positive correlation between age and incidence was observed, incidence rate peaked for those aged 65 years or older at 53%.
- (4) In terms of gender, whether it be all forms of TB or sputum smear-positive TB, incidence in men was 2-3 folds that of women. Irrespective of gender, age specific incidence rate also increased with age.
- (5) When dividing Taiwan into 6 areas (Taipei, North, Central, Southern District, Kaohsiung and Pingtung area and Eastern), TB cases were most prominent in Taipei (3,980 cases), followed by Kaohsiung and Pingtung area (2,987 cases), eastern areas (593) had the least number of cases. In terms of counties and cities, Taipei County (2,147 cases), Taipie City (1,178 cases), Kaohsiung county(1,061 cases), Taoyuan county(1,022 cases) and Kaohsiung city (1,009 人) all had over 1,000 new cases notified in 2009.

- (6) The burden of TB in Taiwan can be calculated using collected data and WHO calculation equation. Calculations reveal that the burden of TB incidence in Taiwan is 84 cases per 100,000 population, and smear-positive TB at 32 cases per 100,000 population in 2008. When evaluating the burden of TB by counties and cities, the overall burden is lower than that in 2007. The top 3 county / city with the highest incidence burden are Yunlin County, Hualien County and Chiayi City respectively.

2. Prevalence surveillance

- (7) The estimate burden of TB prevalence is 49 cases per 100,000 population. This estimated burden is less than neighbouring Korea (50 cases per 100,000 population) and Hong Kong (58 cases per 100,000 population). But comparatively higher than other developed countries such as United States (2.5 cases per 100,000 population), Singapore (27 cases per 100,000 population), and Japan (12 cases per 100,000 population).
- (8) Taiwan's prevalence of HIV in new TB cases is $\leq 1\%$ (0.7%), this is comparatively lower than Europe, United States and other countries. Domestically, Taichung city's prevalence rate of 2.7% (HIV in new TB cases) is higher than other counties and cities.

3. Mortality surveillance

- (9) The number of TB caused deaths in 2008 and 2009 were 762 (3.3 cases per 100,000 population) and 748 (3.2 cases per 100,000 population) respectively. Overall, the number of deaths has fallen by 1.8% over 2008-2009.
- (10) The crude death rate of TB was 3.2 cases per 100,000 population in 2009. 578 cases were male and 184 cases were women, the ratio of men to women was 3.1:1.0. Death rate per 100,000 population was 5.0 for men and 1.6 for women.
- (11) Age analysis reveals that death rate was positively correlated with age. Of all the 748 TB deaths in 2009, 84% (630 cases) were aged 65 or over.
- (12) Of all counties and cities, the highest death rate was found in Eastern

areas and in the Kaohsiung and Pingtung areas. The counties and cities with the most number of TB deaths in descending order are: Taitung county (10.8 cases per 100,000 population), Hualien county (8.2 cases per 100,000 population) and Pingtung county (6.6 cases per 100,000 population).

4. Case detection surveillance

- (13) In 2008, the detection rate for all forms of TB was 74% and 75% for sputum smear-positive TB. Both have achieved WHO set target of 70%.

5. Treatment success surveillance

- (14) The treatment success rate of all new TB (all forms) cases after a 12 month follow up was 71% in 2007 and 70.4% in 2008. Death rate post follow up was 18.4% and 19.2% respectively, northern areas were found to have the highest treatment success rate.
- (15) In terms of 12 month treatment follow up of new sputum smear-positive TB cases, the WHO 2008 report indicated that globally, treatment success rate for new sputum smear-positive TB cases treated in the 2007 cohort was 86%. This has achieved the global target set by WHO in 2000 at 85%. However, the 12 month follow-up of new sputum smear-positive TB cases treated in the 2007 and 2008 cohorts have a treatment success of 67% in Taiwan, this is below the WHO target.

Definitions of tuberculosis cases and treatment outcomes

Item	Definitions
Case of tuberculosis	A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by a clinician.
Definite case	A patient with positive culture for the Mycobacterium tuberculosis complex. In countries where culture is not routinely available, a patient with one sputum smear positive for acid-fast bacilli (AFB+) is also considered a definite case.
Pulmonary case	A patient with tuberculosis disease involving the lung parenchyma.
Smear-positive pulmonary case	A patient with one or more initial sputum smear examinations (direct smear microscopy) AFB+.
Smear-negative pulmonary case	A patient with pulmonary tuberculosis not meeting the above criteria for smear-positive disease. Diagnostic criteria should include: at least two sputum smear examinations negative for AFB; and radiographic abnormalities consistent with active pulmonary tuberculosis; and no response to a course of broadspectrum antibiotics (except in a patient for whom there is laboratory confirmation or strong clinical evidence of HIV infection); and a decision by a clinician to treat with a full course of antituberculosis chemotherapy; or positive culture but negative AFB sputum examinations.
Extrapulmonary case	A patient with tuberculosis of organs other than the lungs (e.g. pleura, lymph nodes, abdomen, genitourinary tract, skin, joints and bones, meninges). Diagnosis should be based on one culture-positive specimen, or histological or strong clinical evidence consistent with active extrapulmonary disease, followed by a decision by a clinician to treat with a full course of antituberculosis chemotherapy. A patient in whom both pulmonary and extrapulmonary tuberculosis has been diagnosed should be classified as a pulmonary case.
New case	A patient who has never had treatment for tuberculosis or who has taken antituberculosis drugs for less than one month.

Item	Definitions
Re-treatment case	A patient previously treated for TB, who is started on a re-treatment regimen after previous treatment has failed (treatment after failure), who returns to treatment having previously defaulted (see below; treatment after default), or who was previously declared cured or treatment completed and is diagnosed with bacteriologically positive (sputum smear or culture) TB (relapse).
Cured	A patient who was initially smear-positive and who was smear-negative in the last month of treatment and on at least one previous occasion.
Completed treatment	A patient who completed treatment but did not meet the criteria for cure or failure. This definition applies to pulmonary smear-positive and smear-negative patients and to patients with extrapulmonary disease.
Died	A patient who died from any cause during treatment.
Failed	A patient who was initially smear-positive and who remained smear-positive at month 5 or later during treatment.
Defaulted	A patient whose treatment was interrupted for 2 consecutive months or more.
Transferred out	A patient who transferred to another reporting unit and for whom the treatment outcome is not known.
Successfully treated	A patient who was cured or who completed Treatment.
Not evaluated	Patient still on treatment at 12 months and did not meet any other outcome during treatment.

Reference : Global Tuberculosis Control, WHO Report 2010.

Estimation of the incidence and prevalence rate of tuberculosis

(impact index)

1. Depending on availability of data, the WHO Global tuberculosis Control report refers to the following equations when calculating incidence.

(1) $\text{incidence} = \text{cases notifications} / \text{proportion of cases detected}$

(2) $\text{incidence} = \text{prevalence} / \text{duration of condition}$

(3) $\text{incidence} = \text{annual risk of infection} \times \text{Sty'blo coefficient}$

(4) $\text{incidence} = \text{deaths} / \text{proportion of incident cases that die}$

2. The estimated burden of TB incidence mentioned throughout this report has been calculated using the fourth method. Using data published by the Department of Health, burden may be calculated by taking the 2008 TB death rate (death rate = number of TB deaths in that year / population) divided by mortality rate (mortality rate = 2008 new TB deaths / 2008 new cases).

3. Burden of TB prevalence mentioned throughout this report has been estimated by multiplying incidence by duration of condition.

4. The coefficient used in the calculation of condition duration by countries ranged from 0.5-3.5. TB prevalence (year of 2007-2009) estimation was based on academic references and country profiles, and adopted incidence multiply 1.3 as prevalence rate. In light of this, The Global tuberculosis control: a short update to the 2009 report recalculated and reviewed the prevalence rates of countries. Through consolidation of statistical data from other countries, and taking into consideration implementation of the DOTS project since 2006 in Taiwan, the 2008 diagnosed cohort was used in the condition duration analysis. The 2008 cohort had a condition follow up median of 0.583 years. The estimated incidence multiply 0.583 would provide an estimation of TB prevalence in Taiwan.

Reference:

1. <http://www.who.int/tb/en/>
2. Dye C et al. Global burden of tuberculosis: estimated incidence, prevalence and mortality by country. *Journal of the American Medical Association*, 1999, 282:677-686.
3. Global tuberculosis control: a short update to the 2009 report. WHO/HTM/TB/2009.426.

■ TB Epidemiology and Surveillance

2005 - 16472

2008 - 14265

2009 - 13336

Incidence and percent change of new TB cases, 2005-2009

	2005 (baseline)		2008		2009		Percent change of cases, 2005-2009	Percent change of rate, 2005-2009
	Number	Rate	Number	Rate	Number	Rate		
Taiwan	16 472	72.5	14 265	62.0	13 336	57.8	-19.0	-20.3
Taipei Area	4 464	61.4	3 980	53.9	3 729	50.3	-16.5	-18.1
Taipei City	1 386	52.9	1 178	44.9	1 110	42.4	-19.9	-19.8
Taipei County	2 371	63.7	2 147	56.3	2 104	54.6	-11.3	-14.3
Yilan County	361	78.1	360	78.2	280	60.7	-22.4	-22.3
Kinmen County	10	14.8	25	30.1	21	23.5	110.0	58.6
Keelung City	332	84.7	268	68.8	211	54.3	-36.4	-35.9
Lienchiang County	4	40.6	2	20.3	3	30.5	-25.0	-24.9
Northern Area	1 883	57.3	1 606	47.1	1 541	44.7	-18.2	-21.9
Miaoli County	332	59.3	254	45.3	234	41.7	-29.5	-29.6
Taoyuan County	1 110	59.5	1 022	52.5	921	46.8	-17.0	-21.3
Hsinchu City	189	48.6	134	33.3	149	36.5	-21.2	-25.0
Hsinchu County	252	53.3	196	39.2	237	46.7	-6.0	-12.4
Central Area	3 076	69.7	2 774	62.2	2 587	57.8	-15.9	-17.1
Taichung City	579	56.4	591	55.7	507	47.4	-12.4	-15.9
Taichung County	953	62.3	836	53.8	793	50.8	-16.8	-18.4
Nantou County	526	97.8	383	71.9	399	75.1	-24.1	-23.2
Changhua County	1 018	77.3	964	73.4	888	67.6	-12.8	-12.5
Southern Area	2 671	78.0	2 325	68.0	2 106	61.6	-21.2	-21.0
Tainan City	453	59.9	471	61.4	404	52.5	-10.8	-12.4
Tainan County	873	78.9	767	69.4	662	59.9	-24.2	-24.1
Yunlin County	729	99.2	581	80.2	570	78.8	-21.8	-20.5
Chiayi City	144	53.1	145	53.0	134	48.9	-6.9	-7.9
Chiayi County	472	84.7	361	65.6	336	61.3	-28.8	-27.6
Kao-Ping Area	3 622	96.7	2 987	79.7	2 738	73.0	-24.4	-24.5
Pingtung County	1 061	118.0	884	99.6	794	89.8	-25.2	-23.9
Kaohsiung City	1 238	81.9	1 009	66.2	913	59.8	-26.3	-27.0
Kaohsiung County	1 300	104.8	1 061	85.3	1 007	81.0	-22.5	-22.7
Penghu County	23	25.0	33	35.5	24	25.3	4.3	1.5
Eastern Area	756	128.6	593	103.1	635	110.7	-16.0	-13.9
Taitung County	276	115.2	233	100.1	263	113.3	-4.7	-1.6
Hualien County	480	137.8	360	105.2	372	109.0	-22.5	-20.9

Rate indicates per 100 000 population

Incidence by sex and percent change of new cases, 2008-2009

	2008						2009					
	All		Male		Female		All		Male		Female	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Taiwan	14 265	62.0	9 835	84.7	4 430	38.9	13 336	57.8	9 261	79.6	4 075	35.6
Taipei Area	3 980	53.9	2 672	72.9	1 308	35.1	3 729	50.3	2 513	68.5	1 216	32.5
Taipei City	1 178	44.9	752	59.0	426	31.5	1 110	42.4	731	57.8	379	28.1
Taipei County	2 147	56.3	1 454	76.3	693	36.3	2 104	54.6	1 426	74.3	678	35.1
Yilan County	360	78.2	265	112.3	95	42.3	280	60.7	193	81.9	87	38.6
Kinmen County	25	30.1	19	43.2	6	15.4	21	23.5	17	36.5	4	9.4
Keelung City	268	68.8	180	91.2	88	45.7	211	54.3	144	73.3	67	34.9
Lienchiang County	2	20.3	2	34.9	0	0.0	3	30.5	2	35.1	1	24.2
Northern Area	1 606	47.1	1 150	66.2	456	27.3	1 541	44.7	1 094	62.4	447	26.4
Miaoli County	254	45.3	202	69.1	52	19.4	234	41.7	178	60.9	56	20.8
Taoyuan County	1 022	52.5	720	73.0	302	31.4	921	46.8	661	66.4	260	26.7
Hsinchu City	134	33.3	85	42.3	49	24.4	149	36.5	98	48.2	51	24.9
Hsinchu County	196	39.2	143	55.4	53	22.0	237	46.7	157	60.0	80	32.6
Central Area	2 774	62.2	1 910	84.5	864	39.3	2 587	57.8	1 786	78.9	801	36.2
Taichung City	591	55.7	405	78.2	186	34.3	507	47.4	346	66.4	161	29.4
Taichung County	836	53.8	569	72.0	267	35.0	793	50.8	562	70.9	231	30.1
Nantou County	383	71.9	272	98.7	111	43.2	399	75.1	288	105.0	111	43.2
Changhua County	964	73.4	664	98.1	300	47.1	888	67.6	590	87.4	298	46.8
Southern Area	2 325	68.0	1 637	93.5	688	41.2	2 106	61.6	1 492	85.4	614	36.7
Tainan City	471	61.4	331	86.9	140	36.3	404	52.5	276	72.3	128	33.0
Tainan County	767	69.4	549	96.9	218	40.5	662	59.9	488	86.4	174	32.3
Yunlin County	581	80.2	384	101.0	197	57.2	570	78.8	388	102.5	182	52.8
Chiayi City	145	53.0	93	68.8	52	37.6	134	48.9	91	67.3	43	31.0
Chiayi County	361	65.6	280	97.1	81	30.9	336	61.3	249	86.9	87	33.3
Kao-Ping Area	2 987	79.7	2 053	107.9	934	50.7	2 738	73.0	1 937	102.0	801	43.3
Pingtung County	884	99.6	602	131.3	282	65.8	794	89.8	547	120.1	247	57.7
Kaohsiung City	1 009	66.2	685	90.5	324	42.3	913	59.8	648	85.7	265	34.4
Kaohsiung County	1 061	85.3	741	115.8	320	53.0	1 007	81.0	723	113.3	284	47.0
Penghu County	33	35.5	25	52.2	8	17.8	24	25.3	19	38.9	5	10.9
Eastern Area	593	103.1	413	137.5	180	65.5	635	110.7	439	147.0	196	71.3
Taitung County	233	100.1	165	134.6	68	61.7	263	113.3	184	150.9	79	71.7
Hualien County	360	105.2	248	139.6	112	68.0	372	109.0	255	144.4	117	71.1

Rate indicates per 100 000 population

Incidence by age, 2008-2009

	Number of new cases, 2008								Number of new cases, 2009							
	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65
Taiwan	14 265	112	753	1 043	1 279	1 782	1 845	7 451	13 336	100	682	892	1 084	1 675	1 825	7 078
Taipei Area	3 980	34	277	383	358	528	544	1 856	3 729	29	215	287	338	500	524	1 836
Taipei City	1 178	7	78	104	91	136	159	603	1 110	5	67	70	82	130	151	605
Taipei County	2 147	13	158	230	200	321	298	927	2 104	16	124	181	205	308	296	974
Yilan County	360	14	17	16	28	37	48	200	280	7	14	16	28	33	37	145
Kinmen County	25	0	1	3	1	4	2	14	21	0	1	1	2	0	5	12
Keelung City	268	0	21	30	38	30	37	112	211	1	8	18	21	29	35	99
Lienchiang County	2	0	2	0	0	0	0	0	3	0	1	1	0	0	0	1
Northern Area	1 606	13	113	132	196	211	154	787	1 541	10	119	155	140	213	185	719
Miaoli County	254	3	12	11	29	32	24	143	234	2	16	20	10	31	27	128
Taoyuan County	1 022	9	79	89	120	133	98	494	921	4	69	89	100	131	108	420
Hsinchu City	134	1	19	12	14	17	11	60	149	2	13	17	10	26	15	66
Hsinchu County	196	0	3	20	33	29	21	90	237	2	21	29	20	25	35	105
Central Area	2 774	18	111	161	212	316	364	1 592	2 587	12	101	170	199	292	321	1 492
Taichung City	591	3	31	51	64	84	84	274	507	2	26	40	60	66	71	242
Taichung County	836	6	45	61	60	104	117	443	793	6	31	60	58	94	107	437
Nantou County	383	1	10	18	39	38	53	224	399	3	16	25	41	60	47	207
Changhua County	964	8	25	31	49	90	110	651	888	1	28	45	40	72	96	606
Southern Area	2 325	17	92	123	156	247	286	1 404	2 106	8	62	101	127	221	291	1 296
Tainan City	471	2	23	32	42	72	62	238	404	2	17	22	24	61	62	216
Tainan County	767	10	30	50	44	82	94	457	662	1	18	42	46	66	90	399
Yunlin County	581	1	19	19	33	51	65	393	570	4	17	15	29	41	72	392
Chiayi City	145	3	4	11	14	13	23	77	134	0	2	10	7	21	17	77
Chiayi County	361	1	16	11	23	29	42	239	336	1	8	12	21	32	50	212
Kao-Ping Area	2 987	17	121	200	274	374	413	1 588	2 738	23	124	125	208	343	413	1 502
Pingtung County	884	5	32	52	77	107	105	506	794	5	32	23	55	89	119	471
Kaohsiung City	1 009	3	42	87	88	131	151	507	913	6	49	50	69	121	129	489
Kaohsiung County	1 061	9	47	59	103	131	148	564	1 007	12	43	50	81	131	160	530
Penghu County	33	0	0	2	6	5	9	11	24	0	0	2	3	2	5	12
Eastern Area	593	13	39	44	83	106	84	224	635	18	61	54	72	106	91	233
Taitung County	233	3	9	12	16	44	39	110	263	2	19	19	20	45	29	129
Hualien County	360	10	30	32	67	62	45	114	372	16	42	35	52	61	62	104

Rate indicates per 100 000 population

Incidence by age, male, 2008-2009

	Number of new cases, male, 2008								Number of new cases, male, 2009							
	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65
Taiwan	9 835	61	418	560	849	1 249	1 347	5 351	9 261	52	396	469	694	1 214	1 301	5 135
Taipei Area	2 672	14	131	190	227	342	380	1 388	2 513	12	126	134	202	340	356	1 343
Taipei City	752	2	38	59	55	70	90	438	731	4	38	29	44	73	99	444
Taipei County	1 454	5	71	111	128	218	223	698	1 426	4	73	88	130	217	206	708
Yilan County	265	7	9	7	18	25	40	159	193	3	9	7	17	28	25	104
Kinmen County	19	0	0	2	0	3	1	13	17	0	1	1	2	0	4	9
Keelung City	180	0	11	11	26	26	26	80	144	1	4	8	9	22	22	78
Lienchiang County	2	0	2	0	0	0	0	0	2	0	1	1	0	0	0	0
Northern Area	1 150	7	60	77	132	141	123	610	1 094	5	66	80	85	161	133	564
Miaoli County	202	1	8	8	22	27	22	114	178	1	9	12	5	26	22	103
Taoyuan County	720	5	39	54	78	85	80	379	661	2	38	45	66	100	77	333
Hsinchu City	85	1	11	6	9	5	7	46	98	1	7	9	6	17	11	47
Hsinchu County	143	0	2	9	23	24	14	71	157	1	12	14	8	18	23	81
Central Area	1 910	9	70	102	138	236	258	1 097	1 786	6	55	94	133	214	237	1 047
Taichung City	405	3	19	34	36	63	58	192	346	1	12	20	38	49	52	174
Taichung County	569	3	27	36	41	82	83	297	562	3	18	41	37	69	78	316
Nantou County	272	0	6	13	27	27	39	160	288	1	8	19	29	48	37	146
Changhua County	664	3	18	19	34	64	78	448	590	1	17	14	29	48	70	411
Southern Area	1 637	13	57	69	98	177	215	1 008	1 492	3	36	56	86	165	218	928
Tainan City	331	2	13	19	26	46	46	179	276	1	11	10	14	39	43	158
Tainan County	549	9	18	32	31	57	70	332	488	1	11	21	30	55	70	300
Yunlin County	384	0	14	7	20	42	48	253	388	1	9	11	24	32	52	259
Chiayi City	93	2	1	4	7	8	19	52	91	0	2	6	3	15	13	52
Chiayi County	280	0	11	7	14	24	32	192	249	0	3	8	15	24	40	159
Kao-Ping Area	2 053	9	81	93	191	276	310	1 093	1 937	14	78	76	139	250	304	1 076
Pingtung County	602	1	17	25	56	79	80	344	547	4	21	18	37	66	89	312
Kaohsiung City	685	2	34	36	59	89	117	348	648	4	31	30	45	85	92	361
Kaohsiung County	741	6	30	31	73	105	104	392	723	6	26	28	54	97	120	392
Penghu County	25	0	0	1	3	3	9	9	19	0	0	0	3	2	3	11
Eastern Area	413	9	19	29	63	77	61	155	439	12	35	29	49	84	53	177
Taitung County	165	3	6	6	13	32	30	75	184	2	12	13	16	33	17	91
Hualien County	248	6	13	23	50	45	31	80	255	10	23	16	33	51	36	86

Rate indicates per 100 000 population

Incidence by age, female, 2008-2009

	Number of new cases, female, 2008								Number of new cases, female, 2009							
	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65
Taiwan	4 430	51	335	483	430	533	498	2 100	4 075	48	286	423	390	461	524	1 943
Taipei Area	1 308	20	146	193	131	186	164	468	1 216	17	89	153	136	160	168	493
Taipei City	426	5	40	45	36	66	69	165	379	1	29	41	38	57	52	161
Taipei County	693	8	87	119	72	103	75	229	678	12	51	93	75	91	90	266
Yilan County	95	7	8	9	10	12	8	41	87	4	5	9	11	5	12	41
Kinmen County	6	0	1	1	1	1	1	1	4	0	0	0	0	0	1	3
Keelung City	88	0	10	19	12	4	11	32	67	0	4	10	12	7	13	21
Lienchiang County	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Northern Area	456	6	53	55	64	70	31	177	447	5	53	75	55	52	52	155
Miaoli County	52	2	4	3	7	5	2	29	56	1	7	8	5	5	5	25
Taoyuan County	302	4	40	35	42	48	18	115	260	2	31	44	34	31	31	87
Hsinchu City	49	0	8	6	5	12	4	14	51	1	6	8	4	9	4	19
Hsinchu County	53	0	1	11	10	5	7	19	80	1	9	15	12	7	12	24
Central Area	864	9	41	59	74	80	106	495	801	6	46	76	66	78	84	445
Taichung City	186	0	12	17	28	21	26	82	161	1	14	20	22	17	19	68
Taichung County	267	3	18	25	19	22	34	146	231	3	13	19	21	25	29	121
Nantou County	111	1	4	5	12	11	14	64	111	2	8	6	12	12	10	61
Changhua County	300	5	7	12	15	26	32	203	298	0	11	31	11	24	26	195
Southern Area	688	4	35	54	58	70	71	396	614	5	26	45	41	56	73	368
Tainan City	140	0	10	13	16	26	16	59	128	1	6	12	10	22	19	58
Tainan County	218	1	12	18	13	25	24	125	174	0	7	21	16	11	20	99
Yunlin County	197	1	5	12	13	9	17	140	182	3	8	4	5	9	20	133
Chiayi City	52	1	3	7	7	5	4	25	43	0	0	4	4	6	4	25
Chiayi County	81	1	5	4	9	5	10	47	87	1	5	4	6	8	10	53
Kao-Ping Area	934	8	40	107	83	98	103	495	801	9	46	49	69	93	109	426
Pingtung County	282	4	15	27	21	28	25	162	247	1	11	5	18	23	30	159
Kaohsiung City	324	1	8	51	29	42	34	159	265	2	18	20	24	36	37	128
Kaohsiung County	320	3	17	28	30	26	44	172	284	6	17	22	27	34	40	138
Penghu County	8	0	0	1	3	2	0	2	5	0	0	2	0	0	2	1
Eastern Area	180	4	20	15	20	29	23	69	196	6	26	25	23	22	38	56
Taitung County	68	0	3	6	3	12	9	35	79	0	7	6	4	12	12	38
Hualien County	112	4	17	9	17	17	14	34	117	6	19	19	19	10	26	18

Rate indicates per 100 000 population

Incidence of new smear-positive TB by age, 2008-2009

	Number of new smear-positive cases, 2008								Number of new smear-positive cases, 2009							
	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65
Taiwan	5 559	24	251	363	541	803	762	2 815	5 210	18	207	346	449	733	744	2 713
Taipei Area	1 534	7	90	127	139	227	214	730	1 434	6	63	115	142	199	206	703
Taipei City	445	1	17	33	33	49	59	253	413	1	21	29	26	54	59	223
Taipei County	831	5	55	70	76	148	126	351	817	4	38	68	90	122	114	381
Yilan County	125	1	7	6	13	16	13	69	98	1	1	10	13	10	15	48
Kinmen County	11	0	1	2	0	1	0	7	10	0	0	1	1	0	2	6
Keelung City	122	0	10	16	17	13	16	50	96	0	3	7	12	13	16	45
Lienchiang County	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Northern Area	591	3	41	60	84	88	58	257	560	4	42	58	51	77	73	255
Miaoli County	82	0	5	5	14	12	10	36	87	2	4	10	5	12	11	43
Taoyuan County	395	3	32	41	51	55	39	174	338	2	26	31	37	44	48	150
Hsinchu City	45	0	4	4	5	5	5	22	49	0	3	9	4	10	4	19
Hsinchu County	69	0	0	10	14	16	4	25	86	0	9	8	5	11	10	43
Central Area	994	4	37	46	81	137	132	557	945	0	23	55	79	131	116	541
Taichung City	186	0	9	13	16	35	31	82	159	0	4	13	24	25	24	69
Taichung County	251	2	12	19	26	40	32	120	246	0	9	11	19	35	35	137
Nantou County	144	0	6	5	20	13	22	78	169	0	2	15	19	35	16	82
Changhua County	413	2	10	9	19	49	47	277	371	0	8	16	17	36	41	253
Southern Area	923	5	26	40	59	117	134	542	841	1	22	40	55	109	117	497
Tainan City	179	0	5	11	16	30	34	83	177	0	6	11	10	34	28	88
Tainan County	297	4	7	17	21	42	40	166	272	0	8	14	18	29	35	168
Yunlin County	246	1	9	3	9	26	28	170	221	1	5	5	15	23	33	139
Chiayi City	54	0	0	5	4	3	11	31	51	0	0	5	4	10	3	29
Chiayi County	147	0	5	4	9	16	21	92	120	0	3	5	8	13	18	73
Kao-Ping Area	1 238	4	41	64	130	173	181	645	1 154	3	37	50	87	163	183	631
Pingtung County	369	3	15	21	35	52	40	203	335	0	7	10	29	36	61	192
Kaohsiung City	429	0	15	23	39	62	73	217	377	1	16	17	25	57	58	203
Kaohsiung County	431	1	11	20	54	58	65	222	434	2	14	21	32	69	64	232
Penghu County	9	0	0	0	2	1	3	3	8	0	0	2	1	1	0	4
Eastern Area	279	1	16	26	48	61	43	84	276	4	20	28	35	54	49	86
Taitung County	102	1	3	6	12	25	17	38	116	0	8	11	11	22	12	52
Hualien County	177	0	13	20	36	36	26	46	160	4	12	17	24	32	37	34

Rate indicates per 100 000 population

Incidence of new smear-positive TB by age, male, 2008-2009

	Number of new smear-positive cases, male, 2008								Number of new smear-positive cases, male, 2009							
	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65
Taiwan	4 057	12	130	194	412	620	598	2 091	3 727	6	122	188	302	557	565	1 987
Taipei Area	1 099	4	39	63	104	172	157	560	1 012	2	36	57	90	147	153	527
Taipei City	304	1	8	19	21	31	34	190	279	1	11	14	16	34	44	159
Taipei County	607	3	22	35	60	119	101	267	592	0	23	35	60	95	89	290
Yilan County	98	0	4	4	10	10	11	59	69	1	1	5	7	9	10	36
Kinmen County	9	0	0	1	0	1	0	7	7	0	0	1	1	0	1	4
Keelung City	81	0	5	4	13	11	11	37	65	0	1	2	6	9	9	38
Lienchiang County	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Northern Area	434	1	23	38	62	65	45	200	400	2	25	30	30	61	53	199
Miaoli County	70	0	4	5	12	11	10	28	63	1	2	6	2	9	9	34
Taoyuan County	288	1	17	26	36	40	31	137	253	1	16	18	24	35	35	124
Hsinchu City	28	0	2	2	4	2	2	16	27	0	2	3	2	6	3	11
Hsinchu County	48	0	0	5	10	12	2	19	57	0	5	3	2	11	6	30
Central Area	735	1	22	26	58	108	105	415	680	0	16	32	58	99	90	385
Taichung City	144	0	5	7	11	28	26	67	113	0	3	7	16	17	19	51
Taichung County	178	0	7	11	21	32	26	81	187	0	7	9	17	28	26	100
Nantou County	108	0	4	4	13	12	16	59	128	0	1	13	12	27	12	63
Changhua County	305	1	6	4	13	36	37	208	252	0	5	3	13	27	33	171
Southern Area	684	4	14	21	46	89	115	395	604	0	12	22	38	85	92	355
Tainan City	133	0	2	5	12	21	26	67	131	0	4	4	8	26	21	68
Tainan County	226	4	4	11	14	29	35	129	198	0	4	6	11	25	26	126
Yunlin County	170	0	5	1	7	23	26	108	150	0	2	4	11	18	26	89
Chiayi City	36	0	0	1	4	2	10	19	34	0	0	4	1	8	3	18
Chiayi County	119	0	3	3	9	14	18	72	91	0	2	4	7	8	16	54
Kao-Ping Area	908	1	27	29	105	140	146	460	832	0	20	30	61	120	145	456
Pingtung County	264	0	9	9	31	39	33	143	232	0	3	10	18	25	47	129
Kaohsiung City	313	0	12	9	29	47	59	157	268	0	8	9	19	42	43	147
Kaohsiung County	324	1	6	11	43	53	51	159	326	0	9	11	23	52	55	176
Penghu County	7	0	0	0	2	1	3	1	6	0	0	0	1	1	0	4
Eastern Area	197	1	5	17	37	46	30	61	199	2	13	17	25	45	32	65
Taitung County	79	1	3	3	10	20	12	30	86	0	5	9	10	16	7	39
Hualien County	118	0	2	14	27	26	18	31	113	2	8	8	15	29	25	26

Rate indicates per 100 000 population

Incidence of new smear-positive TB by age, female, 2008-2009

	Number of new smear-positive cases, female, 2008								Number of new smear-positive cases, female, 2009							
	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65
Taiwan	1 502	12	121	169	129	183	164	724	1 483	12	85	158	147	176	179	726
Taipei Area	435	3	51	64	35	55	57	170	422	4	27	58	52	52	53	176
Taipei City	141	0	9	14	12	18	25	63	134	0	10	15	10	20	15	64
Taipei County	224	2	33	35	16	29	25	84	225	4	15	33	30	27	25	91
Yilan County	27	1	3	2	3	6	2	10	29	0	0	5	6	1	5	12
Kinmen County	2	0	1	1	0	0	0	0	3	0	0	0	0	0	1	2
Keelung City	41	0	5	12	4	2	5	13	31	0	2	5	6	4	7	7
Lienchiang County	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Northern Area	157	2	18	22	22	23	13	57	160	2	17	28	21	16	20	56
Miaoli County	12	0	1	0	2	1	0	8	24	1	2	4	3	3	2	9
Taoyuan County	107	2	15	15	15	15	8	37	85	1	10	13	13	9	13	26
Hsinchu City	17	0	2	2	1	3	3	6	22	0	1	6	2	4	1	8
Hsinchu County	21	0	0	5	4	4	2	6	29	0	4	5	3	0	4	13
Central Area	259	3	15	20	23	29	27	142	265	0	7	23	21	32	26	156
Taichung City	42	0	4	6	5	7	5	15	46	0	1	6	8	8	5	18
Taichung County	73	2	5	8	5	8	6	39	59	0	2	2	2	7	9	37
Nantou County	36	0	2	1	7	1	6	19	41	0	1	2	7	8	4	19
Changhua County	108	1	4	5	6	13	10	69	119	0	3	13	4	9	8	82
Southern Area	239	1	12	19	13	28	19	147	237	1	10	18	17	24	25	142
Tainan City	46	0	3	6	4	9	8	16	46	0	2	7	2	8	7	20
Tainan County	71	0	3	6	7	13	5	37	74	0	4	8	7	4	9	42
Yunlin County	76	1	4	2	2	3	2	62	71	1	3	1	4	5	7	50
Chiayi City	18	0	0	4	0	1	1	12	17	0	0	1	3	2	0	11
Chiayi County	28	0	2	1	0	2	3	20	29	0	1	1	1	5	2	19
Kao-Ping Area	330	3	14	35	25	33	35	185	322	3	17	20	26	43	38	175
Pingtung County	105	3	6	12	4	13	7	60	103	0	4	0	11	11	14	63
Kaohsiung City	116	0	3	14	10	15	14	60	109	1	8	8	6	15	15	56
Kaohsiung County	107	0	5	9	11	5	14	63	108	2	5	10	9	17	9	56
Penghu County	2	0	0	0	0	0	0	2	2	0	0	2	0	0	0	0
Eastern Area	82	0	11	9	11	15	13	23	77	2	7	11	10	9	17	21
Taitung County	23	0	0	3	2	5	5	8	30	0	3	2	1	6	5	13
Hualien County	59	0	11	6	9	10	8	15	47	2	4	9	9	3	12	8

Rate indicates per 100 000 population

Mortality and percent change, 2005-2009

	2005 (baseline)		2008		2009		Percent change of cases, 2005-2009	Percent change of rate, 2005-2009
	Number	Rate	Number	Rate	Number	Rate		
Taiwan	970	4.3	762	3.3	748	3.2	-22.9	-24.0
Taipei Area	160	2.2	185	2.5	180	2.4	12.5	10.5
Taipei City	60	2.3	69	2.6	61	2.3	1.7	1.8
Taipei County	71	1.9	83	2.2	89	2.3	25.4	21.1
Yilan County	16	3.5	18	3.9	18	3.9	12.5	12.7
Kinmen County	1	1.5	2	2.4	2	2.2	100.0	51.1
Keelung City	12	3.1	13	3.3	10	2.6	-16.7	-15.9
Lienchiang County	0	0.0	0	0.0	0	0.0	0.0	--
Northern Area	107	3.3	94	2.8	85	2.5	-20.6	-24.2
Miaoli County	38	6.8	15	2.7	15	2.7	-60.5	-60.6
Taoyuan County	36	1.9	43	2.2	45	2.3	25.0	18.5
Hsinchu City	10	2.6	14	3.5	10	2.4	0.0	-4.8
Hsinchu County	23	4.9	22	4.4	15	3.0	-34.8	-39.2
Central Area	227	5.1	151	3.4	158	3.5	-30.4	-31.4
Taichung City	34	3.3	25	2.4	23	2.1	-32.4	-35.1
Taichung County	51	3.3	45	2.9	34	2.2	-33.3	-34.6
Nantou County	18	3.3	24	4.5	23	4.3	27.8	29.3
Changhua County	124	9.4	57	4.3	78	5.9	-37.1	-36.9
Southern Area	152	4.4	111	3.2	115	3.4	-24.3	-24.2
Tainan City	20	2.6	16	2.1	23	3.0	15.0	12.9
Tainan County	45	4.1	35	3.2	35	3.2	-22.2	-22.1
Yunlin County	46	6.3	34	4.7	29	4.0	-37.0	-35.9
Chiayi City	4	1.5	5	1.8	12	4.4	200.0	196.9
Chiayi County	37	6.6	21	3.8	16	2.9	-56.8	-56.0
Kao-Ping Area	261	7.0	185	4.9	157	4.2	-39.8	-39.9
Pingtung County	88	9.8	68	7.7	58	6.6	-34.1	-32.9
Kaohsiung City	101	6.7	50	3.3	40	2.6	-60.4	-60.8
Kaohsiung County	71	5.7	66	5.3	59	4.7	-16.9	-17.1
Penghu County	1	1.1	1	1.1	0	0.0	-100.0	-100.0
Eastern Area	63	10.7	36	6.3	53	9.2	-15.9	-13.7
Taitung County	30	12.5	12	5.2	25	10.8	-16.7	-14.0
Hualien County	33	9.5	24	7.0	28	8.2	-15.2	-13.4

Rate indicates per 100 000 population

Mortality by sex, 2008-2009

	2008						2009					
	All		Male		Female		All		Male		Female	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Taiwan	762	3.3	578	5.0	184	1.6	748	3.2	566	4.9	182	1.6
Taipei Area	185	2.5	153	4.2	32	0.9	180	2.4	136	3.7	44	1.2
Taipei City	69	2.6	56	4.4	13	1.0	61	2.3	42	3.3	19	1.4
Taipei County	83	2.2	71	3.7	12	0.6	89	2.3	71	3.7	18	0.9
Yilan County	18	3.9	14	5.9	4	1.8	18	3.9	15	6.4	3	1.3
Kinmen County	2	2.4	2	4.5	0	0.0	2	2.2	0	0.0	2	4.7
Keelung City	13	3.3	10	5.1	3	1.6	10	2.6	8	4.1	2	1.0
Lienchiang County	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Northern Area	94	2.8	73	4.2	21	1.3	85	2.5	67	3.8	18	1.1
Miaoli County	15	2.7	10	3.4	5	1.9	15	2.7	10	3.4	5	1.9
Taoyuan County	43	2.2	37	3.8	6	0.6	45	2.3	33	3.3	12	1.2
Hsinchu City	14	3.5	10	5.0	4	2.0	10	2.4	10	4.9	0	0.0
Hsinchu County	22	4.4	16	6.2	6	2.5	15	3.0	14	5.4	1	0.4
Central Area	151	3.4	112	5.0	39	1.8	158	3.5	121	5.3	37	1.7
Taichung City	25	2.4	19	3.7	6	1.1	23	2.1	21	4.0	2	0.4
Taichung County	45	2.9	36	4.6	9	1.2	34	2.2	27	3.4	7	0.9
Nantou County	24	4.5	19	6.9	5	1.9	23	4.3	16	5.8	7	2.7
Changhua County	57	4.3	38	5.6	19	3.0	78	5.9	57	8.4	21	3.3
Southern Area	111	3.2	77	4.4	34	2.0	115	3.4	89	5.1	26	1.6
Tainan City	16	2.1	11	2.9	5	1.3	23	3.0	17	4.5	6	1.5
Tainan County	35	3.2	29	5.1	6	1.1	35	3.2	28	5.0	7	1.3
Yunlin County	34	4.7	17	4.5	17	4.9	29	4.0	21	5.5	8	2.3
Chiayi City	5	1.8	3	2.2	2	1.4	12	4.4	9	6.7	3	2.2
Chiayi County	21	3.8	17	5.9	4	1.5	16	2.9	14	4.9	2	0.8
Kao-Ping Area	185	4.9	136	7.1	49	2.7	157	4.2	115	6.1	42	2.3
Pingtung County	68	7.7	53	11.6	15	3.5	58	6.6	39	8.6	19	4.4
Kaohsiung City	50	3.3	41	5.4	9	1.2	40	2.6	30	4.0	10	1.3
Kaohsiung County	66	5.3	41	6.4	25	4.1	59	4.7	46	7.2	13	2.1
Penghu County	1	1.1	1	2.1	0	0.0	0	0.0	0	0.0	0	0.0
Eastern Area	36	6.3	27	9.0	9	3.3	53	9.2	38	12.7	15	5.5
Taitung County	12	5.2	9	7.3	3	2.7	25	10.8	20	16.4	5	4.5
Hualien County	24	7.0	18	10.1	6	3.6	28	8.2	18	10.2	10	6.1

Rate indicates per 100 000 population

Mortality by age, 2008-2009

	Number of death, 2008								Number of death, 2009							
	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65
Taiwan	762	2	3	5	17	44	59	632	748	2	4	7	20	44	62	609
Taipei Area	185	1	0	1	3	14	18	148	180	1	1	4	5	7	14	148
Taipei City	69	0	0	0	1	3	7	58	61	0	0	1	0	2	5	53
Taipei County	83	0	0	0	2	9	8	64	89	0	0	1	2	2	7	77
Yilan County	18	1	0	1	0	0	1	15	18	1	1	1	2	1	2	10
Kinmen County	2	0	0	0	0	0	0	2	2	0	0	0	0	0	0	2
Keelung City	13	0	0	0	0	2	2	9	10	0	0	1	1	2	0	6
Lienchiang County	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Northern Area	94	0	0	1	6	5	8	74	85	0	0	0	4	3	8	70
Miaoli County	15	0	0	0	1	0	3	11	15	0	0	0	0	2	2	11
Taoyuan County	43	0	0	1	4	2	1	35	45	0	0	0	2	1	5	37
Hsinchu City	14	0	0	0	0	0	2	12	10	0	0	0	1	0	0	9
Hsinchu County	22	0	0	0	1	3	2	16	15	0	0	0	1	0	1	13
Central Area	151	0	0	1	0	6	10	134	158	0	2	1	2	9	16	128
Taichung City	25	0	0	0	0	0	1	24	23	0	0	0	0	1	3	19
Taichung County	45	0	0	1	0	0	4	40	34	0	1	0	1	4	5	23
Nantou County	24	0	0	0	0	3	2	19	23	0	0	1	0	3	2	17
Changhua County	57	0	0	0	0	3	3	51	78	0	1	0	1	1	6	69
Southern Area	111	0	0	1	1	3	5	101	115	1	0	0	2	5	7	100
Tainan City	16	0	0	0	0	0	1	15	23	0	0	0	0	0	2	21
Tainan County	35	0	0	1	0	2	0	32	35	0	0	0	1	3	2	29
Yunlin County	34	0	0	0	1	0	1	32	29	1	0	0	0	1	1	26
Chiayi City	5	0	0	0	0	0	0	5	12	0	0	0	1	0	0	11
Chiayi County	21	0	0	0	0	1	3	17	16	0	0	0	0	1	2	13
Kao-Ping Area	185	1	3	1	5	8	14	153	157	0	0	1	3	7	12	134
Pingtung County	68	1	1	0	1	4	2	59	58	0	0	0	2	0	3	53
Kaohsiung City	50	0	2	1	2	2	5	38	40	0	0	0	1	4	3	32
Kaohsiung County	66	0	0	0	2	2	7	55	59	0	0	1	0	3	6	49
Penghu County	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Eastern Area	36	0	0	0	2	8	4	22	53	0	1	1	4	13	5	29
Taitung County	12	0	0	0	0	3	3	6	25	0	1	0	2	6	1	15
Hualien County	24	0	0	0	2	5	1	16	28	0	0	1	2	7	4	14

Rate indicates per 100 000 population

Mortality by age, male, 2008-2009

	Number of death, male, 2008								Number of death, male, 2009							
	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65
Taiwan	578	1	3	5	13	40	41	475	566	1	2	3	14	32	51	463
Taipei Area	153	1	0	1	3	13	14	121	136	1	1	2	2	5	12	113
Taipei City	56	0	0	0	1	3	4	48	42	0	0	0	0	0	4	38
Taipei County	71	0	0	0	2	8	7	54	71	0	0	1	1	2	6	61
Yilan County	14	1	0	1	0	0	1	11	15	1	1	1	1	1	2	8
Kinmen County	2	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
Keelung City	10	0	0	0	0	2	2	6	8	0	0	0	0	2	0	6
Lienchiang County	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Northern Area	73	0	0	1	4	4	5	59	67	0	0	0	4	2	6	55
Miaoli County	10	0	0	0	0	0	1	9	10	0	0	0	0	1	2	7
Taoyuan County	37	0	0	1	3	2	1	30	33	0	0	0	2	1	4	26
Hsinchu City	10	0	0	0	0	0	2	8	10	0	0	0	1	0	0	9
Hsinchu County	16	0	0	0	1	2	1	12	14	0	0	0	1	0	0	13
Central Area	112	0	0	1	0	5	7	99	121	0	1	1	1	7	14	97
Taichung City	19	0	0	0	0	0	1	18	21	0	0	0	0	1	3	17
Taichung County	36	0	0	1	0	0	2	33	27	0	0	0	1	3	4	19
Nantou County	19	0	0	0	0	2	2	15	16	0	0	1	0	2	2	11
Changhua County	38	0	0	0	0	3	2	33	57	0	1	0	0	1	5	50
Southern Area	77	0	0	1	1	3	3	69	89	0	0	0	1	4	6	78
Tainan City	11	0	0	0	0	0	0	11	17	0	0	0	0	0	2	15
Tainan County	29	0	0	1	0	2	0	26	28	0	0	0	0	2	2	24
Yunlin County	17	0	0	0	1	0	1	15	21	0	0	0	0	1	1	19
Chiayi City	3	0	0	0	0	0	0	3	9	0	0	0	1	0	0	8
Chiayi County	17	0	0	0	0	1	2	14	14	0	0	0	0	1	1	12
Kao-Ping Area	136	0	3	1	4	8	9	111	115	0	0	0	3	4	8	100
Pingtung County	53	0	1	0	1	4	1	46	39	0	0	0	2	0	3	34
Kaohsiung City	41	0	2	1	1	2	5	30	30	0	0	0	1	2	1	26
Kaohsiung County	41	0	0	0	2	2	3	34	46	0	0	0	0	2	4	40
Penghu County	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
Eastern Area	27	0	0	0	1	7	3	16	38	0	0	0	3	10	5	20
Taitung County	9	0	0	0	0	2	2	5	20	0	0	0	2	5	1	12
Hualien County	18	0	0	0	1	5	1	11	18	0	0	0	1	5	4	8

Rate indicates per 100 000 population

Mortality by age, female, 2008-2009

	Number of death, female, 2008								Number of death, female, 2009							
	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65	Total	0-14	15-24	25-34	35-44	45-54	55-64	≥ 65
Taiwan	184	1	0	0	4	4	18	157	182	1	2	4	6	12	11	146
Taiwan Area	32	0	0	0	0	1	4	27	44	0	0	2	3	2	2	35
Taipei City	13	0	0	0	0	0	3	10	19	0	0	1	0	2	1	15
Taipei County	12	0	0	0	0	1	1	10	18	0	0	0	1	0	1	16
Yilan County	4	0	0	0	0	0	0	4	3	0	0	0	1	0	0	2
Kinmen County	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	2
Keelung City	3	0	0	0	0	0	0	3	2	0	0	1	1	0	0	0
Lienchiang County	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Northern Area	21	0	0	0	2	1	3	15	18	0	0	0	0	1	2	15
Miaoli County	5	0	0	0	1	0	2	2	5	0	0	0	0	1	0	4
Taoyuan County	6	0	0	0	1	0	0	5	12	0	0	0	0	0	1	11
Hsinchu City	4	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0
Hsinchu County	6	0	0	0	0	1	1	4	1	0	0	0	0	0	1	0
Central Area	39	0	0	0	0	1	3	35	37	0	1	0	1	2	2	31
Taichung City	6	0	0	0	0	0	0	6	2	0	0	0	0	0	0	2
Taichung County	9	0	0	0	0	0	2	7	7	0	1	0	0	1	1	4
Nantou County	5	0	0	0	0	1	0	4	7	0	0	0	0	1	0	6
Changhua County	19	0	0	0	0	0	1	18	21	0	0	0	1	0	1	19
Southern Area	34	0	0	0	0	0	2	32	26	1	0	0	1	1	1	22
Tainan City	5	0	0	0	0	0	1	4	6	0	0	0	0	0	0	6
Tainan County	6	0	0	0	0	0	0	6	7	0	0	0	1	1	0	5
Yunlin County	17	0	0	0	0	0	0	17	8	1	0	0	0	0	0	7
Chiayi City	2	0	0	0	0	0	0	2	3	0	0	0	0	0	0	3
Chiayi County	4	0	0	0	0	0	1	3	2	0	0	0	0	0	1	1
Kao-Ping Area	49	1	0	0	1	0	5	42	42	0	0	1	0	3	4	34
Pingtung County	15	1	0	0	0	0	1	13	19	0	0	0	0	0	0	19
Kaohsiung City	9	0	0	0	1	0	0	8	10	0	0	0	0	2	2	6
Kaohsiung County	25	0	0	0	0	0	4	21	13	0	0	1	0	1	2	9
Penghu County	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Eastern Area	9	0	0	0	1	1	1	6	15	0	1	1	1	3	0	9
Taitung County	3	0	0	0	0	1	1	1	5	0	1	0	0	1	0	3
Hualien County	6	0	0	0	1	0	0	5	10	0	0	1	1	2	0	6

Rate indicates per 100 000 population



■ ■ Case Notification



2005 - 16472

2008 - 14265

2009 - 13336

Case notification, by countries, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a
		Smear-positive	Smear-negative/Unknow	Extra-pul.		
Taiwan	14 845	5 559	8 065	641	1 341	41
USA	12 904	4 742	5 515	2 638	0	46
Canada	1 452	488	466	416	40	51
United Kingdom	6 586	1 286	2 221	3 033	413	37
Japan	24 181	8 995	8 856	5 073	579	50
Rep. Korea	36 847	11 048	17 292	5 813	3 616	39
Hong Kong	5 544	1 459	2 981	728	185	33
Singapore	1 548	525	672	240	40	44
Malaysia	17 144	10 441	3 814	2 197	362	73
Australia	1 213	299	409	473	12	42
Thailand	55 252	28 788	16 933	7 815	2 240	63
Viet Nam	97 772	53 484	19 056	18 610	912	74
Russian Federation	128 263	33 949	75 775	86 642	86 642	31
Philippines	139 603	85 025	49 916	2 085	6 289	63
Indonesia	296 514	166 376	116 850	9 673	1 815	59
China	975 821	462 596	431 115	35 546	58 378	52
India	1 332 267	615 977	390 356	219 946	185 071	61
AFR	1 329 581	595 184	446 859	232 864	82 374	57
AMR	218 249	119 862	51 818	33 218	13 193	70
EMR	392 633	166 558	137 780	77 247	5 393	55
EUR	336 443	104 916	157 185	42 692	109 655	40
SEAR	2 078 238	1 007 382	635 427	310 700	209 433	61
WPR	1 363 479	661 923	549 225	88 551	71 613	55
Global	5 718 623	2 655 825	1 978 294	785 272	491 661	57

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmonary case confirmed by positive smear or culture.

Case notification, Taiwan, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Taiwan	14 845	5 559	8 065	641	1 341	41	79
Taipei Area	4 128	1 534	2 273	173	416	40	77
Yilan County	380	125	223	12	30	36	72
Keelung City	279	122	137	9	24	47	75
Taipei City	1 210	445	676	57	121	40	75
Taipei County	2 232	831	1 222	94	240	40	79
Kinmen County	25	11	13	1	1	46	92
Lienchiang County	2	0	2	0	0	0	0
North Area	1 670	591	943	72	139	39	81
Taoyuan County	1 061	395	582	45	88	40	82
Hsinchu County	200	69	118	9	16	37	81
Hsinchu City	141	45	80	9	11	36	78
Miaoli County	268	82	163	9	24	33	79
Central Area	2 888	994	1 688	92	211	37	81
Taichung County	863	251	555	30	60	31	79
Taichung City	612	186	379	26	42	33	75
Changhua County	1 002	413	529	22	79	44	85
Nantou County	411	144	225	14	30	39	82
South Area	2 410	923	1 292	110	193	42	82
Tainan County	792	297	440	30	67	40	82
Tainan City	488	179	274	18	31	40	79
Chiayi County	368	147	198	16	33	43	82
Chiayi City	148	54	78	13	12	41	83
Yunlin County	614	246	302	33	50	45	84
Kao-Ping Area	3 095	1 238	1 583	166	322	44	78
Kaohsiung County	1 105	431	576	54	108	43	77
Kaohsiung City	1 040	429	519	61	98	45	78
Pingtung County	917	369	467	48	112	44	80
Penghu County	33	9	21	3	4	30	50
East Area	654	279	286	28	60	49	87
Taitung County	250	102	117	14	21	47	90
Hualien County	404	177	169	14	39	51	86

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmonary case confirmed by positive smear or culture.

Case notification, Yilan County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Yilan County	380	125	223	12	30	36	72
Yilan City	70	28	35	3	4	44	78
Luodong Township	44	12	27	1	1	31	67
Su-ao Township	44	9	34	1	4	21	65
Toucheng Township	18	5	10	2	0	33	67
Jiaosi Township	18	5	11	2	4	31	75
Jhuangwei Township	10	3	7	0	2	30	70
Yuanshan Township	36	19	17	0	4	53	78
Dongshan Township	30	12	15	2	3	44	78
Wujie Township	27	6	20	0	2	23	62
Sansing Township	26	3	23	0	3	12	65
Datong Township	20	6	9	1	1	40	80
Nan-ao Township	37	17	15	0	2	53	78

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Keelung City, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Keelung City	279	122	137	9	24	47	75
Jhongheng District	41	18	20	1	3	47	79
Cidu District	46	28	15	1	4	65	81
Nuannuan District	26	8	15	1	1	35	78
Ren-ai District	40	16	20	3	2	44	64
Jhongshan District	35	18	17	0	6	51	80
Anle District	63	28	31	2	5	47	73
Sinyi District	28	6	19	1	3	24	72

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Taipei City, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Taipei City	1 210	445	676	57	121	40	75
Songshan District	84	37	40	5	6	48	81
Sinyi District	98	29	66	2	14	31	64
Da-an District	130	38	79	9	15	32	75
Jhongshan District	115	43	60	8	7	42	73
Jhongjheng District	68	22	33	6	4	40	65
Datong District	62	23	34	1	5	40	81
Wanhua District	143	61	71	6	21	46	76
Wunshan District	115	37	71	4	3	34	75
Nangang District	46	21	20	4	6	51	78
Neihu District	98	38	54	6	9	41	74
Shihlin District	116	46	66	4	16	41	79
Beitou District	135	50	82	2	15	38	77

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmonary case confirmed by positive smear or culture.

Case notification, Taipei County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Taipei County	2 232	831	1 222	94	240	40	79
Banciao City	317	123	172	14	44	42	80
Sanchong City	241	77	142	13	29	35	74
Yonghe City	107	44	53	3	7	45	78
Jhonghe City	257	99	139	11	22	42	77
Sinjhuang City	194	79	97	11	17	45	79
Sindian City	188	67	98	14	19	41	86
Tucheng City	144	56	78	3	12	42	81
Lujhou City	94	38	53	3	6	42	74
Sijhih City	112	40	62	4	18	39	76
Shulin City	99	43	51	4	10	46	82
Yingge Township	53	19	31	1	9	38	72
Sansia Township	76	18	55	1	9	25	79
Danshuei Township	83	32	46	3	10	41	79
Rueifang Township	39	12	23	0	5	34	74
Wugu Township	49	13	29	1	7	31	79
Taishan Township	47	20	20	4	5	50	75
Linkou Township	25	10	13	2	4	43	78
Shenkeng Township	20	10	10	0	1	50	85
Shihding Township	3	2	1	0	0	67	100
Pinglin Township	1	1	0	0	0	100	100
Sanjhih Township	11	1	9	0	0	10	50
Shihmen Township	5	2	3	0	0	40	80
Bali Township	21	9	9	1	0	50	83
Pingsi Township	6	3	2	1	0	60	100
Shuangsi Township	8	3	5	0	1	38	63
Gongliao Township	5	1	4	0	1	20	80
Jinshan Township	13	4	9	0	0	31	85
Wanli Township	12	5	7	0	4	42	83
Wulai Township	2	0	1	0	0	0	100

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmonary case confirmed by positive smear or culture.

Case notification, Kinmen County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknown	Extra-pul.			
Kinmen County	25	11	13	1	1	46	92
Jincheng Township	6	3	3	0	1	50	100
Jinhu Township	5	3	2	0	0	60	80
Jinsha Township	0	0	0	0	0	--	--
Jinning Township	8	3	4	1	0	43	86
Lieyu Township	6	2	4	0	0	33	100
Wuciou Township	0	0	0	0	0	--	--

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Lienchiang Country, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Lienchiang County	2	0	2	0	0	0	0
Nangan Township	1	0	1	0	0	0	0
Beigan Township	1	0	1	0	0	0	0
Jyuguang Township	0	0	0	0	0	--	--
Dongyin Township	0	0	0	0	0	--	--

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Taoyuan County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Taoyuan County	1 061	395	582	45	88	40	82
Taoyuan City	182	69	98	7	18	41	83
Jhongli City	183	71	100	9	7	42	78
Pingjhen City	95	31	54	4	9	36	80
Bade City	93	39	49	3	9	44	78
Dasi Township	55	27	27	1	9	50	94
Yangmei Township	65	16	46	1	2	26	76
Lujhu Township	51	17	27	5	6	39	82
Dayuan Township	45	11	25	5	5	31	81
Gueishan Township	118	43	67	4	11	39	86
Longtan Township	71	33	34	2	5	49	85
Sinwu Township	33	11	20	1	2	35	68
Guanyin Township	49	16	28	1	2	36	82
Fusing Township	21	11	7	2	3	61	83

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Hsinchu County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Hsinchu County	200	69	118	9	16	37	81
Jhubei City	40	12	27	1	4	31	87
Guansi Township	10	2	5	2	1	29	100
Sinpu Township	9	4	4	1	0	50	63
Jhudong Township	62	22	38	2	2	37	78
Hukou Township	25	9	15	1	2	38	83
Hengshan Township	4	3	1	0	0	75	75
Sinfong Township	13	3	9	0	1	25	58
Cyonglin Township	3	0	2	1	1	0	50
Baoshan Township	7	1	5	1	0	17	50
Beipu Township	1	0	1	0	1	0	100
Emei Township	1	0	1	0	0	0	100
Jianshih Township	11	6	5	0	2	55	100
Wufong Township	14	7	5	0	2	58	92

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Hsinchu City, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknown	Extra-pul.			
Hsinchu City	141	45	80	9	11	36	78
East District	55	16	31	4	6	34	74
North District	62	18	37	5	5	33	82
Siangshan District	24	11	12	0	0	48	78

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Miaoli County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Miaoli County	268	82	163	9	24	33	79
Miaoli City	40	9	28	1	4	24	78
Yuanli Township	21	4	16	1	1	20	70
Tongsiao Township	26	4	19	1	2	17	70
Jhunan Township	30	13	16	1	4	45	86
Toufen Township	42	14	24	0	4	37	87
Houlong Township	21	6	14	1	3	30	85
Jhuolan Township	10	3	7	0	1	30	80
Dahu Township	2	1	1	0	0	50	100
Gongguan Township	16	3	11	1	1	21	50
Tongluo Township	15	5	9	1	1	36	71
Nanjhuang Township	5	2	3	0	1	40	80
Touwu Township	4	2	0	1	0	100	100
Sanyi Township	6	1	4	1	0	20	80
Sihu Township	6	5	0	0	0	100	100
Zaociao Township	11	5	6	0	1	45	64
Sanwan Township	1	1	0	0	0	100	100
Shihtan Township	0	0	0	0	0	--	--
Tai-an Township	12	4	5	0	1	44	100

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Taichuang County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Taichung County	863	251	555	30	60	31	79
Fongyuan City	106	36	56	6	8	39	83
Dali City	88	22	61	3	8	27	84
Taiping City	112	34	73	2	7	32	74
Dongshih Township	38	15	21	1	2	42	86
Dajia Township	48	7	40	1	0	15	64
Cingshuei Township	40	8	27	1	3	23	83
Shalu Township	51	8	40	2	2	17	77
Wuci Township	19	8	10	1	2	44	89
Houli Township	30	12	16	1	4	43	79
Shengang Township	46	17	26	3	4	40	86
Tanzih Township	39	11	25	1	1	31	81
Daya Township	52	13	36	2	2	27	78
Sinshe Township	11	4	7	0	0	36	82
Shihgang Township	8	2	6	0	1	25	75
Waipu Township	21	4	13	1	1	24	71
Da-an Township	9	1	7	1	0	13	100
Wurih Township	39	12	27	0	8	31	74
Dadu Township	26	5	20	1	0	20	72
Longjing Township	40	19	19	2	2	50	82
Wufong Township	25	9	14	1	4	39	87
Heping Township	15	4	11	0	1	27	80

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Taichung City, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Taichung City	612	186	379	26	42	33	75
Central District	18	6	10	0	0	38	75
East District	43	10	29	2	4	26	77
West District	59	16	38	4	4	30	72
South District	61	19	36	3	2	35	71
North District	89	24	55	7	7	30	73
Situn District	109	30	72	2	5	29	75
Nantun District	114	41	65	5	14	39	78
Beitun District	119	40	74	3	6	35	77

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Changhua County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Changhua County	1 002	413	529	22	79	44	85
Changhua City	171	63	99	3	8	39	78
Lugang Township	52	22	26	2	5	46	79
Hemei Township	46	16	28	2	4	36	75
Beidou Township	29	14	14	0	0	50	86
Yuanlin Township	104	48	54	0	4	47	82
Sihu Township	31	13	18	0	11	42	74
Tianjhong Township	37	14	19	2	7	42	94
Erlin Township	57	27	29	0	7	48	95
Siansi Township	9	6	2	0	0	75	88
Shengang Township	6	4	1	0	1	80	100
Fusing Township	34	15	18	0	1	45	97
Sioushuei Township	30	15	12	3	1	56	89
Huatan Township	36	12	22	1	3	35	79
Fenyuan Township	26	15	10	1	2	60	88
Dacun Township	24	10	12	0	2	45	82
Puyan Township	44	20	20	2	2	50	95
Pusin Township	33	11	14	2	1	44	84
Yongjing Township	26	9	14	2	0	39	78
Shetou Township	34	11	21	0	2	34	94
Ershuei Township	12	5	5	2	1	50	90
Tianwei Township	29	7	21	0	5	25	82
Pitou Township	32	17	14	0	1	55	90
Fangyuan Township	26	9	16	0	1	36	80
Dacheng Township	19	6	11	0	4	35	88
Jhutang Township	23	8	14	0	1	36	95
Sijhou Township	32	16	15	0	5	52	81

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Nantou County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Nantou County	411	144	225	14	30	39	82
Nantou City	61	19	37	3	2	34	73
Puli Township	69	16	47	2	5	25	78
Caotun Township	68	20	44	3	4	31	84
Jhushan Township	33	13	19	0	3	41	75
Jiji Township	5	2	3	0	0	40	60
Mingjian Township	36	14	14	4	1	50	86
Lugu Township	8	3	4	1	0	43	86
Jhongliao Township	4	1	3	0	1	25	100
Yuchih Township	11	7	3	0	0	70	100
Guosing Township	10	2	7	0	0	22	89
Shueili Township	8	4	4	0	0	50	75
Sinyi Township	33	17	12	0	7	59	79
Ren-ai Township	65	26	28	1	7	48	91

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Tainan County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Tainan County	792	297	440	30	67	40	82
Sinying City	45	14	27	4	2	34	85
Yongkang City	150	51	93	4	16	35	75
Yanshuei Township	24	12	12	0	3	50	79
Baihe Township	19	10	8	1	0	56	94
Madou Township	23	11	10	1	3	52	81
Jiali Township	49	16	28	3	3	36	77
Sinhua Township	30	14	15	0	4	48	93
Shanhua Township	39	13	25	0	2	34	79
Syuejia Township	15	5	10	0	2	33	73
Liouying Township	19	7	11	1	2	39	78
Houbi Township	20	3	16	1	1	16	84
Dongshan Township	23	8	15	0	0	35	87
Siaying Township	16	6	8	1	1	43	71
Lioujia Township	18	7	9	1	0	44	88
Guantian Township	20	5	11	2	2	31	81
Danei Township	11	2	7	1	0	22	78
Sigang Township	21	11	9	0	0	55	85
Cigu Township	11	5	6	0	1	45	82
Jiangjyun Township	20	6	10	2	2	38	88
Beimen Township	11	4	7	0	1	36	82
Sinshih Township	14	6	6	0	2	50	92
Anding Township	21	9	11	1	1	45	80
Shanshang Township	3	1	2	0	1	33	100
Yujing Township	13	5	7	0	2	42	75
Nansi Township	7	2	5	0	0	29	100
Nanhua Township	9	5	4	0	0	56	100
Zuojhen Township	9	2	7	0	1	22	100
Rende Township	57	28	27	0	8	51	84
Gueiren Township	43	16	21	4	6	43	86
Guanmiao Township	27	12	10	3	1	55	68
Longci Township	5	1	3	0	0	25	100

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmonary case confirmed by positive smear or culture.

Case notification, Tainan City, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Tainan City	488	179	274	18	31	40	79
East District	126	47	70	4	6	40	74
South District	84	28	52	1	9	35	68
North District	80	26	44	5	7	37	87
Annan District	97	41	51	2	6	45	83
Anping District	35	14	17	3	2	45	84
West Central District	66	23	40	3	1	37	87

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Chiayi County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Chiayi County	368	147	198	16	33	43	82
Taibao City	14	6	7	1	2	46	77
Puzih City	31	10	17	2	2	37	81
Budai Township	22	6	16	0	0	27	91
Dalin Township	23	6	16	1	0	27	73
Minsyong Township	46	17	28	1	2	38	73
Sikou Township	9	2	6	0	0	25	50
Singang Township	22	7	13	2	2	35	80
Lioujiao Township	21	9	10	2	5	47	79
Dongshih Township	18	10	6	2	2	63	88
Yijhu Township	15	5	9	0	0	36	86
Lucao Township	15	6	8	1	0	43	71
Shueishang Township	28	14	14	0	3	50	93
Jhongpu Township	20	7	12	1	3	37	89
Jhuci Township	63	31	29	2	10	52	90
Meishan Township	11	8	2	1	1	80	80
Fanlu Township	5	2	3	0	0	40	80
Dapu Township	0	0	0	0	0	--	--
Alishan Township	5	1	2	0	1	33	100

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmonary case confirmed by positive smear or culture.

Case notification, Chiayi City, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknown	Extra-pul.			
Chiayi City	148	54	78	13	12	41	83
East District	64	21	36	6	2	37	88
West District	84	33	42	7	10	44	80

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmonary case confirmed by positive smear or culture.

Case notification, Yunlin County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Yunlin County	614	246	302	33	50	45	84
Douliou City	61	28	23	9	3	55	86
Dounan Township	31	11	18	1	2	38	90
Huwei Township	52	22	22	3	4	50	95
Siluo Township	37	16	18	2	5	47	88
Tuku Township	24	10	11	1	2	48	76
Beigang Township	46	19	24	1	5	44	67
Gukeng Township	11	6	4	1	0	60	100
Dapi Township	18	7	11	0	4	39	83
Cihtong Township	15	10	4	0	1	71	86
Linnei Township	12	3	7	0	0	30	80
Erlun Township	26	14	7	2	5	67	81
Lunbei Township	29	12	15	1	2	44	96
Mailiao Township	54	18	28	5	4	39	78
Dongshih Township	29	10	16	0	0	38	81
Baojhong Township	15	6	7	2	1	46	77
Taisi Township	24	9	12	1	5	43	81
Yuanchang Township	36	11	19	1	2	37	93
Sihhu Township	27	11	15	0	2	42	77
Kouhu Township	28	12	15	1	1	44	89
Shueilin Township	39	11	26	2	2	30	86

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmonary case confirmed by positive smear or culture.

Case notification, Kaohsiung County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Kaohsiung County	1 105	431	576	54	108	43	77
Fongshan City	223	80	121	13	19	40	75
Gangshan Township	90	34	48	4	10	41	71
Cishan Township	43	20	23	0	2	47	91
Meinong Township	53	22	29	1	3	43	86
Linyuan Township	62	26	29	4	5	47	78
Daliao Township	107	41	54	5	10	43	73
Dashu Township	50	13	30	4	1	30	67
Renwu Township	61	30	27	4	5	53	77
Dashe Township	39	18	18	1	4	50	81
Niaosong Township	35	16	13	3	5	55	86
Ciaotou Township	29	9	19	1	8	32	79
Yanchao Township	55	17	31	4	6	35	75
Tianliao Township	6	4	2	0	0	67	67
Alian Township	19	5	13	1	6	28	50
Lujhu Township	44	15	24	4	6	38	82
Hunei Township	23	9	14	0	3	39	87
Jiading Township	32	13	17	1	4	43	73
Yong-an Township	10	4	5	1	0	44	89
Mituo Township	14	4	8	0	1	33	83
Zihguan Township	40	18	19	2	2	49	73
Liouguei Township	16	6	9	0	1	40	73
Jiasian Township	9	4	5	0	1	44	67
Shanlin Township	12	8	4	0	0	67	83
Neimen Township	13	7	5	0	1	58	83
Maolin Township	9	2	4	1	3	33	100
Taoyuan Township	8	4	4	0	0	50	63
Sanmin Township	3	2	1	0	2	67	100

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Kaohsiung City, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Kaohsiung City	1 040	429	519	61	98	45	78
Yancheng District	22	13	8	0	1	62	86
Gushan District	101	46	43	11	9	52	76
Zuoying District	108	47	52	5	13	47	81
Nanzih District	124	41	73	4	12	36	76
Sanmin District	195	80	98	13	23	45	79
Sinsing District	43	13	22	6	2	37	66
Cianjin District	30	15	13	1	2	54	86
Lingya District	139	55	76	5	10	42	79
Cianjhen District	147	73	63	6	17	54	81
Cijin District	15	5	8	1	1	38	85
Siaogang District	116	41	63	9	8	39	68

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Pingtung County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Pingtung County	917	369	467	48	112	44	80
Pingtung City	199	78	104	10	23	43	83
Chaozhou Township	51	19	26	5	3	42	84
Donggang Township	36	11	23	1	2	32	68
Hengchun Township	21	4	15	1	6	21	84
Wandan Township	55	19	32	2	3	37	76
Changjhih Township	31	16	12	0	1	57	86
Linluo Township	11	1	6	3	2	14	71
Jiouru Township	19	5	14	0	4	26	84
Ligang Township	30	12	15	3	3	44	81
Yanpu Township	40	13	24	3	8	35	78
Gaoshu Township	40	15	20	4	4	43	77
Wanluan Township	33	17	10	4	3	63	85
Neipu Township	98	52	36	6	9	59	88
Jhutian Township	21	12	9	0	7	57	67
Sinpi Township	16	4	11	0	1	27	80
Fangliao Township	31	11	19	1	2	37	70
Sinyuan Township	26	6	17	1	4	26	70
Kanding Township	12	5	7	0	4	42	92
Linbian Township	18	9	9	0	2	50	78
Nanjhou Township	9	3	5	0	1	38	75
Jiadong Township	18	8	9	0	1	47	94
Liouciou Township	4	1	3	0	0	25	50
Checheng Township	13	5	7	0	0	42	58
Manjhou Township	8	5	3	0	2	63	75
Fangshan Township	9	2	7	0	0	22	67
Sandimen Township	9	5	3	1	4	63	75
Wutai Township	1	1	0	0	0	100	100
Majia Township	14	4	8	1	2	33	75
Taiwu Township	6	2	3	1	5	40	80
Laiyi Township	15	10	4	1	1	71	93
Chunrih Township	13	6	4	0	1	60	80
Shihzih Township	3	2	1	0	1	67	100
Mudan Township	7	6	1	0	3	86	86

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Penghu County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Penghu County	33	9	21	3	4	30	50
Magong City	21	5	14	2	3	26	53
Husi Township	5	1	3	1	0	25	50
Baisha Township	2	2	0	0	0	100	100
Siyu Township	3	1	2	0	1	33	33
Wang-an Township	1	0	1	0	0	0	0
Cimei Township	1	0	1	0	0	0	0

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

Case notification, Taitung County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Taitung County	250	102	117	14	21	47	90
Taitung City	117	46	56	8	8	45	90
Chenggong Township	20	7	12	0	0	37	79
Guanshan Township	4	4	0	0	0	100	100
Beinan Township	26	12	11	1	3	52	91
Dawu Township	9	2	6	1	0	25	88
Taimali Township	15	4	10	1	1	29	93
Donghe Township	10	3	5	2	3	38	88
Changbin Township	3	3	0	0	2	100	100
Luye Township	3	2	0	0	1	100	100
Chihshang Township	7	4	2	0	1	67	83
Lyudao Township	1	0	0	1	0	--	--
Yanping Township	18	10	6	0	1	63	94
Haiduan Township	14	4	8	0	1	33	100
Daren Township	0	0	0	0	0	--	--
Jinfong Township	2	0	1	0	0	0	0
Lanyu Township	1	1	0	0	0	100	100

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmonary case confirmed by positive smear or culture.

Case notification, Hualien County, 2008

	New and relapse case	New cases			Re-treatment cases excluding relapse	% of new pulmonary cases smear-positive ^a	% of new pulm. Lab confirm ^b
		Smear-positive	Smear-negative/Unknow	Extra-pul.			
Hualien County	404	177	169	14	39	51	86
Hualien City	79	34	40	1	6	46	88
Fonglin Township	22	5	16	0	4	24	90
Yuli Township	50	18	26	1	3	41	84
Sincheng Township	24	13	9	1	1	59	82
Ji-an Township	60	30	22	5	4	58	77
Shoufong Township	21	11	7	1	3	61	89
Guangfu Township	15	7	3	2	0	70	90
Fongbin Township	5	3	1	1	1	75	100
Rueisuei Township	9	6	1	1	1	86	100
Fuli Township	4	2	2	0	1	50	50
Sioulin Township	78	29	32	1	7	48	85
Wanrong Township	19	8	5	0	3	62	85
Jhuosi Township	18	11	5	0	5	69	100

Note: ^a Expected percentage of new pulmonary cases that are smear-positive is 65-80%.

^b pulm lab. Confirmed indicate pulmoanry case confirmed by positive smear or culture.

■ Sites of extra-pulmonary TB

2005 - 16472

2008 - 14265

2009 - 13336

Site of extra-pulmonary tuberculosis, by cities/counties, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Taiwan	641	61	178	93	49	31	52	148	1	28
Taipei Area	173	16	50	16	14	10	13	42	0	12
Yilan County	12	0	3	3	0	0	1	3	0	2
Keelung City	9	2	0	0	0	0	2	5	0	0
Taipei City	57	3	15	5	6	2	3	19	0	4
Taipei County	94	11	32	8	8	7	7	15	0	6
Kinmen County	1	0	0	0	0	1	0	0	0	0
Lienchiang County	0	0	0	0	0	0	0	0	0	0
North Area	72	8	26	8	4	3	4	17	0	2
Taoyuan County	45	6	15	3	3	2	3	12	0	1
Hsinchu County	9	2	3	2	0	1	0	1	0	0
Hsinchu City	9	0	3	2	0	0	1	2	0	1
Miaoli County	9	0	5	1	1	0	0	2	0	0
Central Area	92	7	22	16	8	4	7	22	1	5
Taichung County	30	4	6	3	3	1	2	8	1	2
Taichung City	26	1	11	3	0	1	0	7	0	3
Changhua County	22	0	2	5	4	0	5	6	0	0
Nantou County	14	2	3	5	1	2	0	1	0	0
South Area	110	15	22	26	8	4	11	20	0	4
Yunlin County	33	5	7	11	2	1	2	4	0	1
Chiayi County	16	2	2	4	0	1	3	4	0	0
Chiayi City	13	0	8	3	0	0	0	2	0	0
Tainan County	30	6	1	5	3	1	3	8	0	3
Tainan City	18	2	4	3	3	1	3	2	0	0
Kao-Ping Area	166	13	46	24	13	10	14	42	0	4
Kaohsiung County	54	3	18	11	2	1	5	14	0	0
Kaohsiung City	61	8	16	7	2	5	4	19	0	0
Pingtung County	48	2	12	6	9	3	4	8	0	4
Penghu County	3	0	0	0	0	1	1	1	0	0
East Area	28	2	12	3	2	0	3	5	0	1
Taitung County	14	1	2	2	2	0	2	4	0	1
Hualien County	14	1	10	1	0	0	1	1	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Yilan Country, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Yilan County	12	0	3	3	0	0	1	3	0	2
Yilan City	3	0	0	0	0	0	1	1	0	1
Luodong Township	1	0	1	0	0	0	0	0	0	0
Su-ao Township	1	0	0	0	0	0	0	1	0	0
Toucheng Township	2	0	1	1	0	0	0	0	0	0
Jiaosi Township	2	0	0	1	0	0	0	0	0	1
Jhuangwei Township	0	0	0	0	0	0	0	0	0	0
Yuanshan Township	0	0	0	0	0	0	0	0	0	0
Dongshan Township	2	0	0	1	0	0	0	1	0	0
Wujie Township	0	0	0	0	0	0	0	0	0	0
Sansing Township	0	0	0	0	0	0	0	0	0	0
Datong Township	1	0	1	0	0	0	0	0	0	0
Nan-ao Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Keelung City, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Keelung City	9	2	0	0	0	0	2	5	0	0
Jhongheng District	1	0	0	0	0	0	1	0	0	0
Cidu District	1	0	0	0	0	0	0	1	0	0
Nuannuan District	1	0	0	0	0	0	0	1	0	0
Ren-ai District	3	1	0	0	0	0	1	1	0	0
Jhongshan District	0	0	0	0	0	0	0	0	0	0
Anle District	2	0	0	0	0	0	0	2	0	0
Sinyi District	1	1	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Taipei City, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Taipei City	57	3	15	5	6	2	3	19	0	4
Songshan District	5	0	1	0	1	0	1	2	0	0
Sinyi District	2	0	1	0	0	0	0	1	0	0
Da-an District	9	0	2	0	0	1	0	6	0	0
Jhongshan District	8	1	3	1	2	0	1	0	0	0
Jhongjheng District	6	1	0	0	1	0	0	3	0	1
Datong District	1	0	0	0	0	1	0	0	0	0
Wanhua District	6	0	2	2	0	0	1	1	0	0
Wunshan District	4	0	2	0	1	0	0	1	0	0
Nangang District	4	0	0	1	0	0	0	2	0	1
Neihu District	6	1	1	0	0	0	0	3	0	1
Shihlin District	4	0	2	1	0	0	0	0	0	1
Beitou District	2	0	1	0	1	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Taipei County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Taipei County	94	11	32	8	8	7	7	15	0	6
Banciao City	14	2	4	2	3	1	0	2	0	0
Sanchong City	13	1	3	1	2	1	2	2	0	1
Yonghe City	3	0	1	1	0	0	0	1	0	0
Jhonghe City	11	2	4	0	0	1	1	2	0	1
Sinjhuang City	11	1	5	0	0	1	1	2	0	1
Sindian City	14	0	8	3	0	0	1	1	0	1
Tucheng City	3	1	0	1	1	0	0	0	0	0
Lujhou City	3	1	1	0	0	1	0	0	0	0
Sijhih City	4	0	1	0	1	1	0	0	0	1
Shulin City	4	1	0	0	0	1	0	2	0	0
Yingge Township	1	1	0	0	0	0	0	0	0	0
Sansia Township	1	0	0	0	0	0	1	0	0	0
Danshuei Township	3	1	0	0	1	0	0	1	0	0
Rueifang Township	0	0	0	0	0	0	0	0	0	0
Wugu Township	1	0	1	0	0	0	0	0	0	0
Taishan Township	4	0	2	0	0	0	0	1	0	1
Linkou Township	2	0	2	0	0	0	0	0	0	0
Shenkeng Township	0	0	0	0	0	0	0	0	0	0
Shihding Township	0	0	0	0	0	0	0	0	0	0
Pinglin Township	0	0	0	0	0	0	0	0	0	0
Sanjihih Township	0	0	0	0	0	0	0	0	0	0
Shihmen Township	0	0	0	0	0	0	0	0	0	0
Bali Township	1	0	0	0	0	0	1	0	0	0
Pingsi Township	1	0	0	0	0	0	0	1	0	0
Shuangsi Township	0	0	0	0	0	0	0	0	0	0
Gongliao Township	0	0	0	0	0	0	0	0	0	0
Jinshan Township	0	0	0	0	0	0	0	0	0	0
Wanli Township	0	0	0	0	0	0	0	0	0	0
Wulai Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Kinmen County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Kinmen County	1	0	0	0	0	1	0	0	0	0
Jincheng Township	0	0	0	0	0	0	0	0	0	0
Jinhu Township	0	0	0	0	0	0	0	0	0	0
Jinsha Township	0	0	0	0	0	0	0	0	0	0
Jinning Township	1	0	0	0	0	1	0	0	0	0
Lieyu Township	0	0	0	0	0	0	0	0	0	0
Wuciou Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Lienchiang County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Lienchiang County	0	0	0	0	0	0	0	0	0	0
Nangan Township	0	0	0	0	0	0	0	0	0	0
Beigan Township	0	0	0	0	0	0	0	0	0	0
Jyuguang Township	0	0	0	0	0	0	0	0	0	0
Dongyin Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Taoyuan County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Taoyuan County	45	6	15	3	3	2	3	12	0	1
Taoyuan City	7	2	1	2	1	0	0	1	0	0
Jhongli City	9	2	3	0	1	0	1	2	0	0
Pingjhen City	4	1	0	1	0	0	0	2	0	0
Bade City	3	0	3	0	0	0	0	0	0	0
Dasi Township	1	0	1	0	0	0	0	0	0	0
Yangmei Township	1	0	1	0	0	0	0	0	0	0
Lujhu Township	5	0	2	0	0	0	2	1	0	0
Dayuan Township	5	1	1	0	0	1	0	2	0	0
Gueishan Township	4	0	1	0	1	0	0	2	0	0
Longtan Township	2	0	1	0	0	0	0	0	0	1
Sinwu Township	1	0	0	0	0	0	0	1	0	0
Guanyin Township	1	0	0	0	0	1	0	0	0	0
Fusing Township	2	0	1	0	0	0	0	1	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Hsinchu County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Hsinchu County	9	2	3	2	0	1	0	1	0	0
Jhubei City	1	0	1	0	0	0	0	0	0	0
Guansi Township	2	1	0	1	0	0	0	0	0	0
Sinpu Township	1	0	0	1	0	0	0	0	0	0
Jhudong Township	2	0	1	0	0	0	0	1	0	0
Hukou Township	1	0	0	0	0	1	0	0	0	0
Hengshan Township	0	0	0	0	0	0	0	0	0	0
Sinfong Township	0	0	0	0	0	0	0	0	0	0
Cyonglin Township	1	1	0	0	0	0	0	0	0	0
Baoshan Township	1	0	1	0	0	0	0	0	0	0
Beipu Township	0	0	0	0	0	0	0	0	0	0
Emei Township	0	0	0	0	0	0	0	0	0	0
Jianshih Township	0	0	0	0	0	0	0	0	0	0
Wufong Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Hsinchu City, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Hsinchu City	9	0	3	2	0	0	1	2	0	1
East District	4	0	0	2	0	0	0	1	0	1
North District	5	0	3	0	0	0	1	1	0	0
Siangshan District	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Miaoli County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Miaoli County	9	0	5	1	1	0	0	2	0	0
Miaoli City	1	0	0	0	0	0	0	1	0	0
Yuanli Township	1	0	1	0	0	0	0	0	0	0
Tongsiao Township	1	0	1	0	0	0	0	0	0	0
Jhunan Township	1	0	1	0	0	0	0	0	0	0
Toufen Township	0	0	0	0	0	0	0	0	0	0
Houlong Township	1	0	0	0	0	0	0	1	0	0
Jhuolan Township	0	0	0	0	0	0	0	0	0	0
Dahu Township	0	0	0	0	0	0	0	0	0	0
Gongguan Township	1	0	1	0	0	0	0	0	0	0
Tongluo Township	1	0	0	1	0	0	0	0	0	0
Nanjhuang Township	0	0	0	0	0	0	0	0	0	0
Touwu Township	1	0	1	0	0	0	0	0	0	0
Sanyi Township	1	0	0	0	1	0	0	0	0	0
Sihu Township	0	0	0	0	0	0	0	0	0	0
Zaociao Township	0	0	0	0	0	0	0	0	0	0
Sanwan Township	0	0	0	0	0	0	0	0	0	0
Shihtan Township	0	0	0	0	0	0	0	0	0	0
Tai-an Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Taichung County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Taichung County	30	4	6	3	3	1	2	8	1	2
Fongyuan City	6	2	1	1	0	0	0	2	0	0
Dali City	3	0	0	0	0	0	1	1	0	1
Taiping City	2	0	1	0	0	0	0	1	0	0
Dongshih Township	1	1	0	0	0	0	0	0	0	0
Dajia Township	1	0	0	0	1	0	0	0	0	0
Cingshuei Township	1	0	0	0	0	0	0	1	0	0
Shalu Township	2	1	1	0	0	0	0	0	0	0
Wuci Township	1	0	0	0	0	0	0	1	0	0
Houli Township	1	0	0	0	0	0	0	1	0	0
Shengang Township	3	0	1	1	1	0	0	0	0	0
Tanzih Township	1	0	0	0	1	0	0	0	0	0
Daya Township	2	0	1	0	0	0	0	0	1	0
Sinshe Township	0	0	0	0	0	0	0	0	0	0
Shihgang Township	0	0	0	0	0	0	0	0	0	0
Waipu Township	1	0	0	0	0	1	0	0	0	0
Da-an Township	1	0	0	0	0	0	0	1	0	0
Wurih Township	0	0	0	0	0	0	0	0	0	0
Dadu Township	1	0	1	0	0	0	0	0	0	0
Longjing Township	2	0	0	1	0	0	0	0	0	1
Wufong Township	1	0	0	0	0	0	1	0	0	0
Heping Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Taichung City, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Taichung City	26	1	11	3	0	1	0	7	0	3
Central District	0	0	0	0	0	0	0	0	0	0
East District	2	0	1	0	0	1	0	0	0	0
West District	4	0	3	0	0	0	0	0	0	1
South District	3	0	2	0	0	0	0	1	0	0
North District	7	1	2	2	0	0	0	2	0	0
Situn District	2	0	1	0	0	0	0	1	0	0
Nantun District	5	0	1	0	0	0	0	2	0	2
Beitun District	3	0	1	1	0	0	0	1	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Changhua County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Changhua County	22	0	2	5	4	0	5	6	0	0
Changhua City	3	0	0	1	1	0	0	1	0	0
Lugang Township	2	0	0	1	0	0	1	0	0	0
Hemei Township	2	0	0	0	0	0	1	1	0	0
Beidou Township	0	0	0	0	0	0	0	0	0	0
Yuanlin Township	0	0	0	0	0	0	0	0	0	0
Sihu Township	0	0	0	0	0	0	0	0	0	0
Tianjhong Township	2	0	0	1	0	0	1	0	0	0
Erlin Township	0	0	0	0	0	0	0	0	0	0
Siansi Township	0	0	0	0	0	0	0	0	0	0
Shengang Township	0	0	0	0	0	0	0	0	0	0
Fusing Township	0	0	0	0	0	0	0	0	0	0
Sioushuei Township	3	0	0	0	2	0	0	1	0	0
Huatan Township	1	0	1	0	0	0	0	0	0	0
Fenyuan Township	1	0	0	0	1	0	0	0	0	0
Dacun Township	0	0	0	0	0	0	0	0	0	0
Puyan Township	2	0	0	0	0	0	1	1	0	0
Pusin Township	2	0	1	0	0	0	0	1	0	0
Yongjing Township	2	0	0	1	0	0	1	0	0	0
Shetou Township	0	0	0	0	0	0	0	0	0	0
Ershuei Township	2	0	0	1	0	0	0	1	0	0
Tianwei Township	0	0	0	0	0	0	0	0	0	0
Pitou Township	0	0	0	0	0	0	0	0	0	0
Fangyuan Township	0	0	0	0	0	0	0	0	0	0
Dacheng Township	0	0	0	0	0	0	0	0	0	0
Jhutang Township	0	0	0	0	0	0	0	0	0	0
Sijhou Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Nantou County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Nantou County	14	2	3	5	1	2	0	1	0	0
Nantou City	3	2	0	0	0	1	0	0	0	0
Puli Township	2	0	0	1	0	0	0	1	0	0
Caotun Township	3	0	0	2	1	0	0	0	0	0
Jhushan Township	0	0	0	0	0	0	0	0	0	0
Jiji Township	0	0	0	0	0	0	0	0	0	0
Mingjian Township	4	0	2	1	0	1	0	0	0	0
Lugu Township	1	0	1	0	0	0	0	0	0	0
Jhongliao Township	0	0	0	0	0	0	0	0	0	0
Yuchih Township	0	0	0	0	0	0	0	0	0	0
Guosing Township	0	0	0	0	0	0	0	0	0	0
Shueili Township	0	0	0	0	0	0	0	0	0	0
Sinyi Township	0	0	0	0	0	0	0	0	0	0
Ren-ai Township	1	0	0	1	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Yunlin County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Yunlin County	33	5	7	11	2	1	2	4	0	1
Douliou City	9	1	3	2	1	0	0	1	0	1
Dounan Township	1	0	0	1	0	0	0	0	0	0
Huwei Township	3	1	0	0	1	0	1	0	0	0
Siluo Township	2	0	0	0	0	0	1	1	0	0
Tuku Township	1	1	0	0	0	0	0	0	0	0
Beigang Township	1	0	0	1	0	0	0	0	0	0
Gukeng Township	1	0	0	1	0	0	0	0	0	0
Dapi Township	0	0	0	0	0	0	0	0	0	0
Cihtong Township	0	0	0	0	0	0	0	0	0	0
Linnei Township	0	0	0	0	0	0	0	0	0	0
Erlun Township	2	1	0	1	0	0	0	0	0	0
Lunbei Township	1	1	0	0	0	0	0	0	0	0
Mailiao Township	5	0	2	3	0	0	0	0	0	0
Dongshih Township	0	0	0	0	0	0	0	0	0	0
Baojhong Township	2	0	1	0	0	0	0	1	0	0
Taisi Township	1	0	0	1	0	0	0	0	0	0
Yuanchang Township	1	0	1	0	0	0	0	0	0	0
Sihu Township	0	0	0	0	0	0	0	0	0	0
Kouhu Township	1	0	0	0	0	0	0	1	0	0
Shueilin Township	2	0	0	1	0	1	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Chiayi County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Chiayi County	16	2	2	4	0	1	3	4	0	0
Taibao City	1	1	0	0	0	0	0	0	0	0
Puzih City	2	1	0	0	0	0	0	1	0	0
Budai Township	0	0	0	0	0	0	0	0	0	0
Dalin Township	1	0	0	0	0	0	0	1	0	0
Minsyong Township	1	0	0	0	0	0	0	1	0	0
Sikou Township	0	0	0	0	0	0	0	0	0	0
Singang Township	2	0	1	0	0	0	1	0	0	0
Lioujiao Township	2	0	0	2	0	0	0	0	0	0
Dongshih Township	2	0	0	0	0	1	1	0	0	0
Yijhu Township	0	0	0	0	0	0	0	0	0	0
Lucao Township	1	0	0	0	0	0	0	1	0	0
Shueishang Township	0	0	0	0	0	0	0	0	0	0
Jhongpu Township	1	0	1	0	0	0	0	0	0	0
Jhuci Township	2	0	0	2	0	0	0	0	0	0
Meishan Township	1	0	0	0	0	0	1	0	0	0
Fanlu Township	0	0	0	0	0	0	0	0	0	0
Dapu Township	0	0	0	0	0	0	0	0	0	0
Alishan Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Chiayi City, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Chiayi City	13	0	8	3	0	0	0	2	0	0
East District	6	0	4	1	0	0	0	1	0	0
West District	7	0	4	2	0	0	0	1	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Tainan County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Tainan County	30	6	1	5	3	1	3	8	0	3
Sinying City	4	0	0	2	1	0	0	1	0	0
Yongkang City	4	1	0	0	1	1	1	0	0	0
Yanshuei Township	0	0	0	0	0	0	0	0	0	0
Baihe Township	1	1	0	0	0	0	0	0	0	0
Madou Township	1	0	0	0	0	0	1	0	0	0
Jiali Township	3	1	0	0	0	0	0	0	0	2
Sinhua Township	0	0	0	0	0	0	0	0	0	0
Shanhua Township	0	0	0	0	0	0	0	0	0	0
Syuejia Township	0	0	0	0	0	0	0	0	0	0
Liouying Township	1	0	0	1	0	0	0	0	0	0
Houbi Township	1	1	0	0	0	0	0	0	0	0
Dongshan Township	0	0	0	0	0	0	0	0	0	0
Siaying Township	1	0	0	0	0	0	0	0	0	1
Lioujia Township	1	0	0	0	0	0	0	1	0	0
Guantian Township	2	0	1	0	0	0	0	1	0	0
Danei Township	1	0	0	0	0	0	0	1	0	0
Sigang Township	0	0	0	0	0	0	0	0	0	0
Cigu Township	0	0	0	0	0	0	0	0	0	0
Jiangjyun Township	2	1	0	0	0	0	0	1	0	0
Beimen Township	0	0	0	0	0	0	0	0	0	0
Sinshih Township	0	0	0	0	0	0	0	0	0	0
Anding Township	1	0	0	0	1	0	0	0	0	0
Shanshang Township	0	0	0	0	0	0	0	0	0	0
Yujing Township	0	0	0	0	0	0	0	0	0	0
Nansi Township	0	0	0	0	0	0	0	0	0	0
Nanhua Township	0	0	0	0	0	0	0	0	0	0
Zuojhen Township	0	0	0	0	0	0	0	0	0	0
Rende Township	0	0	0	0	0	0	0	0	0	0
Gueiren Township	4	0	0	1	0	0	1	2	0	0
Guanmiao Township	3	1	0	1	0	0	0	1	0	0
Longci Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Tainan City, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Tainan City	18	2	4	3	3	1	3	2	0	0
East District	4	0	0	1	1	0	1	1	0	0
South District	1	1	0	0	0	0	0	0	0	0
North District	5	1	1	0	2	0	0	1	0	0
Annan District	2	0	0	1	0	1	0	0	0	0
Anping District	3	0	2	0	0	0	1	0	0	0
West Central District	3	0	1	1	0	0	1	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Kaohsiung County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Kaohsiung County	54	3	18	11	2	1	5	14	0	0
Fongshan City	13	1	6	3	0	0	1	2	0	0
Gangshan Township	4	0	2	0	1	0	0	1	0	0
Cishan Township	0	0	0	0	0	0	0	0	0	0
Meinong Township	1	0	0	0	0	0	0	1	0	0
Linyuan Township	4	1	0	0	0	0	0	3	0	0
Daliao Township	5	0	2	3	0	0	0	0	0	0
Dashu Township	4	0	1	1	1	0	0	1	0	0
Renwu Township	4	0	2	0	0	1	1	0	0	0
Dashe Township	1	0	0	0	0	0	0	1	0	0
Niaosong Township	3	0	1	1	0	0	1	0	0	0
Ciaotou Township	1	0	0	0	0	0	1	0	0	0
Yanchao Township	4	0	2	0	0	0	1	1	0	0
Tianliao Township	0	0	0	0	0	0	0	0	0	0
Alian Township	1	0	0	0	0	0	0	1	0	0
Lujhu Township	4	0	1	1	0	0	0	2	0	0
Hunei Township	0	0	0	0	0	0	0	0	0	0
Jiading Township	1	0	0	1	0	0	0	0	0	0
Yong-an Township	1	1	0	0	0	0	0	0	0	0
Mituo Township	0	0	0	0	0	0	0	0	0	0
Zihguan Township	2	0	1	0	0	0	0	1	0	0
Liouguei Township	0	0	0	0	0	0	0	0	0	0
Jiasian Township	0	0	0	0	0	0	0	0	0	0
Shanlin Township	0	0	0	0	0	0	0	0	0	0
Neimen Township	0	0	0	0	0	0	0	0	0	0
Maolin Township	1	0	0	1	0	0	0	0	0	0
Taoyuan Township	0	0	0	0	0	0	0	0	0	0
Sanmin Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Kaohsiung City, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Kaohsiung City	61	8	16	7	2	5	4	19	0	0
Yancheng District	0	0	0	0	0	0	0	0	0	0
Gushan District	11	1	4	0	0	2	0	4	0	0
Zuoying District	5	0	2	1	1	0	0	1	0	0
Nanzih District	4	0	1	1	0	0	1	1	0	0
Sanmin District	13	4	2	1	0	0	0	6	0	0
Sinsing District	6	0	0	2	0	1	1	2	0	0
Cianjin District	1	0	0	0	0	0	0	1	0	0
Lingya District	5	0	3	0	1	0	0	1	0	0
Cianjhen District	6	0	2	0	0	1	1	2	0	0
Cijin District	1	1	0	0	0	0	0	0	0	0
Siaogang District	9	2	2	2	0	1	1	1	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Pingtung County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Pingtung County	48	2	12	6	9	3	4	8	0	4
Pingtung City	10	1	2	0	2	1	1	2	0	1
Chaozhou Township	5	0	3	0	0	0	1	0	0	1
Donggang Township	1	0	0	0	0	0	0	1	0	0
Hengchun Township	1	0	0	0	1	0	0	0	0	0
Wandan Township	2	0	0	0	0	0	0	2	0	0
Changjhih Township	0	0	0	0	0	0	0	0	0	0
Linluo Township	3	0	1	1	1	0	0	0	0	0
Jiouru Township	0	0	0	0	0	0	0	0	0	0
Ligang Township	3	0	1	1	0	0	0	1	0	0
Yanpu Township	3	0	0	1	0	1	0	1	0	0
Gaoshu Township	4	0	1	1	1	0	1	0	0	0
Wanluan Township	4	0	2	0	1	0	0	0	0	1
Neipu Township	6	0	1	1	2	1	0	0	0	1
Jhutian Township	0	0	0	0	0	0	0	0	0	0
Sinpi Township	0	0	0	0	0	0	0	0	0	0
Fangliao Township	1	1	0	0	0	0	0	0	0	0
Sinyuan Township	1	0	0	1	0	0	0	0	0	0
Kanding Township	0	0	0	0	0	0	0	0	0	0
Linbian Township	0	0	0	0	0	0	0	0	0	0
Nanjhou Township	0	0	0	0	0	0	0	0	0	0
Jiadong Township	0	0	0	0	0	0	0	0	0	0
Liouciou Township	0	0	0	0	0	0	0	0	0	0
Checheng Township	0	0	0	0	0	0	0	0	0	0
Manjhou Township	0	0	0	0	0	0	0	0	0	0
Fangshan Township	0	0	0	0	0	0	0	0	0	0
Sandimen Township	1	0	0	0	0	0	0	1	0	0
Wutai Township	0	0	0	0	0	0	0	0	0	0
Majia Township	1	0	0	0	0	0	1	0	0	0
Taiwu Township	1	0	0	0	1	0	0	0	0	0
Laiyi Township	1	0	1	0	0	0	0	0	0	0
Chunrih Township	0	0	0	0	0	0	0	0	0	0
Shihzih Township	0	0	0	0	0	0	0	0	0	0
Mudan Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Penghu County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Penghu County	3	0	0	0	0	1	1	1	0	0
Magong City	2	0	0	0	0	1	1	0	0	0
Husi Township	1	0	0	0	0	0	0	1	0	0
Baisha Township	0	0	0	0	0	0	0	0	0	0
Siyu Township	0	0	0	0	0	0	0	0	0	0
Wang-an Township	0	0	0	0	0	0	0	0	0	0
Cimei Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Taitung County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Taitung County	14	1	2	2	2	0	2	4	0	1
Taitung City	8	0	1	2	2	0	1	1	0	1
Chenggong Township	0	0	0	0	0	0	0	0	0	0
Guanshan Township	0	0	0	0	0	0	0	0	0	0
Beinan Township	1	1	0	0	0	0	0	0	0	0
Dawu Township	1	0	0	0	0	0	0	1	0	0
Taimali Township	1	0	0	0	0	0	0	1	0	0
Donghe Township	2	0	1	0	0	0	1	0	0	0
Changbin Township	0	0	0	0	0	0	0	0	0	0
Luye Township	0	0	0	0	0	0	0	0	0	0
Chihshang Township	0	0	0	0	0	0	0	0	0	0
Lyudao Township	1	0	0	0	0	0	0	1	0	0
Yanping Township	0	0	0	0	0	0	0	0	0	0
Haiduan Township	0	0	0	0	0	0	0	0	0	0
Daren Township	0	0	0	0	0	0	0	0	0	0
Jinfong Township	0	0	0	0	0	0	0	0	0	0
Lanyu Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

Site of extra-pulmonary tuberculosis, Hualien County, 2008

	Total	Meninges	Lymph nodes	Bones & joints	Genitourinary tract	Skin & eyes	Abdomen	Others	Miliary tuberculosis	Pleural effusion
Hualien County	14	1	10	1	0	0	1	1	0	0
Hualien City	1	0	1	0	0	0	0	0	0	0
Fonglin Township	0	0	0	0	0	0	0	0	0	0
Yuli Township	1	0	1	0	0	0	0	0	0	0
Sincheng Township	1	0	1	0	0	0	0	0	0	0
Ji-an Township	5	1	3	0	0	0	1	0	0	0
Shoufong Township	1	0	0	0	0	0	0	1	0	0
Guangfu Township	2	0	2	0	0	0	0	0	0	0
Fongbin Township	1	0	1	0	0	0	0	0	0	0
Rueisuei Township	1	0	0	1	0	0	0	0	0	0
Fuli Township	0	0	0	0	0	0	0	0	0	0
Sioulin Township	1	0	1	0	0	0	0	0	0	0
Wanrong Township	0	0	0	0	0	0	0	0	0	0
Jhuosi Township	0	0	0	0	0	0	0	0	0	0

Note: The definition of extra-pulmonary tuberculosis is consistent with WHO's definition. (Patients with both pulmonary and extrapulmonary TB should be classified as of pulmonary TB)

■ ■ Treatment Outcomes of New TB Cases

2005 - 16472

2008 - 14265

2009 - 13336



Treatment outcomes for new cases (All forms), Taiwan, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taiwan	14 355	14 355	100	71.0	18.4	2.9	2.8	0.1	4.8
Taipei Area	4 187	4 187	100	69.9	17.3	3.1	3.1	0.2	6.5
Yilan County	346	346	100	70.2	19.9	2.3	3.8	0.0	3.8
Keelung City	285	285	100	67.0	16.8	1.4	4.6	0.0	10.2
Taipei City	1 269	1 269	100	71.1	17.9	2.0	1.9	0.3	6.8
Taipei County	2 260	2 260	100	69.6	16.6	3.9	3.5	0.1	6.2
Kinmen County	25	25	100	68.0	24.0	4.0	0.0	0.0	4.0
Lienchiang County	2	2	100	50.0	0.0	0.0	0.0	0.0	50.0
Northern Area	1 687	1 687	100	72.7	17.5	2.7	3.1	0.2	3.7
Taoyuan County	1 047	1 047	100	71.7	18.1	2.4	3.5	0.3	3.9
Hsinchu County	237	237	100	74.7	16.9	2.5	1.7	0.4	3.8
Hsinchu City	179	179	100	74.9	16.8	3.4	3.4	0.0	1.7
Miaoli County	224	224	100	73.7	15.6	3.6	2.7	0.0	4.5
Central District	2 690	2 690	100	70.9	20.8	2.6	1.8	0.1	3.8
Taichung County	803	803	100	73.1	17.9	1.4	1.7	0.0	5.9
Taichung City	536	536	100	75.6	18.5	2.4	0.6	0.2	2.8
Changhua County	927	927	100	68.4	22.5	4.3	2.3	0.1	2.4
Nantou County	424	424	100	66.5	25.2	1.4	2.6	0.0	4.2
Southern Area	2 193	2 193	100	70.5	18.9	3.1	2.8	0.0	4.7
Tainan County	747	747	100	67.2	21.3	4.1	2.5	0.0	4.8
Tainan City	375	375	100	74.7	14.9	3.5	2.4	0.0	4.5
Chiayi County	363	363	100	72.7	19.0	1.9	1.9	0.3	4.1
Chiayi City	167	167	100	67.1	24.0	1.2	3.0	0.0	4.8
Yunlin County	541	541	100	71.5	16.8	2.6	3.9	0.0	5.2
Kao-Ping Area	2 990	2 990	100	72.4	17.9	2.6	3.3	0.1	3.7
Kaohsiung County	1 054	1 054	100	67.9	19.6	3.1	4.7	0.0	4.6
Kaohsiung City	1 074	1 074	100	76.1	16.7	2.7	1.8	0.4	2.4
Pingtung County	834	834	100	72.8	17.7	1.8	3.4	0.0	4.3
Penghu County	28	28	100	85.7	3.6	0.0	3.6	0.0	7.1
Eastern Area	608	608	100	69.6	19.2	4.6	1.6	0.0	4.9
Taitung County	216	216	100	70.8	18.1	4.6	3.2	0.0	3.2
Hualien County	392	392	100	68.9	19.9	4.6	0.8	0.0	5.9

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Yilan County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Yilan County	346	346	100	70.2	19.9	2.3	3.8	0.0	3.8
Yilan City	56	56	100	60.7	23.2	5.4	1.8	0.0	8.9
Luodong Township	51	51	100	70.6	19.6	0.0	7.8	0.0	2.0
Su-ao Township	46	46	100	67.4	30.4	2.2	0.0	0.0	0.0
Toucheng Township	19	19	100	68.4	15.8	5.3	5.3	0.0	5.3
Jiaosi Township	20	20	100	85.0	10.0	0.0	5.0	0.0	0.0
Jhuangwei Township	12	12	100	75.0	16.7	8.3	0.0	0.0	0.0
Yuanshan Township	31	31	100	61.3	29.0	3.2	3.2	0.0	3.2
Dongshan Township	27	27	100	74.1	14.8	3.7	0.0	0.0	7.4
Wujie Township	28	28	100	71.4	25.0	0.0	3.6	0.0	0.0
Sansing Township	19	19	100	78.9	10.5	0.0	0.0	0.0	10.5
Datong Township	18	18	100	61.1	11.1	0.0	22.2	0.0	5.6
Nan-ao Township	19	19	100	94.7	5.3	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Keelung City, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Keelung City	285	285	100	67.0	16.8	1.4	4.6	0.0	10.2
Jhongjheng District	52	52	100	61.5	26.9	1.9	0.0	0.0	9.6
Cidu District	39	39	100	69.2	15.4	0.0	7.7	0.0	7.7
Nuannuan District	29	29	100	69.0	13.8	0.0	10.3	0.0	6.9
Ren-ai District	33	33	100	81.8	9.1	3.0	0.0	0.0	6.1
Jhongshan District	29	29	100	69.0	13.8	0.0	3.4	0.0	13.8
Anle District	71	71	100	69.0	12.7	1.4	5.6	0.0	11.3
Sinyi District	32	32	100	50.0	25.0	3.1	6.3	0.0	15.6

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taipei City, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taipei City	1 269	1 269	100	71.1	17.9	2.0	1.9	0.3	6.8
Songshan District	77	77	100	63.6	23.4	2.6	2.6	1.3	6.5
Sinyi District	125	125	100	71.2	18.4	1.6	3.2	0.0	5.6
Da-an District	138	138	100	73.9	16.7	0.7	1.4	0.7	6.5
Jhongshan District	102	102	100	76.5	15.7	2.0	2.9	0.0	2.9
Jhongjheng District	82	82	100	74.4	13.4	4.9	0.0	0.0	7.3
Datong District	63	63	100	65.1	22.2	3.2	1.6	0.0	7.9
Wanhua District	145	145	100	73.8	17.9	0.7	1.4	0.0	6.2
Wunshan District	114	114	100	71.1	19.3	0.0	2.6	0.9	6.1
Nangang District	36	36	100	75.0	13.9	2.8	0.0	0.0	8.3
Neihu District	117	117	100	68.4	18.8	2.6	2.6	0.9	6.8
Shihlin District	135	135	100	65.9	17.8	3.7	1.5	0.0	11.1
Beitou District	135	135	100	72.6	17.0	2.2	1.5	0.0	6.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taipei County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taipei County	2 260	2 260	100	69.6	16.6	3.9	3.5	0.1	6.2
Banciao City	334	334	100	68.9	18.9	6.0	1.2	0.0	5.1
Sanchong City	233	233	100	74.2	12.4	3.4	3.4	0.0	6.4
Yonghe City	132	132	100	69.7	19.7	2.3	2.3	0.8	5.3
Jhonghe City	267	267	100	64.4	17.6	3.7	6.0	0.4	7.9
Sinjhuang City	206	206	100	67.5	22.3	1.9	4.9	0.0	3.4
Sindian City	156	156	100	69.9	18.6	1.9	3.2	0.0	6.4
Tucheng City	134	134	100	74.6	11.2	3.0	5.2	0.0	6.0
Lujhou City	98	98	100	72.4	14.3	2.0	3.1	0.0	8.2
Sijhih City	133	133	100	67.7	17.3	4.5	4.5	0.0	6.0
Shulin City	102	102	100	73.5	14.7	2.0	2.9	1.0	5.9
Yingge Township	63	63	100	68.3	14.3	14.3	0.0	0.0	3.2
Sansia Township	61	61	100	68.9	21.3	3.3	0.0	0.0	6.6
Danshuei Township	80	80	100	75.0	13.8	2.5	5.0	0.0	3.8
Rueifang Township	45	45	100	60.0	20.0	8.9	4.4	0.0	6.7
Wugu Township	45	45	100	68.9	17.8	4.4	4.4	0.0	4.4
Taishan Township	41	41	100	65.9	12.2	7.3	2.4	0.0	12.2
Linkou Township	26	26	100	73.1	7.7	3.8	7.7	0.0	7.7
Shenkeng Township	16	16	100	56.3	18.8	6.3	0.0	0.0	18.8
Shihding Township	6	6	100	50.0	16.7	0.0	0.0	0.0	33.3
Pinglin Township	1	1	100	0.0	0.0	0.0	0.0	0.0	100.0
Sanjihh Township	10	10	100	80.0	10.0	0.0	0.0	0.0	10.0
Shihmen Township	5	5	100	100.0	0.0	0.0	0.0	0.0	0.0
Bali Township	16	16	100	62.5	25.0	6.3	0.0	0.0	6.3
Pingsi Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0
Shuangsi Township	8	8	100	87.5	0.0	0.0	0.0	0.0	12.5
Gongliao Township	8	8	100	75.0	0.0	12.5	0.0	0.0	12.5
Jinshan Township	11	11	100	81.8	9.1	0.0	9.1	0.0	0.0
Wanli Township	19	19	100	63.2	5.3	5.3	10.5	0.0	15.8
Wulai Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Kinmen County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Kinmen County	25	25	100	68.0	24.0	4.0	0.0	0.0	4.0
Jincheng Township	10	10	100	60.0	20.0	10.0	0.0	0.0	10.0
Jinhu Township	8	8	100	75.0	25.0	0.0	0.0	0.0	0.0
Jinsha Township	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0
Jinning Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0
Lieyu Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Wuciou Township	0	--	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Lienchiang County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Lienchiang County	2	2	100	50.0	0.0	0.0	0.0	0.0	50.0
Nangan Township	2	2	100	50.0	0.0	0.0	0.0	0.0	50.0
Beigan Township	0	--	--	--	--	--	--	--	--
Jyuguang Township	1	--	--	--	--	--	--	--	--
Dongyin Township	2	--	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taoyuan County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taoyuan County	1 047	1 047	100	71.7	18.1	2.4	3.5	0.3	3.9
Taoyuan City	176	176	100	68.2	21.0	4.0	2.8	0.6	3.4
Jhongli City	153	153	100	74.5	18.3	1.3	2.6	0.0	3.3
Pingjhen City	103	103	100	54.4	33.0	4.9	5.8	0.0	1.9
Bade City	95	95	100	76.8	15.8	1.1	2.1	0.0	4.2
Dasi Township	86	86	100	77.9	12.8	1.2	2.3	0.0	5.8
Yangmei Township	77	77	100	80.5	10.4	0.0	5.2	0.0	3.9
Lujhu Township	55	55	100	69.1	14.5	5.5	5.5	0.0	5.5
Dayuan Township	47	47	100	74.5	8.5	6.4	4.3	2.1	4.3
Gueishan Township	105	105	100	74.3	15.2	1.0	5.7	0.0	3.8
Longtan Township	66	66	100	65.2	25.8	0.0	3.0	0.0	6.1
Sinwu Township	30	30	100	86.7	10.0	0.0	0.0	0.0	3.3
Guanyin Township	37	37	100	70.3	21.6	2.7	0.0	2.7	2.7
Fusing Township	17	17	100	76.5	5.9	5.9	5.9	0.0	5.9

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnoed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Hsinchu County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Hsinchu County	237	237	100	74.7	16.9	2.5	1.7	0.4	3.8
Jhubei City	40	40	100	80.0	7.5	5.0	0.0	2.5	5.0
Guansi Township	11	11	100	72.7	27.3	0.0	0.0	0.0	0.0
Sinpu Township	14	14	100	85.7	14.3	0.0	0.0	0.0	0.0
Jhudong Township	61	61	100	75.4	16.4	0.0	3.3	0.0	4.9
Hukou Township	33	33	100	78.8	12.1	3.0	6.1	0.0	0.0
Hengshan Township	12	12	100	58.3	25.0	8.3	0.0	0.0	8.3
Sinfong Township	19	19	100	68.4	26.3	5.3	0.0	0.0	0.0
Cyonglin Township	12	12	100	75.0	25.0	0.0	0.0	0.0	0.0
Baoshan Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Beipu Township	7	7	100	57.1	28.6	14.3	0.0	0.0	0.0
Emei Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Jianshih Township	12	12	100	58.3	25.0	0.0	0.0	0.0	16.7
Wufong Township	14	14	100	78.6	14.3	0.0	0.0	0.0	7.1

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Hsinchu City, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Hsinchu City	179	179	100	74.9	16.8	3.4	3.4	0.0	1.7
East District	79	79	100	72.2	19.0	3.8	2.5	0.0	2.5
North District	72	72	100	73.6	18.1	2.8	4.2	0.0	1.4
Siangshan District	28	28	100	85.7	7.1	3.6	3.6	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Miaoli County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Miaoli County	224	224	100	73.7	15.6	3.6	2.7	0.0	4.5
Miaoli City	39	39	100	82.1	15.4	2.6	0.0	0.0	0.0
Yuanli Township	21	21	100	66.7	19.0	0.0	4.8	0.0	9.5
Tongsiao Township	18	18	100	55.6	33.3	5.6	0.0	0.0	5.6
Jhunan Township	22	22	100	86.4	9.1	0.0	0.0	0.0	4.5
Toufen Township	32	32	100	68.8	21.9	0.0	3.1	0.0	6.3
Houlong Township	16	16	100	68.8	0.0	18.8	6.3	0.0	6.3
Jhuolan Township	13	13	100	53.8	23.1	7.7	0.0	0.0	15.4
Dahu Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0
Gongguan Township	12	12	100	75.0	0.0	8.3	8.3	0.0	8.3
Tongluo Township	6	6	100	100.0	0.0	0.0	0.0	0.0	0.0
Nanjhuang Township	6	6	100	100.0	0.0	0.0	0.0	0.0	0.0
Touwu Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0
Sanyi Township	7	7	100	71.4	28.6	0.0	0.0	0.0	0.0
Sihu Township	5	5	100	40.0	40.0	20.0	0.0	0.0	0.0
Zaociao Township	6	6	100	66.7	16.7	0.0	16.7	0.0	0.0
Sanwan Township	1	1	100	0.0	0.0	0.0	100.0	0.0	0.0
Shihtan Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0
Tai-an Township	13	13	100	100.0	0.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taichung County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taichung County	803	803	100	73.1	17.9	1.4	1.7	0.0	5.9
Fongyuan City	88	88	100	63.6	22.7	2.3	0.0	0.0	11.4
Dali City	85	85	100	84.7	8.2	2.4	0.0	0.0	4.7
Taiping City	98	98	100	80.6	13.3	0.0	3.1	0.0	3.1
Dongshih Township	27	27	100	59.3	25.9	0.0	3.7	0.0	11.1
Dajia Township	35	35	100	68.6	22.9	0.0	0.0	0.0	8.6
Cingshuei Township	30	30	100	76.7	20.0	0.0	0.0	0.0	3.3
Shalu Township	46	46	100	67.4	21.7	0.0	8.7	0.0	2.2
Wuci Township	19	19	100	57.9	21.1	0.0	5.3	0.0	15.8
Houli Township	34	34	100	58.8	29.4	5.9	2.9	0.0	2.9
Shengang Township	41	41	100	70.7	22.0	0.0	0.0	0.0	7.3
Tanzih Township	43	43	100	74.4	11.6	4.7	2.3	0.0	7.0
Daya Township	63	63	100	71.4	23.8	1.6	0.0	0.0	3.2
Sinshe Township	15	15	100	86.7	13.3	0.0	0.0	0.0	0.0
Shihgang Township	9	9	100	88.9	11.1	0.0	0.0	0.0	0.0
Waipu Township	18	18	100	72.2	22.2	0.0	0.0	0.0	5.6
Da-an Township	6	6	100	66.7	16.7	0.0	0.0	0.0	16.7
Wurih Township	39	39	100	69.2	23.1	0.0	0.0	0.0	7.7
Dadu Township	26	26	100	76.9	15.4	0.0	0.0	0.0	7.7
Longjing Township	26	26	100	92.3	7.7	0.0	0.0	0.0	0.0
Wufong Township	38	38	100	63.2	15.8	5.3	7.9	0.0	7.9
Heping Township	17	17	100	94.1	5.9	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taichung City, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taichung City	536	536	100	75.6	18.5	2.4	0.6	0.2	2.8
Central District	14	14	100	85.7	14.3	0.0	0.0	0.0	0.0
East District	34	34	100	76.5	17.6	2.9	0.0	0.0	2.9
West District	59	59	100	76.3	15.3	1.7	1.7	0.0	5.1
South District	54	54	100	66.7	25.9	1.9	0.0	0.0	5.6
North District	87	87	100	77.0	17.2	3.4	1.1	0.0	1.1
Situn District	92	92	100	77.2	15.2	1.1	0.0	1.1	5.4
Nantun District	83	83	100	80.7	16.9	1.2	0.0	0.0	1.2
Beitun District	113	113	100	71.7	22.1	4.4	0.9	0.0	0.9

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Changhua County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Changhua County	927	927	100	68.4	22.5	4.3	2.3	0.1	2.4
Changhua City	144	144	100	73.6	22.2	0.7	2.1	0.0	1.4
Lugang Township	48	48	100	62.5	31.3	6.3	0.0	0.0	0.0
Hemei Township	47	47	100	63.8	21.3	8.5	2.1	0.0	4.3
Beidou Township	29	29	100	75.9	20.7	0.0	3.4	0.0	0.0
Yuanlin Township	76	76	100	75.0	18.4	2.6	2.6	0.0	1.3
Sihu Township	38	38	100	57.9	28.9	10.5	0.0	0.0	2.6
Tianjhong Township	26	26	100	61.5	19.2	11.5	3.8	0.0	3.8
Erlin Township	56	56	100	66.1	17.9	7.1	5.4	0.0	3.6
Siansi Township	7	7	100	100.0	0.0	0.0	0.0	0.0	0.0
Shengang Township	13	13	100	61.5	30.8	0.0	0.0	0.0	7.7
Fusing Township	35	35	100	77.1	22.9	0.0	0.0	0.0	0.0
Sioushuei Township	32	32	100	56.3	34.4	3.1	3.1	0.0	3.1
Huatan Township	30	30	100	76.7	16.7	0.0	3.3	0.0	3.3
Fenyuan Township	27	27	100	77.8	18.5	0.0	0.0	0.0	3.7
Dacun Township	31	31	100	67.7	19.4	6.5	6.5	0.0	0.0
Puyan Township	33	33	100	60.6	30.3	0.0	3.0	0.0	6.1
Pusin Township	35	35	100	65.7	20.0	5.7	5.7	0.0	2.9
Yongjing Township	27	27	100	70.4	29.6	0.0	0.0	0.0	0.0
Shetou Township	34	34	100	67.6	26.5	5.9	0.0	0.0	0.0
Ershuei Township	17	17	100	52.9	41.2	0.0	0.0	0.0	5.9
Tianwei Township	26	26	100	65.4	7.7	15.4	0.0	0.0	11.5
Pitou Township	18	18	100	61.1	33.3	0.0	0.0	0.0	5.6
Fangyuan Township	40	40	100	67.5	25.0	5.0	2.5	0.0	0.0
Dacheng Township	18	18	100	61.1	11.1	22.2	0.0	5.6	0.0
Jhutang Township	11	11	100	72.7	18.2	0.0	9.1	0.0	0.0
Sijhou Township	29	29	100	72.4	13.8	6.9	3.4	0.0	3.4

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Nantou County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Nantou County	424	424	100	66.5	25.2	1.4	2.6	0.0	4.2
Nantou City	65	65	100	64.6	33.8	0.0	0.0	0.0	1.5
Puli Township	72	72	100	66.7	30.6	0.0	1.4	0.0	1.4
Caotun Township	72	72	100	70.8	20.8	1.4	4.2	0.0	2.8
Jhushan Township	46	46	100	58.7	23.9	4.3	6.5	0.0	6.5
Jiji Township	11	11	100	81.8	18.2	0.0	0.0	0.0	0.0
Mingjian Township	29	29	100	65.5	34.5	0.0	0.0	0.0	0.0
Lugu Township	5	5	100	60.0	40.0	0.0	0.0	0.0	0.0
Jhongliao Township	7	7	100	42.9	57.1	0.0	0.0	0.0	0.0
Yuchih Township	8	8	100	75.0	12.5	0.0	0.0	0.0	12.5
Guosing Township	11	11	100	63.6	27.3	0.0	0.0	0.0	9.1
Shueili Township	16	16	100	75.0	18.8	0.0	0.0	0.0	6.3
Sinyi Township	32	32	100	56.3	15.6	9.4	6.3	0.0	12.5
Ren-ai Township	50	50	100	74.0	14.0	0.0	4.0	0.0	8.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Tainan County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Tainan County	747	747	100	67.2	21.3	4.1	2.5	0.0	4.8
Sinying City	63	63	100	69.8	20.6	1.6	1.6	0.0	6.3
Yongkang City	122	122	100	69.7	19.7	4.1	4.1	0.0	2.5
Yanshuei Township	27	27	100	59.3	22.2	3.7	0.0	0.0	14.8
Baihe Township	24	24	100	70.8	16.7	8.3	0.0	0.0	4.2
Madou Township	38	38	100	71.1	13.2	5.3	2.6	0.0	7.9
Jiali Township	31	31	100	51.6	32.3	9.7	0.0	0.0	6.5
Sinhua Township	42	42	100	78.6	11.9	0.0	2.4	0.0	7.1
Shanhua Township	37	37	100	73.0	21.6	0.0	5.4	0.0	0.0
Syuejia Township	15	15	100	53.3	26.7	13.3	6.7	0.0	0.0
Liouying Township	25	25	100	68.0	24.0	4.0	4.0	0.0	0.0
Houbi Township	17	17	100	70.6	11.8	11.8	5.9	0.0	0.0
Dongshan Township	20	20	100	80.0	15.0	0.0	0.0	0.0	5.0
Siaying Township	11	11	100	63.6	18.2	9.1	9.1	0.0	0.0
Lioujia Township	13	13	100	84.6	15.4	0.0	0.0	0.0	0.0
Guantian Township	15	15	100	40.0	46.7	6.7	6.7	0.0	0.0
Danei Township	6	6	100	33.3	50.0	0.0	0.0	0.0	16.7
Sigang Township	19	19	100	78.9	15.8	0.0	0.0	0.0	5.3
Cigu Township	17	17	100	64.7	23.5	0.0	0.0	0.0	11.8
Jiangjyun Township	5	5	100	40.0	40.0	0.0	0.0	0.0	20.0
Beimen Township	8	8	100	75.0	25.0	0.0	0.0	0.0	0.0
Sinshih Township	17	17	100	52.9	35.3	0.0	0.0	0.0	11.8
Anding Township	20	20	100	90.0	10.0	0.0	0.0	0.0	0.0
Shanshang Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0
Yujing Township	10	10	100	80.0	10.0	0.0	0.0	0.0	10.0
Nansi Township	10	10	100	50.0	30.0	10.0	0.0	0.0	10.0
Nanhua Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0
Zuojhen Township	6	6	100	66.7	33.3	0.0	0.0	0.0	0.0
Rende Township	53	53	100	67.9	17.0	1.9	5.7	0.0	7.5
Gueiren Township	38	38	100	63.2	18.4	15.8	0.0	0.0	2.6
Guanmiao Township	28	28	100	42.9	42.9	7.1	3.6	0.0	3.6
Longci Township	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Tainan City, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Tainan City	375	375	100	74.7	14.9	3.5	2.4	0.0	4.5
East District	83	83	100	75.9	12.0	4.8	1.2	0.0	6.0
South District	69	69	100	69.6	17.4	2.9	7.2	0.0	2.9
North District	63	63	100	79.4	14.3	1.6	1.6	0.0	3.2
Annan District	87	87	100	74.7	14.9	5.7	0.0	0.0	4.6
Anping District	21	21	100	71.4	19.0	4.8	4.8	0.0	0.0
West Central District	52	52	100	75.0	15.4	0.0	1.9	0.0	7.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Chiayi County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Chiayi County	363	363	100	72.7	19.0	1.9	1.9	0.3	4.1
Taibao City	11	11	100	90.9	9.1	0.0	0.0	0.0	0.0
Puzih City	27	27	100	66.7	29.6	0.0	0.0	0.0	3.7
Budai Township	13	13	100	61.5	23.1	7.7	0.0	0.0	7.7
Dalin Township	28	28	100	64.3	25.0	3.6	0.0	0.0	7.1
Minsyong Township	44	44	100	77.3	15.9	0.0	2.3	0.0	4.5
Sikou Township	10	10	100	70.0	20.0	0.0	0.0	0.0	10.0
Singang Township	16	16	100	62.5	25.0	0.0	12.5	0.0	0.0
Lioujiao Township	23	23	100	65.2	21.7	0.0	8.7	0.0	4.3
Dongshih Township	17	17	100	94.1	0.0	5.9	0.0	0.0	0.0
Yijhu Township	17	17	100	100.0	0.0	0.0	0.0	0.0	0.0
Lucao Township	10	10	100	90.0	10.0	0.0	0.0	0.0	0.0
Shueishang Township	36	36	100	75.0	13.9	0.0	0.0	2.8	8.3
Jhongpu Township	27	27	100	81.5	14.8	0.0	0.0	0.0	3.7
Jhuci Township	66	66	100	63.6	25.8	6.1	1.5	0.0	3.0
Meishan Township	6	6	100	50.0	33.3	0.0	16.7	0.0	0.0
Fanlu Township	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0
Dapu Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Alishan Township	7	7	100	57.1	28.6	0.0	0.0	0.0	14.3

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Chiayi City, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Chiayi City	167	167	100	67.1	24.0	1.2	3.0	0.0	4.8
East District	67	67	100	68.7	19.4	3.0	1.5	0.0	7.5
West District	100	100	100	66.0	27.0	0.0	4.0	0.0	3.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Yunlin County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Yunlin County	541	541	100	71.5	16.8	2.6	3.9	0.0	5.2
Douliou City	59	59	100	67.8	25.4	3.4	3.4	0.0	0.0
Dounan Township	30	30	100	70.0	13.3	3.3	0.0	0.0	13.3
Huwei Township	45	45	100	73.3	17.8	4.4	0.0	0.0	4.4
Siluo Township	33	33	100	57.6	12.1	3.0	15.2	0.0	12.1
Tuku Township	23	23	100	56.5	21.7	8.7	4.3	0.0	8.7
Beigang Township	47	47	100	72.3	21.3	4.3	0.0	0.0	2.1
Gukeng Township	15	15	100	80.0	13.3	0.0	0.0	0.0	6.7
Dapi Township	11	11	100	81.8	9.1	0.0	0.0	0.0	9.1
Cihtong Township	27	27	100	74.1	18.5	0.0	7.4	0.0	0.0
Linnei Township	16	16	100	93.8	6.3	0.0	0.0	0.0	0.0
Erlun Township	20	20	100	50.0	30.0	5.0	5.0	0.0	10.0
Lunbei Township	27	27	100	74.1	18.5	3.7	3.7	0.0	0.0
Mailiao Township	27	27	100	74.1	11.1	0.0	7.4	0.0	7.4
Dongshih Township	13	13	100	61.5	30.8	0.0	7.7	0.0	0.0
Baojhong Township	10	10	100	80.0	10.0	10.0	0.0	0.0	0.0
Taisi Township	28	28	100	78.6	3.6	0.0	7.1	0.0	10.7
Yuanchang Township	29	29	100	75.9	17.2	3.4	0.0	0.0	3.4
Sihhu Township	25	25	100	84.0	4.0	0.0	4.0	0.0	8.0
Kouhu Township	26	26	100	80.8	19.2	0.0	0.0	0.0	0.0
Shueilin Township	30	30	100	63.3	16.7	0.0	10.0	0.0	10.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Kaohsiung County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Kaohsiung County	1 054	1 054	100	67.9	19.6	3.1	4.7	0.0	4.6
Fongshan City	244	244	100	73.0	18.0	2.9	4.9	0.0	1.2
Gangshan Township	73	73	100	67.1	23.3	0.0	6.8	0.0	2.7
Cishan Township	44	44	100	63.6	20.5	4.5	4.5	0.0	6.8
Meinong Township	41	41	100	70.7	22.0	2.4	0.0	0.0	4.9
Linyuan Township	49	49	100	65.3	24.5	4.1	2.0	0.0	4.1
Daliao Township	135	135	100	62.2	19.3	4.4	7.4	0.0	6.7
Dashu Township	40	40	100	70.0	17.5	2.5	5.0	0.0	5.0
Renwu Township	37	37	100	73.0	18.9	2.7	0.0	0.0	5.4
Dashe Township	24	24	100	79.2	12.5	0.0	4.2	0.0	4.2
Niaosong Township	33	33	100	84.8	9.1	0.0	0.0	0.0	6.1
Ciaotou Township	32	32	100	56.3	21.9	9.4	6.3	0.0	6.3
Yanchao Township	43	43	100	69.8	14.0	0.0	2.3	0.0	14.0
Tianliao Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0
Alian Township	27	27	100	74.1	11.1	11.1	3.7	0.0	0.0
Lujhu Township	56	56	100	69.6	21.4	1.8	3.6	0.0	3.6
Hunei Township	22	22	100	45.5	31.8	4.5	9.1	0.0	9.1
Jiading Township	19	19	100	52.6	15.8	5.3	21.1	0.0	5.3
Yong-an Township	10	10	100	70.0	30.0	0.0	0.0	0.0	0.0
Mituo Township	19	19	100	78.9	21.1	0.0	0.0	0.0	0.0
Zihguan Township	31	31	100	61.3	22.6	3.2	0.0	0.0	12.9
Liouguei Township	18	18	100	61.1	27.8	0.0	5.6	0.0	5.6
Jiasian Township	4	4	100	25.0	50.0	25.0	0.0	0.0	0.0
Shanlin Township	19	19	100	63.2	26.3	0.0	5.3	0.0	5.3
Neimen Township	18	18	100	66.7	27.8	0.0	5.6	0.0	0.0
Maolin Township	2	2	100	0.0	0.0	50.0	50.0	0.0	0.0
Taoyuan Township	8	8	100	75.0	0.0	0.0	12.5	0.0	12.5
Sanmin Township	3	3	100	66.7	0.0	33.3	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Kaohsiung City, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Kaohsiung City	1 074	1 074	100	76.1	16.7	2.7	1.8	0.4	2.4
Yancheng District	18	18	100	66.7	16.7	0.0	11.1	0.0	5.6
Gushan District	85	85	100	71.8	24.7	0.0	0.0	0.0	3.5
Zuoying District	134	134	100	81.3	12.7	3.7	0.7	0.0	1.5
Nanzih District	105	105	100	80.0	15.2	1.9	1.9	1.0	0.0
Sanmin District	232	232	100	73.3	18.1	4.3	1.3	0.4	2.6
Sinsing District	48	48	100	62.5	22.9	2.1	6.3	2.1	4.2
Cianjin District	24	24	100	70.8	25.0	0.0	4.2	0.0	0.0
Lingya District	139	139	100	77.0	15.8	2.9	0.7	0.0	3.6
Cianjhen District	153	153	100	73.2	17.6	3.3	2.0	0.7	3.3
Cijin District	28	28	100	85.7	10.7	3.6	0.0	0.0	0.0
Siaogang District	108	108	100	84.3	10.2	0.9	2.8	0.0	1.9

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Pingtung County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Pingtung County	834	834	100	72.8	17.7	1.8	3.4	0.0	4.3
Pingtung City	213	213	100	72.3	17.4	1.4	5.6	0.0	3.3
Chaozhou Township	56	56	100	78.6	16.1	3.6	0.0	0.0	1.8
Donggang Township	25	25	100	84.0	16.0	0.0	0.0	0.0	0.0
Hengchun Township	17	17	100	64.7	17.6	0.0	5.9	0.0	11.8
Wandan Township	37	37	100	83.8	10.8	0.0	2.7	0.0	2.7
Changjih Township	19	19	100	78.9	15.8	0.0	0.0	0.0	5.3
Linluo Township	6	6	100	66.7	0.0	16.7	0.0	0.0	16.7
Jiuru Township	22	22	100	72.7	22.7	0.0	4.5	0.0	0.0
Ligang Township	23	23	100	73.9	17.4	0.0	0.0	0.0	8.7
Yanpu Township	31	31	100	67.7	22.6	6.5	0.0	0.0	3.2
Gaoshu Township	34	34	100	79.4	14.7	0.0	2.9	0.0	2.9
Wanluan Township	27	27	100	66.7	22.2	7.4	0.0	0.0	3.7
Neipu Township	90	90	100	72.2	15.6	1.1	5.6	0.0	5.6
Jhutian Township	24	24	100	50.0	33.3	0.0	12.5	0.0	4.2
Sinpi Township	22	22	100	86.4	9.1	0.0	0.0	0.0	4.5
Fangliao Township	27	27	100	63.0	22.2	3.7	0.0	0.0	11.1
Sinyuan Township	23	23	100	65.2	30.4	0.0	0.0	0.0	4.3
Kanding Township	11	11	100	72.7	27.3	0.0	0.0	0.0	0.0
Linbian Township	19	19	100	73.7	21.1	0.0	0.0	0.0	5.3
Nanjhou Township	7	7	100	100.0	0.0	0.0	0.0	0.0	0.0
Jiadong Township	23	23	100	60.9	26.1	0.0	4.3	0.0	8.7
Liouciou Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0
Checheng Township	7	7	100	71.4	28.6	0.0	0.0	0.0	0.0
Manzhou Township	5	5	100	80.0	0.0	20.0	0.0	0.0	0.0
Fangshan Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0
Sandimen Township	15	15	100	46.7	26.7	6.7	13.3	0.0	6.7
Wutai Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Majia Township	8	8	100	37.5	25.0	0.0	0.0	0.0	37.5
Taiwu Township	12	12	100	83.3	16.7	0.0	0.0	0.0	0.0
Laiyi Township	10	10	100	90.0	10.0	0.0	0.0	0.0	0.0
Chunrih Township	7	7	100	85.7	0.0	0.0	14.3	0.0	0.0
Shihzih Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0
Mudan Township	5	5	100	80.0	0.0	20.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Penghu County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Penghu County	28	28	100	85.7	3.6	0.0	3.6	0.0	7.1
Magong City	17	17	100	88.2	5.9	0.0	0.0	0.0	5.9
Husi Township	4	4	100	75.0	0.0	0.0	0.0	0.0	25.0
Baisha Township	4	4	100	100.0	0.0	0.0	0.0	0.0	0.0
Siyu Township	2	2	100	50.0	0.0	0.0	50.0	0.0	0.0
Wang-an Township	0	--	--	--	--	--	--	--	--
Cimei Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taitung County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taitung County	216	216	100	70.8	18.1	4.6	3.2	0.0	3.2
Taitung City	82	82	100	65.9	20.7	3.7	6.1	0.0	3.7
Chenggong Township	10	10	100	80.0	10.0	0.0	10.0	0.0	0.0
Guanshan Township	6	6	100	50.0	50.0	0.0	0.0	0.0	0.0
Beinan Township	28	28	100	67.9	21.4	7.1	0.0	0.0	3.6
Dawu Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0
Taimali Township	18	18	100	94.4	5.6	0.0	0.0	0.0	0.0
Donghe Township	5	5	100	100.0	0.0	0.0	0.0	0.0	0.0
Changbin Township	10	10	100	70.0	20.0	10.0	0.0	0.0	0.0
Luye Township	11	11	100	72.7	18.2	0.0	0.0	0.0	9.1
Chihshang Township	6	6	100	83.3	0.0	0.0	0.0	0.0	16.7
Lyudao Township	0	--	--	--	--	--	--	--	--
Yanping Township	10	10	100	70.0	10.0	20.0	0.0	0.0	0.0
Haiduan Township	18	18	100	61.1	22.2	5.6	5.6	0.0	5.6
Daren Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0
Jinfong Township	4	4	100	50.0	25.0	25.0	0.0	0.0	0.0
Lanyu Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Hualien County, 2007 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Hualien County	392	392	100	68.9	19.9	4.6	0.8	0.0	5.9
Hualien City	84	84	100	58.3	27.4	4.8	1.2	0.0	8.3
Fonglin Township	25	25	100	40.0	52.0	8.0	0.0	0.0	0.0
Yuli Township	39	39	100	74.4	20.5	0.0	0.0	0.0	5.1
Sincheng Township	31	31	100	64.5	22.6	6.5	0.0	0.0	6.5
Ji-an Township	63	63	100	76.2	19.0	1.6	1.6	0.0	1.6
Shoufong Township	17	17	100	76.5	11.8	5.9	0.0	0.0	5.9
Guangfu Township	9	9	100	88.9	11.1	0.0	0.0	0.0	0.0
Fongbin Township	7	7	100	85.7	0.0	14.3	0.0	0.0	0.0
Rueisuei Township	10	10	100	70.0	30.0	0.0	0.0	0.0	0.0
Fuli Township	7	7	100	85.7	0.0	14.3	0.0	0.0	0.0
Sioulin Township	61	61	100	78.7	3.3	3.3	0.0	0.0	14.8
Wanrong Township	22	22	100	72.7	18.2	4.5	4.5	0.0	0.0
Jhuosi Township	17	17	100	58.8	17.6	17.6	0.0	0.0	5.9

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taiwan, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taiwan	14 198	14 198	100	70.4	19.2	3.2	2.2	0.1	4.9
Taipei Area	3 954	3 954	100	71.1	17.0	2.7	3.1	0.1	6.0
Yilan County	357	357	100	76.8	16.0	2.5	0.6	0.0	4.2
Keelung City	267	267	100	76.0	13.5	2.2	2.6	0.0	5.6
Taipei City	1 176	1 176	100	71.0	18.6	1.8	2.4	0.2	6.0
Taipei County	2 128	2 128	100	69.5	16.9	3.3	4.0	0.0	6.3
Kinmen County	24	24	100	83.3	12.5	0.0	0.0	0.0	4.2
Lienchiang County	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0
Northern Area	1 595	1 595	100	72.1	18.0	2.9	2.1	0.1	4.8
Taoyuan County	1 014	1 014	100	72.8	17.8	2.8	2.3	0.1	4.3
Hsinchu County	196	196	100	69.9	16.8	4.6	2.0	0.5	6.1
Hsinchu City	134	134	100	75.4	16.4	0.7	0.0	0.0	7.5
Miaoli County	251	251	100	69.3	20.7	3.6	2.4	0.0	4.0
Central District	2 768	2 768	100	68.9	22.0	3.9	1.3	0.0	3.9
Taichung County	835	835	100	70.5	20.0	2.9	1.8	0.0	4.8
Taichung City	589	589	100	75.6	16.5	3.4	1.2	0.0	3.4
Changhua County	961	961	100	64.4	26.5	5.2	0.7	0.0	3.1
Nantou County	383	383	100	66.6	23.8	3.4	1.8	0.0	4.4
Southern Area	2 312	2 312	100	71.3	18.7	2.9	1.9	0.0	5.1
Tainan County	763	763	100	68.7	20.1	3.0	1.6	0.0	6.7
Tainan City	466	466	100	72.3	16.3	3.0	3.0	0.2	5.2
Chiayi County	358	358	100	69.8	20.7	4.5	1.1	0.0	3.9
Chiayi City	145	145	100	73.1	17.2	2.1	3.4	0.0	4.1
Yunlin County	580	580	100	74.5	17.9	2.1	1.6	0.0	4.0
Kao-Ping Area	2 977	2 977	100	68.8	20.5	3.2	2.5	0.1	5.0
Kaohsiung County	1 058	1 058	100	68.1	19.8	3.9	2.9	0.1	5.3
Kaohsiung City	1 005	1 005	100	71.1	20.1	2.1	1.6	0.1	5.0
Pingtung County	882	882	100	66.4	22.0	3.6	2.9	0.0	5.0
Penghu County	32	32	100	84.4	12.5	3.1	0.0	0.0	0.0
Eastern Area	592	592	100	72.3	19.1	4.7	1.4	0.0	2.5
Taitung County	233	233	100	75.1	19.7	3.4	0.4	0.0	1.3
Hualien County	359	359	100	70.5	18.7	5.6	1.9	0.0	3.3

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Yilan County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Yilan County	357	357	100	76.8	16.0	2.5	0.6	0.0	4.2
Yilan City	66	66	100	74.2	15.2	1.5	1.5	0.0	7.6
Luodong Township	39	39	100	76.9	17.9	0.0	0.0	0.0	5.1
Su-ao Township	44	44	100	61.4	31.8	2.3	0.0	0.0	4.5
Toucheng Township	17	17	100	82.4	17.6	0.0	0.0	0.0	0.0
Jiaosi Township	17	17	100	88.2	11.8	0.0	0.0	0.0	0.0
Jhuangwei Township	10	10	100	90.0	0.0	10.0	0.0	0.0	0.0
Yuanshan Township	36	36	100	69.4	19.4	8.3	0.0	0.0	2.8
Dongshan Township	28	28	100	85.7	10.7	0.0	0.0	0.0	3.6
Wujie Township	26	26	100	73.1	19.2	0.0	0.0	0.0	7.7
Sansing Township	26	26	100	84.6	11.5	0.0	3.8	0.0	0.0
Datong Township	16	16	100	81.3	6.3	0.0	0.0	0.0	12.5
Nan-ao Township	32	32	100	84.4	6.3	9.4	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Keelung City, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Keelung City	267	267	100	76.0	13.5	2.2	2.6	0.0	5.6
Jhongheng District	39	39	100	82.1	12.8	0.0	0.0	0.0	5.1
Cidu District	44	44	100	79.5	11.4	2.3	2.3	0.0	4.5
Nuannuan District	24	24	100	75.0	12.5	0.0	8.3	0.0	4.2
Ren-ai District	39	39	100	71.8	20.5	0.0	2.6	0.0	5.1
Jhongshan District	35	35	100	82.9	5.7	0.0	5.7	0.0	5.7
Anle District	61	61	100	67.2	14.8	8.2	1.6	0.0	8.2
Sinyi District	25	25	100	80.0	16.0	0.0	0.0	0.0	4.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taipei City, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taipei City	1 176	1 176	100	71.0	18.6	1.8	2.4	0.2	6.0
Songshan District	82	82	100	63.4	23.2	2.4	3.7	0.0	7.3
Sinyi District	96	96	100	74.0	15.6	1.0	2.1	0.0	7.3
Da-an District	126	126	100	68.3	18.3	3.2	5.6	0.8	4.0
Jhongshan District	110	110	100	76.4	13.6	0.9	2.7	0.0	6.4
Jhongjheng District	61	61	100	67.2	26.2	0.0	3.3	0.0	3.3
Datong District	58	58	100	77.6	15.5	0.0	0.0	0.0	6.9
Wanhua District	138	138	100	68.1	19.6	0.7	2.9	0.0	8.7
Wunshan District	112	112	100	71.4	21.4	0.0	0.9	0.9	5.4
Nangang District	45	45	100	60.0	22.2	6.7	0.0	0.0	11.1
Neihu District	98	98	100	79.6	16.3	1.0	0.0	0.0	3.1
Shihlin District	116	116	100	68.1	19.0	3.4	2.6	0.0	6.9
Beitou District	134	134	100	73.1	17.2	3.0	2.2	0.0	4.5

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnoed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taipei County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taipei County	2 128	2 128	100	69.5	16.9	3.3	4.0	0.0	6.3
Banciao City	306	306	100	68.3	15.4	3.6	7.2	0.0	5.6
Sanchong City	231	231	100	71.4	15.6	3.5	2.6	0.0	6.9
Yonghe City	99	99	100	63.6	18.2	2.0	4.0	0.0	12.1
Jhonghe City	245	245	100	71.8	15.9	2.0	3.3	0.0	6.9
Sinjhuang City	186	186	100	61.8	23.7	1.6	5.4	0.0	7.5
Sindian City	177	177	100	70.1	16.9	3.4	5.1	0.0	4.5
Tucheng City	136	136	100	75.7	16.9	2.2	2.9	0.0	2.2
Lujhou City	93	93	100	71.0	18.3	3.2	2.2	0.0	5.4
Sijhih City	106	106	100	69.8	17.9	2.8	2.8	0.0	6.6
Shulin City	98	98	100	65.3	19.4	8.2	3.1	0.0	4.1
Yingge Township	50	50	100	76.0	10.0	0.0	4.0	0.0	10.0
Sansia Township	73	73	100	71.2	17.8	4.1	0.0	0.0	6.8
Danshuei Township	80	80	100	70.0	12.5	5.0	5.0	1.3	6.3
Rueifang Township	35	35	100	68.6	5.7	5.7	11.4	0.0	8.6
Wugu Township	43	43	100	79.1	11.6	7.0	0.0	0.0	2.3
Taishan Township	44	44	100	65.9	20.5	2.3	4.5	0.0	6.8
Linkou Township	24	24	100	58.3	16.7	8.3	4.2	0.0	12.5
Shenkeng Township	20	20	100	90.0	0.0	0.0	0.0	0.0	10.0
Shihding Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0
Pinglin Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Sanjhih Township	10	10	100	80.0	20.0	0.0	0.0	0.0	0.0
Shihmen Township	5	5	100	80.0	20.0	0.0	0.0	0.0	0.0
Bali Township	19	19	100	68.4	15.8	0.0	10.5	0.0	5.3
Pingsi Township	6	6	100	16.7	66.7	0.0	0.0	0.0	16.7
Shuangsi Township	7	7	100	85.7	0.0	0.0	0.0	0.0	14.3
Gongliao Township	5	5	100	60.0	20.0	0.0	0.0	0.0	20.0
Jinshan Township	13	13	100	92.3	0.0	7.7	0.0	0.0	0.0
Wanli Township	12	12	100	25.0	58.3	16.7	0.0	0.0	0.0
Wulai Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Kinmen County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Kinmen County	24	24	100	83.3	12.5	0.0	0.0	0.0	4.2
Jincheng Township	6	6	100	100.0	0.0	0.0	0.0	0.0	0.0
Jinhu Township	5	5	100	60.0	20.0	0.0	0.0	0.0	20.0
Jinsha Township	0	0	--	--	--	--	--	--	--
Jinning Township	8	8	100	100.0	0.0	0.0	0.0	0.0	0.0
Lieyu Township	5	5	100	60.0	40.0	0.0	0.0	0.0	0.0
Wuciou Township	0	0	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnoed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Lienchiang County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Lienchiang County	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0
Nangan Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Beigan Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Jyuguang Township	0	0	--	--	--	--	--	--	--
Dongyin Township	0	0	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taoyuan County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taoyuan County	1 014	1 014	100	72.8	17.8	2.8	2.3	0.1	4.3
Taoyuan City	171	171	100	69.6	21.1	2.3	2.3	0.0	4.7
Jhongli City	179	179	100	74.9	16.8	2.8	1.7	0.0	3.9
Pingjhen City	89	89	100	71.9	19.1	3.4	4.5	1.1	0.0
Bade City	90	90	100	76.7	15.6	1.1	3.3	0.0	3.3
Dasi Township	55	55	100	78.2	14.5	0.0	3.6	0.0	3.6
Yangmei Township	63	63	100	77.8	15.9	1.6	0.0	0.0	4.8
Lujhu Township	49	49	100	65.3	20.4	4.1	2.0	0.0	8.2
Dayuan Township	40	40	100	72.5	15.0	2.5	2.5	0.0	7.5
Gueishan Township	112	112	100	67.9	20.5	5.4	0.0	0.0	6.3
Longtan Township	69	69	100	73.9	10.1	2.9	5.8	0.0	7.2
Sinwu Township	32	32	100	78.1	18.8	0.0	3.1	0.0	0.0
Guanyin Township	45	45	100	73.3	20.0	4.4	0.0	0.0	2.2
Fusing Township	20	20	100	70.0	20.0	5.0	0.0	0.0	5.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Hsinchu County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Hsinchu County	196	196	100	69.9	16.8	4.6	2.0	0.5	6.1
Jhubei City	40	40	100	75.0	10.0	2.5	0.0	2.5	10.0
Guansi Township	9	9	100	66.7	0.0	11.1	0.0	0.0	22.2
Sinpu Township	9	9	100	66.7	33.3	0.0	0.0	0.0	0.0
Jhudong Township	62	62	100	67.7	17.7	3.2	3.2	0.0	8.1
Hukou Township	25	25	100	56.0	32.0	12.0	0.0	0.0	0.0
Hengshan Township	4	4	100	50.0	25.0	25.0	0.0	0.0	0.0
Sinfong Township	12	12	100	83.3	8.3	0.0	0.0	0.0	8.3
Cyonglin Township	3	3	100	66.7	0.0	0.0	33.3	0.0	0.0
Baoshan Township	7	7	100	57.1	28.6	14.3	0.0	0.0	0.0
Beipu Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Emei Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Jianshih Township	11	11	100	81.8	9.1	0.0	9.1	0.0	0.0
Wufong Township	12	12	100	83.3	16.7	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Hsinchu City, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Hsinchu City	134	134	100	75.4	16.4	0.7	0.0	0.0	7.5
East District	51	51	100	76.5	15.7	0.0	0.0	0.0	7.8
North District	60	60	100	75.0	16.7	1.7	0.0	0.0	6.7
Siangshan District	23	23	100	73.9	17.4	0.0	0.0	0.0	8.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Miaoli County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Miaoli County	251	251	100	69.3	20.7	3.6	2.4	0.0	4.0
Miaoli City	37	37	100	59.5	35.1	2.7	2.7	0.0	0.0
Yuanli Township	21	21	100	71.4	19.0	0.0	0.0	0.0	9.5
Tongsiao Township	24	24	100	79.2	12.5	4.2	0.0	0.0	4.2
Jhunan Township	29	29	100	75.9	17.2	3.4	0.0	0.0	3.4
Toufen Township	38	38	100	73.7	13.2	5.3	5.3	0.0	2.6
Houlong Township	21	21	100	57.1	38.1	0.0	0.0	0.0	4.8
Jhuolan Township	10	10	100	60.0	30.0	0.0	10.0	0.0	0.0
Dahu Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0
Gongguan Township	15	15	100	80.0	6.7	0.0	0.0	0.0	13.3
Tongluo Township	15	15	100	80.0	13.3	6.7	0.0	0.0	0.0
Nanjhuang Township	5	5	100	20.0	60.0	0.0	20.0	0.0	0.0
Touwu Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0
Sanyi Township	6	6	100	100.0	0.0	0.0	0.0	0.0	0.0
Sihu Township	5	5	100	40.0	0.0	40.0	0.0	0.0	20.0
Zaociao Township	10	10	100	70.0	30.0	0.0	0.0	0.0	0.0
Sanwan Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Shihtan Township	0	0	--	--	--	--	--	--	--
Tai-an Township	9	9	100	55.6	11.1	11.1	11.1	0.0	11.1

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taichung County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taichung County	835	835	100	70.5	20.0	2.9	1.8	0.0	4.8
Fongyuan City	98	98	100	69.4	20.4	4.1	1.0	0.0	5.1
Dali City	86	86	100	79.1	17.4	2.3	0.0	0.0	1.2
Taiping City	108	108	100	61.1	27.8	1.9	3.7	0.0	5.6
Dongshih Township	37	37	100	78.4	10.8	2.7	5.4	0.0	2.7
Dajia Township	48	48	100	72.9	18.8	4.2	0.0	0.0	4.2
Cingshuei Township	36	36	100	69.4	25.0	2.8	2.8	0.0	0.0
Shalu Township	50	50	100	70.0	20.0	0.0	2.0	0.0	8.0
Wuci Township	19	19	100	94.7	5.3	0.0	0.0	0.0	0.0
Houli Township	29	29	100	69.0	27.6	3.4	0.0	0.0	0.0
Shengang Township	46	46	100	73.9	17.4	4.3	2.2	0.0	2.2
Tanzih Township	37	37	100	64.9	24.3	2.7	0.0	0.0	8.1
Daya Township	51	51	100	74.5	13.7	3.9	0.0	0.0	7.8
Sinshe Township	11	11	100	54.5	27.3	0.0	0.0	0.0	18.2
Shihgang Township	8	8	100	100.0	0.0	0.0	0.0	0.0	0.0
Waipu Township	18	18	100	77.8	11.1	5.6	0.0	0.0	5.6
Da-an Township	9	9	100	44.4	11.1	0.0	0.0	0.0	44.4
Wurih Township	39	39	100	59.0	30.8	0.0	5.1	0.0	5.1
Dadu Township	26	26	100	65.4	15.4	3.8	7.7	0.0	7.7
Longjing Township	40	40	100	75.0	22.5	2.5	0.0	0.0	0.0
Wufong Township	24	24	100	66.7	20.8	4.2	4.2	0.0	4.2
Heping Township	15	15	100	73.3	6.7	13.3	0.0	0.0	6.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taichung City, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taichung City	589	589	100	75.6	16.5	3.4	1.2	0.0	3.4
Central District	16	16	100	75.0	18.8	6.3	0.0	0.0	0.0
East District	41	41	100	78.0	12.2	2.4	2.4	0.0	4.9
West District	58	58	100	74.1	13.8	1.7	5.2	0.0	5.2
South District	57	57	100	70.2	22.8	1.8	0.0	0.0	5.3
North District	86	86	100	72.1	23.3	2.3	0.0	0.0	2.3
Situn District	103	103	100	75.7	13.6	5.8	1.0	0.0	3.9
Nantun District	111	111	100	77.5	16.2	3.6	0.9	0.0	1.8
Beitun District	117	117	100	78.6	13.7	3.4	0.9	0.0	3.4

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Changhua County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Changhua County	961	961	100	64.4	26.5	5.2	0.7	0.0	3.1
Changhua City	163	163	100	69.9	23.9	2.5	1.8	0.0	1.8
Lugang Township	50	50	100	68.0	26.0	4.0	0.0	0.0	2.0
Hemei Township	46	46	100	76.1	10.9	8.7	0.0	0.0	4.3
Beidou Township	28	28	100	57.1	39.3	0.0	0.0	0.0	3.6
Yuanlin Township	102	102	100	62.7	29.4	4.9	0.0	0.0	2.9
Sihu Township	31	31	100	67.7	25.8	3.2	0.0	0.0	3.2
Tianjhong Township	35	35	100	62.9	22.9	8.6	0.0	0.0	5.7
Erlin Township	56	56	100	55.4	32.1	3.6	5.4	0.0	3.6
Siansi Township	8	8	100	87.5	12.5	0.0	0.0	0.0	0.0
Shengang Township	5	5	100	80.0	20.0	0.0	0.0	0.0	0.0
Fusing Township	33	33	100	60.6	27.3	3.0	0.0	0.0	9.1
Sioushuei Township	30	30	100	50.0	23.3	16.7	0.0	0.0	10.0
Huatan Township	34	34	100	67.6	26.5	5.9	0.0	0.0	0.0
Fenyuan Township	26	26	100	42.3	38.5	15.4	0.0	0.0	3.8
Dacun Township	22	22	100	77.3	22.7	0.0	0.0	0.0	0.0
Puyan Township	42	42	100	61.9	28.6	4.8	0.0	0.0	4.8
Pusin Township	27	27	100	51.9	37.0	11.1	0.0	0.0	0.0
Yongjing Township	25	25	100	64.0	32.0	0.0	0.0	0.0	4.0
Shetou Township	32	32	100	65.6	34.4	0.0	0.0	0.0	0.0
Ershuei Township	12	12	100	75.0	16.7	8.3	0.0	0.0	0.0
Tianwei Township	28	28	100	53.6	25.0	14.3	0.0	0.0	7.1
Pitou Township	31	31	100	83.9	16.1	0.0	0.0	0.0	0.0
Fangyuan Township	25	25	100	68.0	20.0	4.0	4.0	0.0	4.0
Dacheng Township	17	17	100	58.8	29.4	5.9	0.0	0.0	5.9
Jhutang Township	22	22	100	68.2	22.7	4.5	0.0	0.0	4.5
Sijhou Township	31	31	100	51.6	35.5	12.9	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Nantou County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Nantou County	383	383	100	66.6	23.8	3.4	1.8	0.0	4.4
Nantou City	59	59	100	59.3	32.2	5.1	1.7	0.0	1.7
Puli Township	65	65	100	55.4	30.8	3.1	3.1	0.0	7.7
Caotun Township	67	67	100	73.1	17.9	3.0	1.5	0.0	4.5
Jhushan Township	32	32	100	56.3	25.0	6.3	3.1	0.0	9.4
Jiji Township	5	5	100	80.0	20.0	0.0	0.0	0.0	0.0
Mingjian Township	32	32	100	87.5	12.5	0.0	0.0	0.0	0.0
Lugu Township	8	8	100	62.5	37.5	0.0	0.0	0.0	0.0
Jhongliao Township	4	4	100	75.0	0.0	25.0	0.0	0.0	0.0
Yuchih Township	10	10	100	70.0	30.0	0.0	0.0	0.0	0.0
Guosing Township	9	9	100	55.6	44.4	0.0	0.0	0.0	0.0
Shueili Township	8	8	100	37.5	50.0	0.0	12.5	0.0	0.0
Sinyi Township	29	29	100	62.1	17.2	3.4	3.4	0.0	13.8
Ren-ai Township	55	55	100	80.0	14.5	3.6	0.0	0.0	1.8

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Tainan County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Tainan County	763	763	100	68.7	20.1	3.0	1.6	0.0	6.7
Sinying City	45	45	100	53.3	33.3	6.7	0.0	0.0	6.7
Yongkang City	147	147	100	69.4	19.0	1.4	2.0	0.0	8.2
Yanshuei Township	24	24	100	62.5	29.2	0.0	0.0	0.0	8.3
Baihe Township	19	19	100	52.6	31.6	0.0	0.0	0.0	15.8
Madou Township	22	22	100	72.7	22.7	4.5	0.0	0.0	0.0
Jiali Township	47	47	100	70.2	21.3	2.1	0.0	0.0	6.4
Sinhua Township	29	29	100	69.0	13.8	3.4	6.9	0.0	6.9
Shanhua Township	38	38	100	81.6	13.2	0.0	2.6	0.0	2.6
Syuejia Township	15	15	100	93.3	6.7	0.0	0.0	0.0	0.0
Liouying Township	19	19	100	78.9	5.3	0.0	5.3	0.0	10.5
Houbi Township	20	20	100	90.0	10.0	0.0	0.0	0.0	0.0
Dongshan Township	23	23	100	56.5	26.1	4.3	4.3	0.0	8.7
Siaying Township	15	15	100	93.3	6.7	0.0	0.0	0.0	0.0
Lioujia Township	17	17	100	88.2	11.8	0.0	0.0	0.0	0.0
Guantian Township	18	18	100	66.7	22.2	0.0	0.0	0.0	11.1
Danei Township	10	10	100	50.0	30.0	0.0	0.0	0.0	20.0
Sigang Township	20	20	100	90.0	10.0	0.0	0.0	0.0	0.0
Cigu Township	11	11	100	63.6	27.3	9.1	0.0	0.0	0.0
Jiangjyun Township	18	18	100	50.0	33.3	5.6	5.6	0.0	5.6
Beimen Township	11	11	100	63.6	9.1	9.1	9.1	0.0	9.1
Sinshih Township	11	11	100	63.6	18.2	9.1	0.0	0.0	9.1
Anding Township	21	21	100	71.4	19.0	0.0	4.8	0.0	4.8
Shanshang Township	3	3	100	0.0	66.7	33.3	0.0	0.0	0.0
Yujing Township	12	12	100	58.3	25.0	0.0	0.0	0.0	16.7
Nansi Township	7	7	100	42.9	28.6	0.0	0.0	0.0	28.6
Nanhua Township	9	9	100	44.4	55.6	0.0	0.0	0.0	0.0
Zuojhen Township	9	9	100	55.6	22.2	0.0	0.0	0.0	22.2
Rende Township	53	53	100	66.0	22.6	5.7	1.9	0.0	3.8
Gueiren Township	41	41	100	68.3	12.2	14.6	0.0	0.0	4.9
Guanmiao Township	25	25	100	76.0	12.0	0.0	0.0	0.0	12.0
Longci Township	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Tainan City, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Tainan City	466	466	100	72.3	16.3	3.0	3.0	0.2	5.2
East District	119	119	100	73.1	17.6	2.5	2.5	0.0	4.2
South District	81	81	100	65.4	13.6	3.7	7.4	1.2	8.6
North District	74	74	100	71.6	21.6	4.1	1.4	0.0	1.4
Annan District	93	93	100	75.3	15.1	1.1	1.1	0.0	7.5
Anping District	34	34	100	73.5	14.7	0.0	5.9	0.0	5.9
West Central District	65	65	100	75.4	13.8	6.2	1.5	0.0	3.1

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Chiayi County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Chiayi County	358	358	100	69.8	20.7	4.5	1.1	0.0	3.9
Taibao City	14	14	100	64.3	21.4	7.1	0.0	0.0	7.1
Puzih City	29	29	100	86.2	13.8	0.0	0.0	0.0	0.0
Budai Township	22	22	100	68.2	18.2	0.0	4.5	0.0	9.1
Dalin Township	23	23	100	78.3	21.7	0.0	0.0	0.0	0.0
Minsyong Township	46	46	100	69.6	19.6	0.0	0.0	0.0	10.9
Sikou Township	8	8	100	50.0	25.0	0.0	0.0	0.0	25.0
Singang Township	22	22	100	63.6	31.8	4.5	0.0	0.0	0.0
Lioujiao Township	21	21	100	71.4	19.0	9.5	0.0	0.0	0.0
Dongshih Township	17	17	100	82.4	11.8	5.9	0.0	0.0	0.0
Yijhu Township	13	13	100	92.3	7.7	0.0	0.0	0.0	0.0
Lucao Township	14	14	100	64.3	28.6	7.1	0.0	0.0	0.0
Shueishang Township	28	28	100	53.6	28.6	7.1	7.1	0.0	3.6
Jhongpu Township	20	20	100	70.0	20.0	5.0	0.0	0.0	5.0
Jhuci Township	62	62	100	67.7	21.0	8.1	1.6	0.0	1.6
Meishan Township	11	11	100	72.7	18.2	0.0	0.0	0.0	9.1
Fanlu Township	5	5	100	60.0	20.0	20.0	0.0	0.0	0.0
Dapu Township	0	0	--	--	--	--	--	--	--
Alishan Township	3	3	100	33.3	33.3	33.3	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Chiayi City, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Chiayi City	145	145	100	73.1	17.2	2.1	3.4	0.0	4.1
East District	63	63	100	74.6	15.9	0.0	3.2	0.0	6.3
West District	82	82	100	72.0	18.3	3.7	3.7	0.0	2.4

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Yunlin County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Yunlin County	580	580	100	74.5	17.9	2.1	1.6	0.0	4.0
Douliou City	60	60	100	78.3	18.3	0.0	0.0	0.0	3.3
Dounan Township	30	30	100	76.7	16.7	6.7	0.0	0.0	0.0
Huwei Township	47	47	100	66.0	29.8	0.0	2.1	0.0	2.1
Siluo Township	36	36	100	66.7	22.2	0.0	5.6	0.0	5.6
Tuku Township	22	22	100	72.7	22.7	0.0	4.5	0.0	0.0
Beigang Township	44	44	100	75.0	20.5	0.0	0.0	0.0	4.5
Gukeng Township	11	11	100	54.5	36.4	9.1	0.0	0.0	0.0
Dapi Township	18	18	100	66.7	16.7	5.6	11.1	0.0	0.0
Cihtong Township	14	14	100	85.7	7.1	7.1	0.0	0.0	0.0
Linnei Township	10	10	100	70.0	20.0	0.0	0.0	0.0	10.0
Erlun Township	23	23	100	78.3	8.7	4.3	0.0	0.0	8.7
Lunbei Township	28	28	100	75.0	14.3	0.0	3.6	0.0	7.1
Mailiao Township	51	51	100	78.4	17.6	2.0	0.0	0.0	2.0
Dongshih Township	26	26	100	69.2	23.1	0.0	0.0	0.0	7.7
Baojhong Township	15	15	100	100.0	0.0	0.0	0.0	0.0	0.0
Taisi Township	22	22	100	77.3	4.5	4.5	4.5	0.0	9.1
Yuanchang Township	30	30	100	70.0	26.7	0.0	0.0	0.0	3.3
Sihhu Township	26	26	100	76.9	11.5	3.8	0.0	0.0	7.7
Kouhu Township	28	28	100	85.7	7.1	0.0	3.6	0.0	3.6
Shueilin Township	39	39	100	69.2	17.9	7.7	0.0	0.0	5.1

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Kaohsiung County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Kaohsiung County	1 058	1 058	100	68.1	19.8	3.9	2.9	0.1	5.3
Fongshan City	213	213	100	70.0	17.4	2.8	2.8	0.0	7.0
Gangshan Township	86	86	100	67.4	16.3	5.8	9.3	0.0	1.2
Cishan Township	42	42	100	76.2	16.7	2.4	0.0	0.0	4.8
Meinong Township	52	52	100	51.9	32.7	7.7	0.0	0.0	7.7
Linyuan Township	59	59	100	61.0	30.5	3.4	1.7	0.0	3.4
Daliao Township	100	100	100	71.0	16.0	3.0	2.0	0.0	8.0
Dashu Township	46	46	100	76.1	17.4	2.2	4.3	0.0	0.0
Renwu Township	61	61	100	65.6	21.3	6.6	0.0	0.0	6.6
Dashe Township	37	37	100	64.9	13.5	5.4	2.7	0.0	13.5
Niaosong Township	32	32	100	78.1	6.3	3.1	6.3	0.0	6.3
Ciaotou Township	29	29	100	55.2	20.7	0.0	13.8	0.0	10.3
Yanchao Township	52	52	100	63.5	21.2	5.8	5.8	0.0	3.8
Tianliao Township	6	6	100	66.7	33.3	0.0	0.0	0.0	0.0
Alian Township	19	19	100	78.9	21.1	0.0	0.0	0.0	0.0
Lujhu Township	43	43	100	65.1	20.9	4.7	4.7	0.0	4.7
Hunei Township	23	23	100	87.0	8.7	4.3	0.0	0.0	0.0
Yading Township	31	31	100	64.5	25.8	0.0	0.0	3.2	6.5
Yong-an Township	10	10	100	80.0	20.0	0.0	0.0	0.0	0.0
Mituo Township	12	12	100	91.7	8.3	0.0	0.0	0.0	0.0
Zihguan Township	39	39	100	69.2	23.1	5.1	0.0	0.0	2.6
Liouguei Township	15	15	100	73.3	26.7	0.0	0.0	0.0	0.0
Jiasian Township	9	9	100	77.8	11.1	0.0	0.0	0.0	11.1
Shanlin Township	12	12	100	50.0	41.7	0.0	0.0	0.0	8.3
Neimen Township	12	12	100	58.3	8.3	25.0	0.0	0.0	8.3
Maolin Township	7	7	100	42.9	57.1	0.0	0.0	0.0	0.0
Taoyuan Township	8	8	100	62.5	37.5	0.0	0.0	0.0	0.0
Sanmin Township	3	3	100	66.7	0.0	33.3	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Kaohsiung City, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Kaohsiung City	1 005	1 005	100	71.1	20.1	2.1	1.6	0.1	5.0
Yancheng District	20	20	100	75.0	15.0	0.0	5.0	0.0	5.0
Gushan District	100	100	100	65.0	27.0	2.0	1.0	0.0	5.0
Zuoying District	103	103	100	72.8	17.5	2.9	1.0	0.0	5.8
Nanzih District	118	118	100	77.1	14.4	2.5	1.7	0.0	4.2
Sanmin District	191	191	100	64.4	24.1	2.6	1.6	0.0	7.3
Sinsing District	41	41	100	75.6	22.0	0.0	0.0	0.0	2.4
Cianjin District	29	29	100	69.0	27.6	0.0	3.4	0.0	0.0
Lingya District	136	136	100	67.6	24.3	0.7	2.2	0.0	5.1
Cianjhen District	141	141	100	73.8	15.6	2.8	2.8	0.7	4.3
Cijin District	14	14	100	78.6	14.3	0.0	0.0	0.0	7.1
Siaogang District	112	112	100	78.6	15.2	2.7	0.0	0.0	3.6

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Pingtung County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Pingtung County	882	882	100	66.4	22.0	3.6	2.9	0.0	5.0
Pingtung City	192	192	100	64.6	26.0	2.6	2.1	0.0	4.7
Chaozhou Township	50	50	100	74.0	20.0	0.0	6.0	0.0	0.0
Donggang Township	35	35	100	71.4	17.1	5.7	2.9	0.0	2.9
Hengchun Township	20	20	100	70.0	15.0	5.0	5.0	0.0	5.0
Wandan Township	53	53	100	71.7	18.9	1.9	1.9	0.0	5.7
Changjih Township	28	28	100	64.3	21.4	3.6	0.0	0.0	10.7
Linluo Township	10	10	100	40.0	40.0	0.0	0.0	0.0	20.0
Jiuru Township	19	19	100	68.4	26.3	0.0	0.0	0.0	5.3
Ligang Township	30	30	100	36.7	36.7	3.3	13.3	0.0	10.0
Yanpu Township	40	40	100	65.0	20.0	5.0	5.0	0.0	5.0
Gaoshu Township	39	39	100	79.5	15.4	2.6	2.6	0.0	0.0
Wanluan Township	31	31	100	71.0	22.6	0.0	0.0	0.0	6.5
Neipu Township	94	94	100	60.6	26.6	5.3	3.2	0.0	4.3
Jhutian Township	20	20	100	65.0	5.0	20.0	5.0	0.0	5.0
Sinpi Township	15	15	100	66.7	26.7	0.0	6.7	0.0	0.0
Fangliao Township	31	31	100	54.8	25.8	6.5	3.2	0.0	9.7
Sinyuan Township	24	24	100	79.2	8.3	4.2	0.0	0.0	8.3
Kanding Township	12	12	100	83.3	0.0	8.3	8.3	0.0	0.0
Linbian Township	18	18	100	55.6	33.3	5.6	0.0	0.0	5.6
Nanjhou Township	8	8	100	50.0	50.0	0.0	0.0	0.0	0.0
Jiadong Township	17	17	100	82.4	5.9	0.0	0.0	0.0	11.8
Liouciou Township	4	4	100	100.0	0.0	0.0	0.0	0.0	0.0
Checheng Township	11	11	100	72.7	18.2	0.0	0.0	0.0	9.1
Manjhou Township	8	8	100	87.5	12.5	0.0	0.0	0.0	0.0
Fangshan Township	9	9	100	88.9	11.1	0.0	0.0	0.0	0.0
Sandimen Township	9	9	100	44.4	22.2	11.1	11.1	0.0	11.1
Wutai Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Majia Township	13	13	100	92.3	7.7	0.0	0.0	0.0	0.0
Taiwu Township	6	6	100	66.7	0.0	16.7	0.0	0.0	16.7
Laiyi Township	15	15	100	66.7	26.7	6.7	0.0	0.0	0.0
Chunrih Township	10	10	100	50.0	30.0	10.0	0.0	0.0	10.0
Shihzih Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0
Mudan Township	7	7	100	57.1	28.6	0.0	14.3	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Penghu County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Penghu County	32	32	100	84.4	12.5	3.1	0.0	0.0	0.0
Magong City	20	20	100	85.0	10.0	5.0	0.0	0.0	0.0
Husi Township	5	5	100	80.0	20.0	0.0	0.0	0.0	0.0
Baisha Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0
Siyu Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0
Wang-an Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Cimei Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Taitung County, 2008 cohort

	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Taitung County	233	233	100	75.1	19.7	3.4	0.4	0.0	1.3
Taitung City	110	110	100	70.9	24.5	3.6	0.9	0.0	0.0
Chenggong Township	19	19	100	73.7	15.8	5.3	0.0	0.0	5.3
Guanshan Township	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0
Beinan Township	24	24	100	83.3	8.3	4.2	0.0	0.0	4.2
Dawu Township	9	9	100	55.6	44.4	0.0	0.0	0.0	0.0
Taimali Township	15	15	100	80.0	20.0	0.0	0.0	0.0	0.0
Donghe Township	10	10	100	90.0	0.0	0.0	0.0	0.0	10.0
Changbin Township	3	3	100	33.3	33.3	33.3	0.0	0.0	0.0
Luye Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0
Chihshang Township	6	6	100	50.0	33.3	16.7	0.0	0.0	0.0
Lyudao Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Yanping Township	16	16	100	87.5	12.5	0.0	0.0	0.0	0.0
Haiduan Township	12	12	100	91.7	8.3	0.0	0.0	0.0	0.0
Daren Township	0	0	--	--	--	--	--	--	--
Jinfong Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0
Lanyu Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new cases (All forms), Hualien County, 2008 cohort


	Notified	Registered	Regst'd (%)	Treatment Outcomes (%)					
				Success	Died	Failed	Defaulted	Transferred	Not eval'd
Hualien County	359	359	100	70.5	18.7	5.6	1.9	0.0	3.3
Hualien City	74	74	100	62.2	25.7	2.7	6.8	0.0	2.7
Fonglin Township	21	21	100	47.6	33.3	9.5	0.0	0.0	9.5
Yuli Township	45	45	100	77.8	20.0	0.0	0.0	0.0	2.2
Sincheng Township	23	23	100	78.3	13.0	8.7	0.0	0.0	0.0
Ji-an Township	57	57	100	71.9	21.1	3.5	0.0	0.0	3.5
Shoufong Township	19	19	100	68.4	21.1	10.5	0.0	0.0	0.0
Guangfu Township	12	12	100	83.3	16.7	0.0	0.0	0.0	0.0
Fongbin Township	5	5	100	40.0	40.0	20.0	0.0	0.0	0.0
Rueisuei Township	8	8	100	75.0	25.0	0.0	0.0	0.0	0.0
Fuli Township	4	4	100	75.0	0.0	25.0	0.0	0.0	0.0
Siulin Township	62	62	100	77.4	4.8	6.5	3.2	0.0	8.1
Wanrong Township	13	13	100	84.6	7.7	7.7	0.0	0.0	0.0
Jhuosi Township	16	16	100	62.5	18.8	18.8	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

■ Treatment Outcomes of New Smear-positive TB Cases



Treatment outcomes for new smear-positive cases, by countries, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taiwan	5 707	5 707	100	49.8	16.9	20.2	7.3	1.8	0	3.9	67
USA	4 864	3 717	76	0	85	9	0	2.0	3	1	85
Canada	463	813	176	5	59	10	0	2	2	22	64
United Kingdom	1 639	2 266	138	0	77	7	0	1	1	14	77
Japan	9 433	9 421	100	17	29	18	1	5	3	27	46
Rep. Korea	10 927	3 987	36	81	1	1	1	1	4	11	82
Hong Kong	1 501	1 481	99	59	7	11	14	6	3	0	66
Singapore	504	859	170	62	19	16	0	1	0	2	81
Malaysia	9 578	10 236	107	67	5	8	0	5	6	9	72
Australia	281	498	177	7	77	6	0	2	5	3	85
Thailand	28 487		--	77	6.0	9.0	2.0	5.0	2.0	0	83
Viet Nam	54 457	54 457	100	89	2.0	3.0	1	2.0	2.0	1.0	92
Russian Federation	33 103	31 857	96	55	3.0	12	16	10.0	5.0	0	58
Philippines	86 566	86 566	100	79	10.0	2.0	1	4.0	3.0	1	89
Indonesia	160 617	160 617	100	82	9.0	2.0	1.0	4.0	2.0	0	91
China	465 877	465 877	100	93	2.0	1.0	1.0	1.0	3.0	0	94
India	592 587	592 414	100	84	2.0	5.0	2.0	6.0	1.0	0.00	87
AFR	561 149	576 751	103	68	11	6.0	1.0	7.0	4.0	3.0	79
AMR	119 838	114 472	96	57	22	5.0	1.0	8.0	7.0	0	82
EMR	155 572	155 530	100	75	12	3.0	1	5.0	2.0	2.0	88
EUR	105 288	112 609	107	59	12.0	8.0	9.0	7.0	3.0	2.0	67
SEAR	9724 441	943 930	97	84	4.0	4.0	2.0	5.0	1.0	0.0	88
WPR	666 412	660 911	99	89	3.0	2.0	1.0	1.0	3.0	1.0	92
Global	2580 700	2564 203	99	79	7.0	4.0	2.0	5.0	3.0	0.0	86

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taiwan, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taiwan	5 707	5 707	100	49.8	16.9	20.2	7.3	1.8	0.1	3.9	66.7
Taipei Area	1 648	1 648	100	44.8	19.8	20.0	7.8	2.4	0.1	5.2	64.6
Yilan County	116	116	100	39.7	23.3	25.0	6.9	1.7	0.0	3.4	62.9
Keelung City	121	121	100	35.5	28.9	20.7	3.3	2.5	0.0	9.1	64.5
Taipei City	476	476	100	40.3	23.9	22.9	5.5	2.1	0.2	5.0	64.3
Taipei County	929	929	100	49.1	15.8	18.0	9.6	2.6	0.0	5.0	64.9
Kinmen County	6	6	100	33.3	50.0	0.0	16.7	0.0	0.0	0.0	83.3
Lienchiang County	--	--	--	--	--	--	--	--	--	--	--
Northern Area	675	675	100	58.4	10.5	18.7	6.7	1.9	0.3	3.6	68.9
Taoyuan County	431	431	100	60.6	7.9	20.2	5.8	1.6	0.2	3.7	68.4
Hsinchu County	84	84	100	59.5	8.3	16.7	7.1	1.2	1.2	6.0	67.9
Hsinchu City	67	67	100	49.3	20.9	17.9	9.0	1.5	0.0	1.5	70.1
Miaoli County	93	93	100	53.8	17.2	14.0	8.6	4.3	0.0	2.2	71.0
Central District	1 009	1 009	100	55.0	12.1	20.7	6.9	1.1	0.1	4.1	67.1
Taichung County	241	241	100	48.5	22.0	16.2	4.6	1.2	0.0	7.5	70.5
Taichung City	186	186	100	52.2	14.5	23.7	7.0	0.0	0.5	2.2	66.7
Changhua County	411	411	100	58.4	7.3	20.9	9.7	1.2	0.0	2.4	65.7
Nantou County	171	171	100	59.1	7.0	23.4	3.5	1.8	0.0	5.3	66.1
Southern Area	874	874	100	54.6	12.2	20.9	7.7	1.1	0.0	3.4	66.8
Tainan County	319	319	100	55.5	9.4	20.4	9.7	1.6	0.0	3.4	64.9
Tainan City	144	144	100	47.9	19.4	17.4	9.0	2.1	0.0	4.2	67.4
Chiayi County	144	144	100	43.1	20.8	27.1	4.9	0.7	0.0	3.5	63.9
Chiayi City	54	54	100	46.3	16.7	27.8	3.7	1.9	0.0	3.7	63.0
Yunlin County	213	213	100	67.6	4.7	18.3	6.6	0.0	0.0	2.8	72.3
Kao-Ping Area	1 192	1 192	100	45.7	22.8	20.5	6.5	2.3	0.1	2.2	68.5
Kaohsiung County	451	451	100	28.8	35.3	21.7	7.3	3.3	0.0	3.5	64.1
Kaohsiung City	427	427	100	62.8	8.4	20.1	6.8	0.9	0.2	0.7	71.2
Pingtung County	306	306	100	46.1	24.5	19.6	4.9	2.6	0.0	2.3	70.6
Penghu County	8	8	100	75.0	25.0	0.0	0.0	0.0	0.0	0.0	100.0
Eastern Area	309	309	100	42.7	22.0	19.7	9.1	1.0	0.0	5.5	64.7
Taitung County	112	112	100	32.1	36.6	17.9	8.9	1.8	0.0	2.7	68.8
Hualien County	197	197	100	48.7	13.7	20.8	9.1	0.5	0.0	7.1	62.4

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Yilan County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Yilan County	116	116	100	39.7	23.3	25.0	6.9	1.7	0.0	3.4	62.9
Yilan City	19	19	100	31.6	10.5	36.8	15.8	0.0	0.0	5.3	42.1
Luodong Township	14	14	100	14.3	50.0	35.7	0.0	0.0	0.0	0.0	64.3
Su-ao Township	11	11	100	18.2	36.4	36.4	9.1	0.0	0.0	0.0	54.5
Toucheng Township	9	9	100	44.4	0.0	33.3	11.1	0.0	0.0	11.1	44.4
Jiaosi Township	10	10	100	70.0	20.0	10.0	0.0	0.0	0.0	0.0	90.0
Jhuangwei Township	6	6	100	66.7	0.0	16.7	16.7	0.0	0.0	0.0	66.7
Yuanshan Township	15	15	100	40.0	20.0	20.0	6.7	6.7	0.0	6.7	60.0
Dongshan Township	6	6	100	33.3	50.0	0.0	16.7	0.0	0.0	0.0	83.3
Wujie Township	9	9	100	33.3	33.3	33.3	0.0	0.0	0.0	0.0	66.7
Sansing Township	3	3	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Datong Township	5	5	100	20.0	40.0	0.0	0.0	20.0	0.0	20.0	60.0
Nan-ao Township	9	9	100	77.8	11.1	11.1	0.0	0.0	0.0	0.0	88.9

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Keelung City, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Keelung City	121	121	100	35.5	28.9	20.7	3.3	2.5	0.0	9.1	64.5
Jhongheng District	20	20	100	10.0	40.0	35.0	5.0	0.0	0.0	10.0	50.0
Cidu District	17	17	100	52.9	29.4	11.8	0.0	0.0	0.0	5.9	82.4
Nuannuan District	11	11	100	36.4	36.4	18.2	0.0	0.0	0.0	9.1	72.7
Ren-ai District	12	12	100	50.0	16.7	16.7	8.3	0.0	0.0	8.3	66.7
Jhongshan District	16	16	100	12.5	43.8	25.0	0.0	0.0	0.0	18.8	56.3
Anle District	34	34	100	44.1	23.5	14.7	2.9	5.9	0.0	8.8	67.6
Sinyi District	11	11	100	45.5	9.1	27.3	9.1	9.1	0.0	0.0	54.5

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taipei City, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taipei City	476	476	100	40.3	23.9	22.9	5.5	2.1	0.2	5.0	64.3
Songshan District	33	33	100	21.2	42.4	21.2	6.1	3.0	3.0	3.0	63.6
Sinyi District	42	42	100	33.3	21.4	28.6	4.8	4.8	0.0	7.1	54.8
Da-an District	57	57	100	36.8	29.8	24.6	1.8	1.8	0.0	5.3	66.7
Jhongshan District	38	38	100	39.5	31.6	21.1	5.3	2.6	0.0	0.0	71.1
Jhongheng District	25	25	100	48.0	12.0	16.0	16.0	0.0	0.0	8.0	60.0
Datong District	17	17	100	58.8	5.9	11.8	11.8	0.0	0.0	11.8	64.7
Wanhua District	67	67	100	58.2	9.0	25.4	1.5	1.5	0.0	4.5	67.2
Wunshan District	42	42	100	33.3	33.3	26.2	0.0	2.4	0.0	4.8	66.7
Nangang District	16	16	100	25.0	50.0	12.5	6.3	0.0	0.0	6.3	75.0
Neihu District	44	44	100	36.4	18.2	31.8	6.8	4.5	0.0	2.3	54.5
Shihlin District	50	50	100	42.0	16.0	22.0	10.0	2.0	0.0	8.0	58.0
Beitou District	45	45	100	42.2	31.1	15.6	6.7	0.0	0.0	4.4	73.3

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taipei County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taipei County	929	929	100	49.1	15.8	18.0	9.6	2.6	0.0	5.0	64.9
Banciao City	144	144	100	36.8	18.8	22.2	13.9	1.4	0.0	6.9	55.6
Sanchong City	97	97	100	58.8	12.4	12.4	8.2	2.1	0.0	6.2	71.1
Yonghe City	46	46	100	52.2	15.2	21.7	6.5	0.0	0.0	4.3	67.4
Jhonghe City	106	106	100	34.9	19.8	24.5	9.4	4.7	0.0	6.6	54.7
Sinjhuang City	83	83	100	45.8	24.1	20.5	4.8	2.4	0.0	2.4	69.9
Sindian City	62	62	100	64.5	6.5	19.4	4.8	4.8	0.0	0.0	71.0
Tucheng City	60	60	100	60.0	11.7	10.0	6.7	5.0	0.0	6.7	71.7
Lujhou City	37	37	100	56.8	13.5	16.2	5.4	0.0	0.0	8.1	70.3
Sijhih City	63	63	100	30.2	30.2	20.6	9.5	1.6	0.0	7.9	60.3
Shulin City	43	43	100	67.4	4.7	16.3	4.7	2.3	0.0	4.7	72.1
Yingge Township	26	26	100	46.2	3.8	15.4	34.6	0.0	0.0	0.0	50.0
Sansia Township	22	22	100	59.1	13.6	9.1	9.1	0.0	0.0	9.1	72.7
Danshuei Township	26	26	100	50.0	23.1	15.4	7.7	3.8	0.0	0.0	73.1
Rueifang Township	18	18	100	55.6	0.0	22.2	22.2	0.0	0.0	0.0	55.6
Wugu Township	23	23	100	52.2	17.4	17.4	8.7	4.3	0.0	0.0	69.6
Taishan Township	17	17	100	58.8	5.9	5.9	17.6	0.0	0.0	11.8	64.7
Linkou Township	14	14	100	35.7	42.9	7.1	7.1	7.1	0.0	0.0	78.6
Shenkeng Township	5	5	100	40.0	20.0	20.0	20.0	0.0	0.0	0.0	60.0
Shihding Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Pinglin Township	--	--	--	--	--	--	--	--	--	--	--
Sanjihh Township	2	2	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Shihmen Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Bali Township	10	10	100	60.0	0.0	20.0	10.0	0.0	0.0	10.0	60.0
Pingsi Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Shuangsi Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Gongliao Township	4	4	100	75.0	0.0	0.0	25.0	0.0	0.0	0.0	75.0
Jinshan Township	6	6	100	66.7	16.7	16.7	0.0	0.0	0.0	0.0	83.3
Wanli Township	9	9	100	55.6	0.0	11.1	11.1	22.2	0.0	0.0	55.6
Wulai Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Kinmen County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Kinmen County	6	6	100	33.3	50.0	0.0	16.7	0.0	0.0	0.0	83.3
Jincheng Township	2	2	100	0.0	50.0	0.0	50.0	0.0	0.0	0.0	50.0
Jinhu Township	3	3	100	33.3	66.7	0.0	0.0	0.0	0.0	0.0	100.0
Jinsha Township	--	--	--	--	--	--	--	--	--	--	--
Jinning Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Lieyu Township	--	--	--	--	--	--	--	--	--	--	--
Wuciou Township	--	--	--	--	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Lienchiang County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Lienchiang County	--	--	--	--	--	--	--	--	--	--	--
Nangan Township	--	--	--	--	--	--	--	--	--	--	--
Beigan Township	--	--	--	--	--	--	--	--	--	--	--
Jyuguang Township	--	--	--	--	--	--	--	--	--	--	--
Dongyin Township	--	--	--	--	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taoyuan County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taoyuan County	431	431	100	60.6	7.9	20.2	5.8	1.6	0.2	3.7	68.4
Taoyuan City	65	65	100	52.3	9.2	23.1	10.8	0.0	0.0	4.6	61.5
Jhongli City	63	63	100	65.1	4.8	22.2	3.2	1.6	0.0	3.2	69.8
Pingjhen City	42	42	100	38.1	7.1	40.5	11.9	2.4	0.0	0.0	45.2
Bade City	37	37	100	73.0	8.1	10.8	2.7	0.0	0.0	5.4	81.1
Dasi Township	48	48	100	75.0	4.2	12.5	2.1	2.1	0.0	4.2	79.2
Yangmei Township	26	26	100	61.5	15.4	15.4	0.0	3.8	0.0	3.8	76.9
Lujhu Township	20	20	100	55.0	10.0	10.0	15.0	5.0	0.0	5.0	65.0
Dayuan Township	18	18	100	44.4	16.7	11.1	16.7	5.6	0.0	5.6	61.1
Gueishan Township	39	39	100	79.5	7.7	10.3	2.6	0.0	0.0	0.0	87.2
Longtan Township	41	41	100	51.2	9.8	29.3	0.0	2.4	0.0	7.3	61.0
Sinwu Township	13	13	100	76.9	0.0	23.1	0.0	0.0	0.0	0.0	76.9
Guanyin Township	12	12	100	50.0	0.0	33.3	8.3	0.0	8.3	0.0	50.0
Fusing Township	7	7	100	57.1	14.3	0.0	14.3	0.0	0.0	14.3	71.4

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Hsinchu County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Hsinchu County	84	84	100	59.5	8.3	16.7	7.1	1.2	1.2	6.0	67.9
Jhubei City	13	13	100	53.8	0.0	15.4	15.4	0.0	7.7	7.7	53.8
Guansi Township	4	4	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Sinpu Township	3	3	100	33.3	66.7	0.0	0.0	0.0	0.0	0.0	100.0
Jhudong Township	18	18	100	72.2	0.0	16.7	0.0	5.6	0.0	5.6	72.2
Hukou Township	9	9	100	66.7	11.1	11.1	11.1	0.0	0.0	0.0	77.8
Hengshan Township	6	6	100	66.7	0.0	0.0	16.7	0.0	0.0	16.7	66.7
Sinfong Township	9	9	100	66.7	11.1	11.1	11.1	0.0	0.0	0.0	77.8
Cyonglin Township	5	5	100	80.0	0.0	20.0	0.0	0.0	0.0	0.0	80.0
Baoshan Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Beipu Township	3	3	100	33.3	0.0	33.3	33.3	0.0	0.0	0.0	33.3
Emei Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Jianshih Township	4	4	100	25.0	25.0	25.0	0.0	0.0	0.0	25.0	50.0
Wufong Township	8	8	100	37.5	25.0	25.0	0.0	0.0	0.0	12.5	62.5

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Hsinchu City, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Hsinchu City	67	67	100	49.3	20.9	17.9	9.0	1.5	0.0	1.5	70.1
East District	28	28	100	46.4	28.6	10.7	10.7	0.0	0.0	3.6	75.0
North District	25	25	100	56.0	0.0	32.0	8.0	4.0	0.0	0.0	56.0
Siangshan District	14	14	100	42.9	42.9	7.1	7.1	0.0	0.0	0.0	85.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases line with WHO.

b: TB patients diagnoed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Miaoli County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Miaoli County	93	93	100	53.8	17.2	14.0	8.6	4.3	0.0	2.2	71.0
Miaoli City	17	17	100	70.6	11.8	11.8	5.9	0.0	0.0	0.0	82.4
Yuanli Township	9	9	100	22.2	33.3	22.2	0.0	11.1	0.0	11.1	55.6
Tongsiao Township	9	9	100	33.3	11.1	44.4	11.1	0.0	0.0	0.0	44.4
Jhunan Township	10	10	100	80.0	0.0	20.0	0.0	0.0	0.0	0.0	80.0
Toufen Township	12	12	100	66.7	8.3	8.3	0.0	8.3	0.0	8.3	75.0
Houlong Township	7	7	100	42.9	14.3	0.0	42.9	0.0	0.0	0.0	57.1
Jhuolan Township	4	4	100	50.0	0.0	25.0	25.0	0.0	0.0	0.0	50.0
Dahu Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0	0.0	100.0
Gongguan Township	6	6	100	33.3	33.3	0.0	16.7	16.7	0.0	0.0	66.7
Tongluo Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Nanjhuang Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0	0.0	100.0
Touwu Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0	0.0	100.0
Sanyi Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Sihu Township	3	3	100	66.7	0.0	0.0	33.3	0.0	0.0	0.0	66.7
Zaociao Township	3	3	100	0.0	33.3	33.3	0.0	33.3	0.0	0.0	33.3
Sanwan Township	--	--	--	--	--	--	--	--	--	--	--
Shihtan Township	--	--	--	--	--	--	--	--	--	--	--
Tai-an Township	3	3	100	33.3	66.7	0.0	0.0	0.0	0.0	0.0	100.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taichung County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taichung County	241	241	100	48.5	22.0	16.2	4.6	1.2	0.0	7.5	70.5
Fongyuan City	24	24	100	25.0	45.8	12.5	8.3	0.0	0.0	8.3	70.8
Dali City	25	25	100	56.0	12.0	12.0	8.0	0.0	0.0	12.0	68.0
Taiping City	28	28	100	53.6	21.4	14.3	0.0	3.6	0.0	7.1	75.0
Dongshih Township	9	9	100	44.4	22.2	33.3	0.0	0.0	0.0	0.0	66.7
Dajia Township	14	14	100	64.3	7.1	21.4	0.0	0.0	0.0	7.1	71.4
Cingshuei Township	4	4	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Shalu Township	10	10	100	50.0	20.0	20.0	0.0	0.0	0.0	10.0	70.0
Wuci Township	7	7	100	42.9	14.3	0.0	0.0	0.0	0.0	42.9	57.1
Houli Township	10	10	100	40.0	10.0	30.0	20.0	0.0	0.0	0.0	50.0
Shengang Township	17	17	100	35.3	47.1	11.8	0.0	0.0	0.0	5.9	82.4
Tanzih Township	12	12	100	16.7	33.3	25.0	16.7	0.0	0.0	8.3	50.0
Daya Township	17	17	100	58.8	11.8	17.6	5.9	0.0	0.0	5.9	70.6
Sinshe Township	5	5	100	60.0	20.0	20.0	0.0	0.0	0.0	0.0	80.0
Shihgang Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Waipu Township	8	8	100	62.5	37.5	0.0	0.0	0.0	0.0	0.0	100.0
Da-an Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Wurih Township	12	12	100	41.7	16.7	33.3	0.0	0.0	0.0	8.3	58.3
Dadu Township	6	6	100	50.0	16.7	33.3	0.0	0.0	0.0	0.0	66.7
Longjing Township	3	3	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Wufong Township	18	18	100	33.3	27.8	5.6	11.1	11.1	0.0	11.1	61.1
Heping Township	8	8	100	87.5	0.0	12.5	0.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taichung City, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taichung City	186	186	100	52.2	14.5	23.7	7.0	0.0	0.5	2.2	66.7
Central District	3	3	100	33.3	66.7	0.0	0.0	0.0	0.0	0.0	100.0
East District	11	11	100	54.5	9.1	27.3	9.1	0.0	0.0	0.0	63.6
West District	19	19	100	47.4	10.5	26.3	5.3	0.0	0.0	10.5	57.9
South District	19	19	100	57.9	0.0	26.3	5.3	0.0	0.0	10.5	57.9
North District	31	31	100	48.4	19.4	22.6	9.7	0.0	0.0	0.0	67.7
Situn District	27	27	100	59.3	14.8	18.5	3.7	0.0	3.7	0.0	74.1
Nantun District	27	27	100	48.1	22.2	25.9	3.7	0.0	0.0	0.0	70.4
Beitun District	49	49	100	53.1	12.2	24.5	10.2	0.0	0.0	0.0	65.3

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases line with WHO.

b: TB patients diagnoed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Changhua County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Changhua County	411	411	100	58.4	7.3	20.9	9.7	1.2	0.0	2.4	65.7
Changhua City	59	59	100	57.6	13.6	23.7	1.7	1.7	0.0	1.7	71.2
Lugang Township	23	23	100	60.9	0.0	26.1	13.0	0.0	0.0	0.0	60.9
Hemei Township	17	17	100	47.1	0.0	29.4	23.5	0.0	0.0	0.0	47.1
Beidou Township	12	12	100	50.0	25.0	25.0	0.0	0.0	0.0	0.0	75.0
Yuanlin Township	28	28	100	57.1	3.6	28.6	7.1	0.0	0.0	3.6	60.7
Sihu Township	19	19	100	36.8	15.8	26.3	21.1	0.0	0.0	0.0	52.6
Tianjhong Township	10	10	100	50.0	0.0	10.0	30.0	10.0	0.0	0.0	50.0
Erlin Township	28	28	100	64.3	0.0	14.3	14.3	3.6	0.0	3.6	64.3
Siansi Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Shengang Township	5	5	100	40.0	20.0	20.0	0.0	0.0	0.0	20.0	60.0
Fusing Township	14	14	100	57.1	21.4	21.4	0.0	0.0	0.0	0.0	78.6
Sioushuei Township	12	12	100	83.3	0.0	8.3	8.3	0.0	0.0	0.0	83.3
Huatan Township	17	17	100	70.6	0.0	23.5	0.0	0.0	0.0	5.9	70.6
Fenyuan Township	11	11	100	63.6	0.0	36.4	0.0	0.0	0.0	0.0	63.6
Dacun Township	12	12	100	50.0	8.3	25.0	16.7	0.0	0.0	0.0	58.3
Puyan Township	15	15	100	66.7	0.0	26.7	0.0	0.0	0.0	6.7	66.7
Pusin Township	13	13	100	46.2	7.7	15.4	15.4	7.7	0.0	7.7	53.8
Yongjing Township	13	13	100	76.9	0.0	23.1	0.0	0.0	0.0	0.0	76.9
Shetou Township	15	15	100	73.3	0.0	13.3	13.3	0.0	0.0	0.0	73.3
Ershuei Township	11	11	100	54.5	9.1	36.4	0.0	0.0	0.0	0.0	63.6
Tianwei Township	11	11	100	54.5	0.0	0.0	36.4	0.0	0.0	9.1	54.5
Pitou Township	10	10	100	60.0	10.0	20.0	0.0	0.0	0.0	10.0	70.0
Fangyuan Township	23	23	100	52.2	13.0	21.7	8.7	4.3	0.0	0.0	65.2
Dacheng Township	11	11	100	36.4	27.3	0.0	36.4	0.0	0.0	0.0	63.6
Jhutang Township	6	6	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Sijhou Township	14	14	100	57.1	7.1	14.3	14.3	0.0	0.0	7.1	64.3

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Nantou County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Nantou County	171	171	100	59.1	7.0	23.4	3.5	1.8	0.0	5.3	66.1
Nantou City	26	26	100	57.7	3.8	38.5	0.0	0.0	0.0	0.0	61.5
Puli Township	20	20	100	55.0	5.0	35.0	0.0	0.0	0.0	5.0	60.0
Caotun Township	27	27	100	63.0	3.7	22.2	3.7	3.7	0.0	3.7	66.7
Jhushan Township	16	16	100	62.5	6.3	18.8	12.5	0.0	0.0	0.0	68.8
Jiji Township	5	5	100	80.0	0.0	20.0	0.0	0.0	0.0	0.0	80.0
Mingjian Township	13	13	100	69.2	0.0	30.8	0.0	0.0	0.0	0.0	69.2
Lugu Township	1	1	100	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0
Jhongliao Township	--	--	--	--	--	--	--	--	--	--	--
Yuchih Township	6	6	100	66.7	0.0	16.7	0.0	0.0	0.0	16.7	66.7
Guosing Township	4	4	100	75.0	0.0	25.0	0.0	0.0	0.0	0.0	75.0
Shueili Township	5	5	100	40.0	40.0	20.0	0.0	0.0	0.0	0.0	80.0
Sinyi Township	20	20	100	35.0	10.0	15.0	15.0	5.0	0.0	20.0	45.0
Ren-ai Township	28	28	100	67.9	14.3	7.1	0.0	3.6	0.0	7.1	82.1

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Tainan County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Tainan County	319	319	100	55.5	9.4	20.4	9.7	1.6	0.0	3.4	64.9
Sinying City	24	24	100	58.3	12.5	16.7	4.2	0.0	0.0	8.3	70.8
Yongkang City	59	59	100	61.0	8.5	16.9	8.5	1.7	0.0	3.4	69.5
Yanshuei Township	9	9	100	44.4	11.1	22.2	11.1	0.0	0.0	11.1	55.6
Baihe Township	10	10	100	40.0	10.0	30.0	20.0	0.0	0.0	0.0	50.0
Madou Township	21	21	100	61.9	9.5	14.3	9.5	0.0	0.0	4.8	71.4
Jiali Township	10	10	100	40.0	10.0	20.0	30.0	0.0	0.0	0.0	50.0
Sinhua Township	13	13	100	69.2	7.7	23.1	0.0	0.0	0.0	0.0	76.9
Shanhua Township	13	13	100	76.9	7.7	7.7	0.0	7.7	0.0	0.0	84.6
Syuejia Township	5	5	100	40.0	0.0	0.0	40.0	20.0	0.0	0.0	40.0
Liouying Township	7	7	100	42.9	14.3	28.6	14.3	0.0	0.0	0.0	57.1
Houbi Township	6	6	100	33.3	0.0	33.3	33.3	0.0	0.0	0.0	33.3
Dongshan Township	10	10	100	70.0	20.0	10.0	0.0	0.0	0.0	0.0	90.0
Siaying Township	4	4	100	50.0	25.0	0.0	25.0	0.0	0.0	0.0	75.0
Lioujia Township	4	4	100	75.0	0.0	25.0	0.0	0.0	0.0	0.0	75.0
Guantian Township	7	7	100	28.6	0.0	57.1	14.3	0.0	0.0	0.0	28.6
Danei Township	2	2	100	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0
Sigang Township	9	9	100	77.8	11.1	11.1	0.0	0.0	0.0	0.0	88.9
Cigu Township	8	8	100	75.0	0.0	12.5	0.0	0.0	0.0	12.5	75.0
Jiangjyun Township	1	1	100	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0
Beimen Township	6	6	100	50.0	16.7	33.3	0.0	0.0	0.0	0.0	66.7
Sinshih Township	8	8	100	37.5	12.5	37.5	0.0	0.0	0.0	12.5	50.0
Anding Township	5	5	100	80.0	20.0	0.0	0.0	0.0	0.0	0.0	100.0
Shanshang Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Yujing Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Nansi Township	8	8	100	25.0	12.5	37.5	12.5	0.0	0.0	12.5	37.5
Nanhua Township	--	--	--	--	--	--	--	--	--	--	--
Zuojhen Township	3	3	100	33.3	66.7	0.0	0.0	0.0	0.0	0.0	100.0
Rende Township	21	21	100	52.4	14.3	19.0	4.8	4.8	0.0	4.8	66.7
Gueiren Township	24	24	100	54.2	0.0	16.7	25.0	0.0	0.0	4.2	54.2
Guanmiao Township	16	16	100	43.8	6.3	31.3	12.5	6.3	0.0	0.0	50.0
Longci Township	1	1	100	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Tainan City, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Tainan City	144	144	100	47.9	19.4	17.4	9.0	2.1	0.0	4.2	67.4
East District	26	26	100	23.1	38.5	15.4	15.4	0.0	0.0	7.7	61.5
South District	27	27	100	44.4	22.2	14.8	7.4	7.4	0.0	3.7	66.7
North District	30	30	100	53.3	20.0	16.7	3.3	3.3	0.0	3.3	73.3
Annan District	38	38	100	60.5	0.0	23.7	13.2	0.0	0.0	2.6	60.5
Anping District	7	7	100	71.4	0.0	14.3	14.3	0.0	0.0	0.0	71.4
West Central District	16	16	100	43.8	37.5	12.5	0.0	0.0	0.0	6.3	81.3

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Chiayi County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Chiayi County	144	144	100	43.1	20.8	27.1	4.9	0.7	0.0	3.5	63.9
Taibao City	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0	0.0	100.0
Puzih City	16	16	100	37.5	18.8	43.8	0.0	0.0	0.0	0.0	56.3
Budai Township	5	5	100	40.0	20.0	20.0	20.0	0.0	0.0	0.0	60.0
Dalin Township	8	8	100	0.0	50.0	37.5	12.5	0.0	0.0	0.0	50.0
Minsyong Township	14	14	100	50.0	21.4	28.6	0.0	0.0	0.0	0.0	71.4
Sikou Township	6	6	100	66.7	0.0	16.7	0.0	0.0	0.0	16.7	66.7
Singang Township	5	5	100	20.0	0.0	80.0	0.0	0.0	0.0	0.0	20.0
Lioujiao Township	14	14	100	35.7	21.4	35.7	0.0	0.0	0.0	7.1	57.1
Dongshih Township	5	5	100	80.0	0.0	0.0	20.0	0.0	0.0	0.0	80.0
Yijhu Township	5	5	100	60.0	40.0	0.0	0.0	0.0	0.0	0.0	100.0
Lucao Township	5	5	100	80.0	0.0	20.0	0.0	0.0	0.0	0.0	80.0
Shueishang Township	13	13	100	38.5	38.5	15.4	0.0	0.0	0.0	7.7	76.9
Jhongpu Township	12	12	100	66.7	8.3	16.7	0.0	0.0	0.0	8.3	75.0
Jhuci Township	23	23	100	34.8	17.4	26.1	17.4	0.0	0.0	4.3	52.2
Meishan Township	2	2	100	0.0	0.0	50.0	0.0	50.0	0.0	0.0	0.0
Fanlu Township	2	2	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Dapu Township	--	--	--	--	--	--	--	--	--	--	--
Alishan Township	5	5	100	40.0	20.0	40.0	0.0	0.0	0.0	0.0	60.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Chiayi City, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Chiayi City	54	54	100	46.3	16.7	27.8	3.7	1.9	0.0	3.7	63.0
East District	20	20	100	40.0	25.0	15.0	10.0	0.0	0.0	10.0	65.0
West District	34	34	100	50.0	11.8	35.3	0.0	2.9	0.0	0.0	61.8

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases line with WHO.

b: TB patients diagnoed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Yunlin County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Yunlin County	213	213	100	67.6	4.7	18.3	6.6	0.0	0.0	2.8	72.3
Douliou City	21	21	100	66.7	0.0	23.8	9.5	0.0	0.0	0.0	66.7
Dounan Township	12	12	100	66.7	8.3	16.7	8.3	0.0	0.0	0.0	75.0
Huwei Township	23	23	100	65.2	0.0	21.7	8.7	0.0	0.0	4.3	65.2
Siluo Township	10	10	100	70.0	10.0	10.0	10.0	0.0	0.0	0.0	80.0
Tuku Township	12	12	100	50.0	0.0	25.0	16.7	0.0	0.0	8.3	50.0
Beigang Township	15	15	100	86.7	0.0	0.0	13.3	0.0	0.0	0.0	86.7
Gukeng Township	7	7	100	57.1	0.0	28.6	0.0	0.0	0.0	14.3	57.1
Dapi Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Cihtong Township	10	10	100	80.0	0.0	20.0	0.0	0.0	0.0	0.0	80.0
Linnei Township	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0	0.0	100.0
Erlun Township	8	8	100	37.5	12.5	25.0	12.5	0.0	0.0	12.5	50.0
Lunbei Township	17	17	100	70.6	0.0	23.5	5.9	0.0	0.0	0.0	70.6
Mailiao Township	13	13	100	69.2	7.7	15.4	0.0	0.0	0.0	7.7	76.9
Dongshih Township	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0	0.0	100.0
Baojhong Township	5	5	100	80.0	0.0	0.0	20.0	0.0	0.0	0.0	80.0
Taisi Township	7	7	100	71.4	14.3	14.3	0.0	0.0	0.0	0.0	85.7
Yuanchang Township	13	13	100	69.2	0.0	23.1	7.7	0.0	0.0	0.0	69.2
Sihhu Township	7	7	100	71.4	0.0	14.3	0.0	0.0	0.0	14.3	71.4
Kouhu Township	14	14	100	78.6	0.0	21.4	0.0	0.0	0.0	0.0	78.6
Shueilin Township	9	9	100	33.3	33.3	33.3	0.0	0.0	0.0	0.0	66.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Kaohsiung County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Kaohsiung County	451	451	100	28.8	35.3	21.7	7.3	3.3	0.0	3.5	64.1
Fongshan City	116	116	100	27.6	44.0	20.7	6.0	1.7	0.0	0.0	71.6
Gangshan Township	30	30	100	26.7	36.7	26.7	0.0	6.7	0.0	3.3	63.3
Cishan Township	14	14	100	28.6	21.4	28.6	14.3	0.0	0.0	7.1	50.0
Meinong Township	12	12	100	33.3	16.7	41.7	8.3	0.0	0.0	0.0	50.0
Linyuan Township	23	23	100	43.5	21.7	26.1	8.7	0.0	0.0	0.0	65.2
Daliao Township	56	56	100	12.5	42.9	25.0	10.7	7.1	0.0	1.8	55.4
Dashu Township	18	18	100	22.2	38.9	27.8	5.6	5.6	0.0	0.0	61.1
Renwu Township	17	17	100	29.4	41.2	11.8	5.9	0.0	0.0	11.8	70.6
Dashe Township	5	5	100	20.0	60.0	20.0	0.0	0.0	0.0	0.0	80.0
Niaosong Township	20	20	100	65.0	25.0	10.0	0.0	0.0	0.0	0.0	90.0
Ciaotou Township	13	13	100	38.5	23.1	7.7	23.1	0.0	0.0	7.7	61.5
Yanchao Township	17	17	100	41.2	11.8	17.6	0.0	5.9	0.0	23.5	52.9
Tianliao Township	--	--	--	--	--	--	--	--	--	--	--
Alian Township	9	9	100	11.1	44.4	11.1	33.3	0.0	0.0	0.0	55.6
Lujhu Township	19	19	100	31.6	31.6	26.3	5.3	0.0	0.0	5.3	63.2
Hunei Township	9	9	100	11.1	44.4	22.2	11.1	11.1	0.0	0.0	55.6
Jiading Township	11	11	100	27.3	9.1	27.3	9.1	18.2	0.0	9.1	36.4
Yong-an Township	4	4	100	0.0	75.0	25.0	0.0	0.0	0.0	0.0	75.0
Mituo Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Zihguan Township	18	18	100	33.3	27.8	22.2	5.6	0.0	0.0	11.1	61.1
Liouguei Township	6	6	100	16.7	33.3	33.3	0.0	16.7	0.0	0.0	50.0
Jiasian Township	3	3	100	0.0	0.0	66.7	33.3	0.0	0.0	0.0	0.0
Shanlin Township	7	7	100	28.6	57.1	0.0	0.0	0.0	0.0	14.3	85.7
Neimen Township	11	11	100	45.5	27.3	27.3	0.0	0.0	0.0	0.0	72.7
Maolin Township	2	2	100	0.0	0.0	0.0	50.0	50.0	0.0	0.0	0.0
Taoyuan Township	5	5	100	20.0	60.0	0.0	0.0	0.0	0.0	20.0	80.0
Sanmin Township	3	3	100	33.3	33.3	0.0	33.3	0.0	0.0	0.0	66.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Kaohsiung City, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Kaohsiung City	427	427	100	62.8	8.4	20.1	6.8	0.9	0.2	0.7	71.2
Yancheng District	4	4	100	75.0	0.0	0.0	0.0	25.0	0.0	0.0	75.0
Gushan District	38	38	100	65.8	13.2	21.1	0.0	0.0	0.0	0.0	78.9
Zuoying District	55	55	100	65.5	7.3	16.4	9.1	1.8	0.0	0.0	72.7
Nanzih District	44	44	100	65.9	6.8	22.7	4.5	0.0	0.0	0.0	72.7
Sanmin District	96	96	100	55.2	12.5	17.7	10.4	2.1	1.0	1.0	67.7
Sinsing District	22	22	100	50.0	9.1	31.8	4.5	0.0	0.0	4.5	59.1
Cianjin District	11	11	100	36.4	9.1	54.5	0.0	0.0	0.0	0.0	45.5
Lingya District	52	52	100	59.6	9.6	21.2	7.7	0.0	0.0	1.9	69.2
Cianjhen District	58	58	100	69.0	3.4	19.0	8.6	0.0	0.0	0.0	72.4
Cijin District	12	12	100	75.0	0.0	16.7	8.3	0.0	0.0	0.0	75.0
Siaogang District	35	35	100	77.1	5.7	14.3	2.9	0.0	0.0	0.0	82.9

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008.. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Pingtung County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Pingtung County	306	306	100	46.1	24.5	19.6	4.9	2.6	0.0	2.3	70.6
Pingtung City	81	81	100	48.1	19.8	19.8	3.7	8.6	0.0	0.0	67.9
Chaozhou Township	26	26	100	42.3	26.9	23.1	7.7	0.0	0.0	0.0	69.2
Donggang Township	3	3	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Hengchun Township	7	7	100	28.6	42.9	14.3	0.0	14.3	0.0	0.0	71.4
Wandan Township	13	13	100	61.5	23.1	15.4	0.0	0.0	0.0	0.0	84.6
Changjih Township	10	10	100	20.0	70.0	10.0	0.0	0.0	0.0	0.0	90.0
Linluo Township	3	3	100	66.7	0.0	0.0	33.3	0.0	0.0	0.0	66.7
Jiouru Township	11	11	100	63.6	18.2	18.2	0.0	0.0	0.0	0.0	81.8
Ligang Township	6	6	100	33.3	16.7	33.3	0.0	0.0	0.0	16.7	50.0
Yanpu Township	12	12	100	41.7	8.3	33.3	16.7	0.0	0.0	0.0	50.0
Gaoshu Township	7	7	100	28.6	28.6	28.6	0.0	0.0	0.0	14.3	57.1
Wanluan Township	15	15	100	20.0	33.3	26.7	13.3	0.0	0.0	6.7	53.3
Neipu Township	32	32	100	46.9	37.5	9.4	3.1	0.0	0.0	3.1	84.4
Jhutian Township	9	9	100	44.4	22.2	33.3	0.0	0.0	0.0	0.0	66.7
Sinpi Township	9	9	100	88.9	0.0	11.1	0.0	0.0	0.0	0.0	88.9
Fangliao Township	10	10	100	50.0	20.0	20.0	10.0	0.0	0.0	0.0	70.0
Sinyuan Township	6	6	100	50.0	0.0	33.3	0.0	0.0	0.0	16.7	50.0
Kanding Township	5	5	100	20.0	60.0	20.0	0.0	0.0	0.0	0.0	80.0
Linbian Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0	0.0	100.0
Nanjhou Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Jiadong Township	8	8	100	62.5	0.0	37.5	0.0	0.0	0.0	0.0	62.5
Liouciou Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0	0.0	100.0
Checheng Township	1	1	100	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0
Manjhou Township	3	3	100	66.7	0.0	0.0	33.3	0.0	0.0	0.0	66.7
Fangshan Township	1	1	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Sandimen Township	6	6	100	50.0	0.0	16.7	16.7	0.0	0.0	16.7	50.0
Wutai Township	--	--	--	--	--	--	--	--	--	--	--
Majia Township	1	1	100	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0
Taiwu Township	7	7	100	57.1	14.3	28.6	0.0	0.0	0.0	0.0	71.4
Laiyi Township	2	2	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Chunrih Township	3	3	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Shihzih Township	--	--	--	--	--	--	--	--	--	--	--
Mudan Township	3	3	100	66.7	0.0	0.0	33.3	0.0	0.0	0.0	66.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Penghu County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Penghu County	8	8	100	75.0	25.0	0.0	0.0	0.0	0.0	0.0	100.0
Magong City	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0	0.0	100.0
Husi Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Baisha Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Siyu Township	--	--	--	--	--	--	--	--	--	--	--
Wang-an Township	--	--	--	--	--	--	--	--	--	--	--
Cimei Township	1	1	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taitung County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taitung County	112	112	100	32.1	36.6	17.9	8.9	1.8	0.0	2.7	68.8
Taitung City	38	38	100	36.8	23.7	23.7	7.9	5.3	0.0	2.6	60.5
Chenggong Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0	0.0	100.0
Guanshan Township	4	4	100	0.0	50.0	50.0	0.0	0.0	0.0	0.0	50.0
Beinan Township	14	14	100	14.3	42.9	21.4	14.3	0.0	0.0	7.1	57.1
Dawu Township	2	2	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Taimali Township	11	11	100	45.5	54.5	0.0	0.0	0.0	0.0	0.0	100.0
Donghe Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Changbin Township	6	6	100	66.7	16.7	0.0	16.7	0.0	0.0	0.0	83.3
Luye Township	6	6	100	50.0	16.7	16.7	0.0	0.0	0.0	16.7	66.7
Chihshang Township	2	2	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Lyudao Township	--	--	--	--	--	--	--	--	--	--	--
Yanping Township	4	4	100	25.0	25.0	0.0	50.0	0.0	0.0	0.0	50.0
Haiduan Township	13	13	100	7.7	53.8	30.8	7.7	0.0	0.0	0.0	61.5
Daren Township	3	3	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Jinfong Township	3	3	100	0.0	66.7	0.0	33.3	0.0	0.0	0.0	66.7
Lanyu Township	1	1	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Hualien County, 2007 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Hualien County	197	197	100	48.7	13.7	20.8	9.1	0.5	0.0	7.1	62.4
Hualien City	38	38	100	34.2	15.8	28.9	10.5	2.6	0.0	7.9	50.0
Fonglin Township	12	12	100	25.0	0.0	58.3	16.7	0.0	0.0	0.0	25.0
Yuli Township	20	20	100	40.0	35.0	15.0	0.0	0.0	0.0	10.0	75.0
Sincheng Township	12	12	100	50.0	8.3	16.7	16.7	0.0	0.0	8.3	58.3
Ji-an Township	25	25	100	64.0	4.0	28.0	4.0	0.0	0.0	0.0	68.0
Shoufong Township	11	11	100	45.5	18.2	18.2	9.1	0.0	0.0	9.1	63.6
Guangfu Township	4	4	100	75.0	25.0	0.0	0.0	0.0	0.0	0.0	100.0
Fongbin Township	3	3	100	0.0	66.7	0.0	33.3	0.0	0.0	0.0	66.7
Rueisuei Township	9	9	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Fuli Township	3	3	100	66.7	0.0	0.0	33.3	0.0	0.0	0.0	66.7
Sioulin Township	37	37	100	67.6	8.1	2.7	5.4	0.0	0.0	16.2	75.7
Wanrong Township	11	11	100	45.5	18.2	27.3	9.1	0.0	0.0	0.0	63.6
Jhuosi Township	12	12	100	33.3	16.7	16.7	25.0	0.0	0.0	8.3	50.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2007 and treated/followed-up through 2008. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taiwan, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taiwan	5 540	5 540	100	51.9	14.6	19.9	8.1	1.4	0.0	4.1	66.5
Taipei Area	1 528	1 528	100	50.8	16.0	19.2	6.9	1.9	0.1	5.1	66.8
Yilan County	124	124	100	59.7	10.5	16.9	7.3	0.8	0.0	4.8	70.2
Keelung City	122	122	100	62.3	12.3	14.8	4.9	0.8	0.0	4.9	74.6
Taipei City	446	446	100	36.5	28.5	24.4	4.7	1.3	0.2	4.3	65.0
Taipei County	825	825	100	56.1	9.8	17.3	8.5	2.5	0.1	5.6	65.9
Kinmen County	11	11	100	0.0	72.7	18.2	0.0	0.0	0.0	9.1	72.7
Lienchiang County	0	0	--	--	--	--	--	--	--	--	--
Northern Area	589	589	100	60.4	8.0	18.2	7.8	1.4	0.0	4.2	68.4
Taoyuan County	394	394	100	65.2	4.1	18.3	6.9	1.5	0.0	4.1	69.3
Hsinchu County	69	69	100	50.7	14.5	15.9	13.0	1.4	0.0	4.3	65.2
Hsinchu City	45	45	100	51.1	15.6	24.4	2.2	0.0	0.0	6.7	66.7
Miaoli County	81	81	100	50.6	17.3	16.0	11.1	1.2	0.0	3.7	67.9
Central District	992	992	100	52.8	11.5	21.1	10.7	0.8	0.0	3.1	64.3
Taichung County	250	250	100	37.2	27.2	20.4	9.2	0.4	0.0	5.6	64.4
Taichung City	185	185	100	67.0	5.9	13.5	10.8	1.1	0.0	1.6	73.0
Changhua County	413	413	100	55.7	4.4	24.5	12.1	0.5	0.0	2.9	60.0
Nantou County	144	144	100	53.5	11.8	22.2	9.0	2.1	0.0	1.4	65.3
Southern Area	920	920	100	58.2	10.4	18.7	7.4	1.2	0.0	4.1	68.6
Tainan County	296	296	100	59.8	7.4	17.6	7.8	1.7	0.0	5.7	67.2
Tainan City	178	178	100	55.1	14.0	16.9	7.9	1.7	0.0	4.5	69.1
Chiayi County	146	146	100	49.3	14.4	24.0	11.0	0.0	0.0	1.4	63.7
Chiayi City	54	54	100	57.4	18.5	16.7	5.6	0.0	0.0	1.9	75.9
Yunlin County	246	246	100	63.8	7.3	18.7	4.9	1.2	0.0	4.1	71.1
Kao-Ping Area	1 232	1 232	100	46.3	18.8	21.8	7.7	1.5	0.0	3.9	65.1
Kaohsiung County	429	429	100	27.5	35.0	22.1	9.6	1.6	0.0	4.2	62.5
Kaohsiung City	425	425	100	60.2	8.5	21.4	4.9	1.4	0.0	3.5	68.7
Pingtung County	369	369	100	51.8	12.2	21.7	8.7	1.6	0.0	4.1	64.0
Penghu County	9	9	100	55.6	11.1	22.2	11.1	0.0	0.0	0.0	66.7
Eastern Area	279	279	100	40.9	27.6	19.0	10.0	0.4	0.0	2.2	68.5
Taitung County	102	102	100	30.4	43.1	16.7	7.8	1.0	0.0	1.0	73.5
Hualien County	177	177	100	46.9	18.6	20.3	11.3	0.0	0.0	2.8	65.5

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Yilan County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Yilan County	124	124	100	59.7	10.5	16.9	7.3	0.8	0.0	4.8	70.2
Yilan City	28	28	100	57.1	10.7	17.9	3.6	3.6	0.0	7.1	67.9
Luodong Township	12	12	100	58.3	8.3	25.0	0.0	0.0	0.0	8.3	66.7
Su-ao Township	9	9	100	55.6	0.0	33.3	11.1	0.0	0.0	0.0	55.6
Toucheng Township	5	5	100	40.0	40.0	20.0	0.0	0.0	0.0	0.0	80.0
Jiaosi Township	5	5	100	60.0	20.0	20.0	0.0	0.0	0.0	0.0	80.0
Jhuangwei Township	3	3	100	33.3	33.3	0.0	33.3	0.0	0.0	0.0	66.7
Yuanshan Township	19	19	100	57.9	0.0	21.1	15.8	0.0	0.0	5.3	57.9
Dongshan Township	11	11	100	63.6	18.2	18.2	0.0	0.0	0.0	0.0	81.8
Wujie Township	6	6	100	50.0	16.7	16.7	0.0	0.0	0.0	16.7	66.7
Sansing Township	3	3	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Datong Township	6	6	100	50.0	33.3	0.0	0.0	0.0	0.0	16.7	83.3
Nan-ao Township	17	17	100	82.4	0.0	0.0	17.6	0.0	0.0	0.0	82.4

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Keelung City, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Keelung City	122	122	100	62.3	12.3	14.8	4.9	0.8	0.0	4.9	74.6
Jhongheng District	18	18	100	61.1	16.7	16.7	0.0	0.0	0.0	5.6	77.8
Cidu District	28	28	100	67.9	7.1	14.3	3.6	3.6	0.0	3.6	75.0
Nuannuan District	8	8	100	87.5	12.5	0.0	0.0	0.0	0.0	0.0	100.0
Ren-ai District	16	16	100	62.5	6.3	25.0	0.0	0.0	0.0	6.3	68.8
Jhongshan District	18	18	100	50.0	38.9	5.6	0.0	0.0	0.0	5.6	88.9
Anle District	28	28	100	53.6	3.6	17.9	17.9	0.0	0.0	7.1	57.1
Sinyi District	6	6	100	83.3	0.0	16.7	0.0	0.0	0.0	0.0	83.3

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taipei City, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taipei City	446	446	100	36.5	28.5	24.4	4.7	1.3	0.2	4.3	65.0
Songshan District	37	37	100	32.4	32.4	24.3	5.4	0.0	0.0	5.4	64.9
Sinyi District	29	29	100	20.7	48.3	17.2	3.4	3.4	0.0	6.9	69.0
Da-an District	38	38	100	36.8	18.4	23.7	10.5	5.3	2.6	2.6	55.3
Jhongshan District	43	43	100	48.8	30.2	14.0	2.3	0.0	0.0	4.7	79.1
Jhongheng District	22	22	100	36.4	27.3	31.8	0.0	4.5	0.0	0.0	63.6
Datong District	23	23	100	56.5	17.4	26.1	0.0	0.0	0.0	0.0	73.9
Wanhua District	62	62	100	53.2	12.9	25.8	1.6	1.6	0.0	4.8	66.1
Wunshan District	37	37	100	32.4	37.8	27.0	0.0	0.0	0.0	2.7	70.3
Nangang District	21	21	100	14.3	38.1	19.0	14.3	0.0	0.0	14.3	52.4
Neihu District	38	38	100	34.2	42.1	21.1	2.6	0.0	0.0	0.0	76.3
Shihlin District	46	46	100	30.4	19.6	32.6	8.7	2.2	0.0	6.5	50.0
Beitou District	50	50	100	28.0	32.0	28.0	8.0	0.0	0.0	4.0	60.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases line with WHO.

b: TB patients diagnoed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taipei County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taipei County	825	825	100	56.1	9.8	17.3	8.5	2.5	0.1	5.6	65.9
Banciao City	123	123	100	44.7	14.6	18.7	8.9	6.5	0.0	6.5	59.3
Sanchong City	77	77	100	54.5	7.8	16.9	10.4	1.3	0.0	9.1	62.3
Yonghe City	43	43	100	51.2	11.6	18.6	4.7	2.3	0.0	11.6	62.8
Jhonghe City	98	98	100	61.2	11.2	15.3	5.1	3.1	0.0	4.1	72.4
Sinjhuang City	79	79	100	43.0	21.5	24.1	3.8	2.5	0.0	5.1	64.6
Sindian City	66	66	100	51.5	10.6	21.2	9.1	4.5	0.0	3.0	62.1
Tucheng City	56	56	100	73.2	1.8	17.9	5.4	0.0	0.0	1.8	75.0
Lujhou City	38	38	100	60.5	5.3	18.4	7.9	0.0	0.0	7.9	65.8
Sijhih City	40	40	100	57.5	12.5	15.0	7.5	2.5	0.0	5.0	70.0
Shulin City	43	43	100	62.8	0.0	14.0	18.6	2.3	0.0	2.3	62.8
Yingge Township	19	19	100	89.5	0.0	5.3	0.0	0.0	0.0	5.3	89.5
Sansia Township	17	17	100	52.9	5.9	17.6	17.6	0.0	0.0	5.9	58.8
Danshuei Township	31	31	100	54.8	16.1	9.7	12.9	0.0	3.2	3.2	71.0
Rueifang Township	12	12	100	66.7	8.3	0.0	16.7	0.0	0.0	8.3	75.0
Wugu Township	13	13	100	53.8	7.7	15.4	23.1	0.0	0.0	0.0	61.5
Taishan Township	20	20	100	65.0	5.0	15.0	5.0	5.0	0.0	5.0	70.0
Linkou Township	10	10	100	50.0	0.0	20.0	20.0	0.0	0.0	10.0	50.0
Shenkeng Township	10	10	100	80.0	0.0	0.0	0.0	0.0	0.0	20.0	80.0
Shihding Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Pinglin Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Sanjihh Township	1	1	100	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0
Shihmen Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Bali Township	9	9	100	66.7	0.0	22.2	0.0	0.0	0.0	11.1	66.7
Pingsi Township	3	3	100	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0
Shuangsi Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Gongliao Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Jinshan Township	4	4	100	75.0	0.0	0.0	25.0	0.0	0.0	0.0	75.0
Wanli Township	5	5	100	20.0	0.0	40.0	40.0	0.0	0.0	0.0	20.0
Wulai Township	0	0	--	--	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Kinmen County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)	
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd		
Kinmen County	11	11	100	0.0	72.7	18.2	0.0	0.0	0.0	0.0	9.1	72.7
Jincheng Township	3	3	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Jinhu Township	3	3	100	0.0	33.3	33.3	0.0	0.0	0.0	0.0	33.3	33.3
Jinsha Township	0	0	--	--	--	--	--	--	--	--	--	--
Jinning Township	3	3	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Lieyu Township	2	2	100	0.0	50.0	50.0	0.0	0.0	0.0	0.0	0.0	50.0
Wuciou Township	0	0	--	--	--	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Lienchiang County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Lienchiang County	0	0	--	--	--	--	--	--	--	--	--
Nangan Township	0	0	--	--	--	--	--	--	--	--	--
Beigan Township	0	0	--	--	--	--	--	--	--	--	--
Jyuguang Township	0	0	--	--	--	--	--	--	--	--	--
Dongyin Township	0	0	--	--	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taoyuan County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taoyuan County	394	394	100	65.2	4.1	18.3	6.9	1.5	0.0	4.1	69.3
Taoyuan City	69	69	100	58.0	10.1	20.3	5.8	1.4	0.0	4.3	68.1
Jhongli City	71	71	100	70.4	0.0	19.7	7.0	0.0	0.0	2.8	70.4
Pingjhen City	31	31	100	61.3	9.7	16.1	9.7	3.2	0.0	0.0	71.0
Bade City	38	38	100	76.3	2.6	13.2	2.6	2.6	0.0	2.6	78.9
Dasi Township	27	27	100	77.8	0.0	14.8	0.0	3.7	0.0	3.7	77.8
Yangmei Township	16	16	100	81.3	0.0	6.3	6.3	0.0	0.0	6.3	81.3
Lujhu Township	17	17	100	64.7	0.0	17.6	11.8	0.0	0.0	5.9	64.7
Dayuan Township	11	11	100	63.6	0.0	18.2	9.1	0.0	0.0	9.1	63.6
Gueishan Township	43	43	100	46.5	0.0	27.9	14.0	0.0	0.0	11.6	46.5
Longtan Township	33	33	100	69.7	6.1	12.1	6.1	6.1	0.0	0.0	75.8
Sinwu Township	11	11	100	81.8	0.0	18.2	0.0	0.0	0.0	0.0	81.8
Guanyin Township	16	16	100	50.0	6.3	25.0	12.5	0.0	0.0	6.3	56.3
Fusing Township	11	11	100	63.6	18.2	18.2	0.0	0.0	0.0	0.0	81.8

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases line with WHO.

b: TB patients diagnoed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Hsinchu County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Hsinchu County	69	69	100	50.7	14.5	15.9	13.0	1.4	0.0	4.3	65.2
Jhubei City	12	12	100	58.3	16.7	8.3	8.3	0.0	0.0	8.3	75.0
Guansi Township	2	2	100	50.0	0.0	0.0	50.0	0.0	0.0	0.0	50.0
Sinpu Township	4	4	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Jhudong Township	22	22	100	54.5	13.6	9.1	9.1	4.5	0.0	9.1	68.2
Hukou Township	9	9	100	22.2	11.1	33.3	33.3	0.0	0.0	0.0	33.3
Hengshan Township	3	3	100	33.3	0.0	33.3	33.3	0.0	0.0	0.0	33.3
Sinfong Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0	0.0	100.0
Cyonglin Township	0	0	--	--	--	--	--	--	--	--	--
Baoshan Township	1	1	100	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0
Beipu Township	0	0	--	--	--	--	--	--	--	--	--
Emei Township	0	0	--	--	--	--	--	--	--	--	--
Jianshih Township	6	6	100	33.3	50.0	16.7	0.0	0.0	0.0	0.0	83.3
Wufong Township	7	7	100	85.7	0.0	14.3	0.0	0.0	0.0	0.0	85.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Hsinchu City, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Hsinchu City	45	45	100	51.1	15.6	24.4	2.2	0.0	0.0	6.7	66.7
East District	16	16	100	50.0	18.8	25.0	0.0	0.0	0.0	6.3	68.8
North District	18	18	100	33.3	22.2	27.8	5.6	0.0	0.0	11.1	55.6
Siangshan District	11	11	100	81.8	0.0	18.2	0.0	0.0	0.0	0.0	81.8

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Miaoli County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Miaoli County	81	81	100	50.6	17.3	16.0	11.1	1.2	0.0	3.7	67.9
Miaoli City	9	9	100	44.4	0.0	44.4	11.1	0.0	0.0	0.0	44.4
Yuanli Township	4	4	100	50.0	25.0	0.0	0.0	0.0	0.0	25.0	75.0
Tongsiao Township	4	4	100	75.0	0.0	0.0	25.0	0.0	0.0	0.0	75.0
Jhunan Township	12	12	100	66.7	8.3	16.7	8.3	0.0	0.0	0.0	75.0
Toufen Township	14	14	100	35.7	28.6	7.1	14.3	7.1	0.0	7.1	64.3
Houlong Township	6	6	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Jhuolan Township	3	3	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Dahu Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Gongguan Township	3	3	100	66.7	33.3	0.0	0.0	0.0	0.0	0.0	100.0
Tongluo Township	5	5	100	40.0	40.0	0.0	20.0	0.0	0.0	0.0	80.0
Nanjhuang Township	2	2	100	0.0	50.0	50.0	0.0	0.0	0.0	0.0	50.0
Touwu Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Sanyi Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Sihu Township	5	5	100	40.0	0.0	0.0	40.0	0.0	0.0	20.0	40.0
Zaociao Township	5	5	100	20.0	40.0	40.0	0.0	0.0	0.0	0.0	60.0
Sanwan Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Shihtan Township	0	0	--	--	--	--	--	--	--	--	--
Tai-an Township	4	4	100	25.0	50.0	0.0	25.0	0.0	0.0	0.0	75.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taichung County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taichung County	250	250	100	37.2	27.2	20.4	9.2	0.4	0.0	5.6	64.4
Fongyuan City	36	36	100	25.0	30.6	25.0	11.1	0.0	0.0	8.3	55.6
Dali City	22	22	100	50.0	18.2	22.7	9.1	0.0	0.0	0.0	68.2
Taiping City	33	33	100	45.5	18.2	21.2	6.1	0.0	0.0	9.1	63.6
Dongshih Township	15	15	100	60.0	20.0	6.7	6.7	6.7	0.0	0.0	80.0
Dajia Township	7	7	100	28.6	42.9	0.0	28.6	0.0	0.0	0.0	71.4
Cingshuei Township	8	8	100	50.0	12.5	25.0	12.5	0.0	0.0	0.0	62.5
Shalu Township	8	8	100	62.5	0.0	12.5	0.0	0.0	0.0	25.0	62.5
Wuci Township	8	8	100	37.5	62.5	0.0	0.0	0.0	0.0	0.0	100.0
Houli Township	12	12	100	33.3	33.3	25.0	8.3	0.0	0.0	0.0	66.7
Shengang Township	17	17	100	52.9	17.6	17.6	11.8	0.0	0.0	0.0	70.6
Tanzih Township	11	11	100	36.4	36.4	9.1	9.1	0.0	0.0	9.1	72.7
Daya Township	13	13	100	38.5	46.2	0.0	15.4	0.0	0.0	0.0	84.6
Sinshe Township	4	4	100	0.0	50.0	25.0	0.0	0.0	0.0	25.0	50.0
Shihgang Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0	0.0	100.0
Waipu Township	4	4	100	25.0	25.0	25.0	25.0	0.0	0.0	0.0	50.0
Da-an Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Wurih Township	12	12	100	8.3	33.3	50.0	0.0	0.0	0.0	8.3	41.7
Dadu Township	5	5	100	0.0	20.0	40.0	20.0	0.0	0.0	20.0	20.0
Longjing Township	19	19	100	21.1	42.1	31.6	5.3	0.0	0.0	0.0	63.2
Wufong Township	9	9	100	44.4	0.0	33.3	11.1	0.0	0.0	11.1	44.4
Heping Township	4	4	100	25.0	25.0	0.0	25.0	0.0	0.0	25.0	50.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taichung City, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taichung City	185	185	100	67.0	5.9	13.5	10.8	1.1	0.0	1.6	73.0
Central District	6	6	100	83.3	0.0	0.0	16.7	0.0	0.0	0.0	83.3
East District	10	10	100	60.0	0.0	30.0	10.0	0.0	0.0	0.0	60.0
West District	16	16	100	75.0	6.3	12.5	6.3	0.0	0.0	0.0	81.3
South District	18	18	100	66.7	0.0	27.8	5.6	0.0	0.0	0.0	66.7
North District	24	24	100	54.2	12.5	20.8	8.3	0.0	0.0	4.2	66.7
Situn District	30	30	100	60.0	6.7	13.3	20.0	0.0	0.0	0.0	66.7
Nantun District	41	41	100	65.9	9.8	9.8	9.8	2.4	0.0	2.4	75.6
Beitun District	40	40	100	77.5	2.5	5.0	10.0	2.5	0.0	2.5	80.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases line with WHO.

b: TB patients diagnoed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Changhua County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Changhua County	413	413	100	55.7	4.4	24.5	12.1	0.5	0.0	2.9	60.0
Changhua City	63	63	100	61.9	9.5	19.0	6.3	0.0	0.0	3.2	71.4
Lugang Township	22	22	100	63.6	4.5	22.7	9.1	0.0	0.0	0.0	68.2
Hemei Township	16	16	100	56.3	6.3	12.5	25.0	0.0	0.0	0.0	62.5
Beidou Township	14	14	100	42.9	0.0	50.0	0.0	0.0	0.0	7.1	42.9
Yuanlin Township	48	48	100	54.2	4.2	29.2	10.4	0.0	0.0	2.1	58.3
Sihu Township	13	13	100	46.2	15.4	30.8	7.7	0.0	0.0	0.0	61.5
Tianjhong Township	14	14	100	42.9	0.0	28.6	21.4	0.0	0.0	7.1	42.9
Erlin Township	27	27	100	40.7	0.0	37.0	7.4	7.4	0.0	7.4	40.7
Siansi Township	6	6	100	66.7	16.7	16.7	0.0	0.0	0.0	0.0	83.3
Shengang Township	4	4	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Fusing Township	15	15	100	73.3	0.0	13.3	6.7	0.0	0.0	6.7	73.3
Sioushuei Township	15	15	100	33.3	0.0	26.7	33.3	0.0	0.0	6.7	33.3
Huatan Township	12	12	100	50.0	0.0	33.3	16.7	0.0	0.0	0.0	50.0
Fenyuan Township	15	15	100	33.3	0.0	33.3	26.7	0.0	0.0	6.7	33.3
Dacun Township	10	10	100	60.0	20.0	20.0	0.0	0.0	0.0	0.0	80.0
Puyan Township	20	20	100	55.0	0.0	30.0	10.0	0.0	0.0	5.0	55.0
Pusin Township	11	11	100	54.5	9.1	9.1	27.3	0.0	0.0	0.0	63.6
Yongjing Township	9	9	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Shetou Township	11	11	100	63.6	0.0	36.4	0.0	0.0	0.0	0.0	63.6
Ershuei Township	5	5	100	80.0	0.0	0.0	20.0	0.0	0.0	0.0	80.0
Tianwei Township	7	7	100	28.6	0.0	14.3	57.1	0.0	0.0	0.0	28.6
Pitou Township	17	17	100	88.2	0.0	11.8	0.0	0.0	0.0	0.0	88.2
Fangyuan Township	9	9	100	88.9	0.0	0.0	11.1	0.0	0.0	0.0	88.9
Dacheng Township	6	6	100	33.3	0.0	50.0	16.7	0.0	0.0	0.0	33.3
Jhutang Township	8	8	100	62.5	12.5	0.0	12.5	0.0	0.0	12.5	75.0
Sijhou Township	16	16	100	37.5	6.3	31.3	25.0	0.0	0.0	0.0	43.8

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Nantou County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Nantou County	144	144	100	53.5	11.8	22.2	9.0	2.1	0.0	1.4	65.3
Nantou City	19	19	100	57.9	5.3	21.1	15.8	0.0	0.0	0.0	63.2
Puli Township	16	16	100	25.0	25.0	25.0	12.5	6.3	0.0	6.3	50.0
Caotun Township	20	20	100	45.0	20.0	20.0	10.0	0.0	0.0	5.0	65.0
Jhushan Township	13	13	100	38.5	15.4	23.1	15.4	7.7	0.0	0.0	53.8
Jiji Township	2	2	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Mingjian Township	14	14	100	71.4	14.3	14.3	0.0	0.0	0.0	0.0	85.7
Lugu Township	3	3	100	66.7	0.0	33.3	0.0	0.0	0.0	0.0	66.7
Jhongliao Township	1	1	100	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0
Yuchih Township	7	7	100	71.4	0.0	28.6	0.0	0.0	0.0	0.0	71.4
Guosing Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Shueili Township	4	4	100	25.0	25.0	50.0	0.0	0.0	0.0	0.0	50.0
Sinyi Township	17	17	100	70.6	0.0	17.6	5.9	5.9	0.0	0.0	70.6
Ren-ai Township	26	26	100	57.7	11.5	23.1	7.7	0.0	0.0	0.0	69.2

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Tainan County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Tainan County	296	296	100	59.8	7.4	17.6	7.8	1.7	0.0	5.7	67.2
Sinying City	14	14	100	42.9	7.1	14.3	21.4	0.0	0.0	14.3	50.0
Yongkang City	51	51	100	60.8	7.8	13.7	3.9	3.9	0.0	9.8	68.6
Yanshuei Township	12	12	100	83.3	0.0	16.7	0.0	0.0	0.0	0.0	83.3
Baihe Township	10	10	100	50.0	0.0	40.0	0.0	0.0	0.0	10.0	50.0
Madou Township	11	11	100	72.7	0.0	18.2	9.1	0.0	0.0	0.0	72.7
Jiali Township	16	16	100	87.5	0.0	6.3	6.3	0.0	0.0	0.0	87.5
Sinhua Township	14	14	100	42.9	7.1	21.4	7.1	7.1	0.0	14.3	50.0
Shanhua Township	13	13	100	69.2	7.7	23.1	0.0	0.0	0.0	0.0	76.9
Syuejia Township	5	5	100	60.0	40.0	0.0	0.0	0.0	0.0	0.0	100.0
Liouying Township	7	7	100	57.1	28.6	0.0	0.0	14.3	0.0	0.0	85.7
Houbi Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Dongshan Township	8	8	100	37.5	12.5	25.0	12.5	12.5	0.0	0.0	50.0
Siaying Township	6	6	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Lioujia Township	7	7	100	85.7	0.0	14.3	0.0	0.0	0.0	0.0	85.7
Guantian Township	5	5	100	60.0	0.0	40.0	0.0	0.0	0.0	0.0	60.0
Danei Township	2	2	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Sigang Township	11	11	100	54.5	27.3	18.2	0.0	0.0	0.0	0.0	81.8
Cigu Township	5	5	100	40.0	0.0	40.0	20.0	0.0	0.0	0.0	40.0
Jiangjyun Township	6	6	100	50.0	16.7	16.7	16.7	0.0	0.0	0.0	66.7
Beimen Township	4	4	100	25.0	0.0	25.0	25.0	0.0	0.0	25.0	25.0
Sinshih Township	6	6	100	33.3	16.7	16.7	16.7	0.0	0.0	16.7	50.0
Anding Township	9	9	100	77.8	0.0	22.2	0.0	0.0	0.0	0.0	77.8
Shanshang Township	1	1	100	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0
Yujing Township	5	5	100	80.0	0.0	0.0	0.0	0.0	0.0	20.0	80.0
Nansi Township	2	2	100	50.0	0.0	0.0	0.0	0.0	0.0	50.0	50.0
Nanhua Township	5	5	100	0.0	20.0	80.0	0.0	0.0	0.0	0.0	20.0
Zuojhen Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0	0.0	100.0
Rende Township	27	27	100	51.9	11.1	18.5	11.1	0.0	0.0	7.4	63.0
Gueiren Township	16	16	100	43.8	0.0	12.5	37.5	0.0	0.0	6.3	43.8
Guanmiao Township	12	12	100	83.3	0.0	16.7	0.0	0.0	0.0	0.0	83.3
Longci Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Tainan City, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Trans- ferred	Not Eval'd	
Tainan City	178	178	100	55.1	14.0	16.9	7.9	1.7	0.0	4.5	69.1
East District	46	46	100	54.3	15.2	21.7	6.5	0.0	0.0	2.2	69.6
South District	28	28	100	46.4	21.4	10.7	10.7	3.6	0.0	7.1	67.9
North District	26	26	100	65.4	3.8	15.4	11.5	0.0	0.0	3.8	69.2
Annan District	41	41	100	68.3	0.0	19.5	2.4	2.4	0.0	7.3	68.3
Anping District	14	14	100	42.9	21.4	21.4	0.0	7.1	0.0	7.1	64.3
West Central District	23	23	100	39.1	34.8	8.7	17.4	0.0	0.0	0.0	73.9

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Chiayi County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Chiayi County	146	146	100	49.3	14.4	24.0	11.0	0.0	0.0	1.4	63.7
Taibao City	6	6	100	50.0	0.0	33.3	16.7	0.0	0.0	0.0	50.0
Puzih City	10	10	100	60.0	30.0	10.0	0.0	0.0	0.0	0.0	90.0
Budai Township	6	6	100	66.7	16.7	16.7	0.0	0.0	0.0	0.0	83.3
Dalin Township	6	6	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Minsyong Township	17	17	100	41.2	23.5	29.4	0.0	0.0	0.0	5.9	64.7
Sikou Township	2	2	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Singang Township	7	7	100	28.6	42.9	14.3	14.3	0.0	0.0	0.0	71.4
Lioujiao Township	9	9	100	33.3	22.2	22.2	22.2	0.0	0.0	0.0	55.6
Dongshih Township	10	10	100	60.0	10.0	20.0	10.0	0.0	0.0	0.0	70.0
Yijhu Township	4	4	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Lucao Township	6	6	100	33.3	0.0	50.0	16.7	0.0	0.0	0.0	33.3
Shueishang Township	14	14	100	42.9	14.3	21.4	14.3	0.0	0.0	7.1	57.1
Jhongpu Township	7	7	100	57.1	14.3	14.3	14.3	0.0	0.0	0.0	71.4
Jhuci Township	31	31	100	45.2	9.7	29.0	16.1	0.0	0.0	0.0	54.8
Meishan Township	8	8	100	75.0	12.5	12.5	0.0	0.0	0.0	0.0	87.5
Fanlu Township	2	2	100	50.0	0.0	0.0	50.0	0.0	0.0	0.0	50.0
Dapu Township	0	0	--	--	--	--	--	--	--	--	--
Alishan Township	1	1	100	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Chiayi City, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Chiayi City	54	54	100	57.4	18.5	16.7	5.6	0.0	0.0	1.9	75.9
East District	21	21	100	57.1	28.6	9.5	0.0	0.0	0.0	4.8	85.7
West District	33	33	100	57.6	12.1	21.2	9.1	0.0	0.0	0.0	69.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases line with WHO.

b: TB patients diagnoed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month followe-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Yunlin County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Yunlin County	246	246	100	63.8	7.3	18.7	4.9	1.2	0.0	4.1	71.1
Douliou City	28	28	100	64.3	14.3	17.9	0.0	0.0	0.0	3.6	78.6
Dounan Township	11	11	100	45.5	0.0	36.4	18.2	0.0	0.0	0.0	45.5
Huwei Township	22	22	100	63.6	4.5	27.3	0.0	0.0	0.0	4.5	68.2
Siluo Township	16	16	100	62.5	0.0	25.0	0.0	6.3	0.0	6.3	62.5
Tuku Township	10	10	100	50.0	0.0	40.0	0.0	10.0	0.0	0.0	50.0
Beigang Township	19	19	100	78.9	0.0	21.1	0.0	0.0	0.0	0.0	78.9
Gukeng Township	6	6	100	50.0	0.0	33.3	16.7	0.0	0.0	0.0	50.0
Dapi Township	7	7	100	57.1	14.3	14.3	14.3	0.0	0.0	0.0	71.4
Cihtong Township	10	10	100	80.0	0.0	10.0	10.0	0.0	0.0	0.0	80.0
Linnei Township	3	3	100	33.3	0.0	33.3	0.0	0.0	0.0	33.3	33.3
Erlun Township	14	14	100	64.3	14.3	14.3	7.1	0.0	0.0	0.0	78.6
Lunbei Township	12	12	100	75.0	8.3	16.7	0.0	0.0	0.0	0.0	83.3
Mailiao Township	18	18	100	72.2	0.0	16.7	5.6	0.0	0.0	5.6	72.2
Dongshih Township	10	10	100	60.0	10.0	20.0	0.0	0.0	0.0	10.0	70.0
Baojhong Township	6	6	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Taisi Township	9	9	100	44.4	33.3	0.0	11.1	0.0	0.0	11.1	77.8
Yuanchang Township	11	11	100	54.5	27.3	18.2	0.0	0.0	0.0	0.0	81.8
Sihhu Township	11	11	100	72.7	0.0	18.2	9.1	0.0	0.0	0.0	72.7
Kouhu Township	12	12	100	83.3	0.0	0.0	0.0	8.3	0.0	8.3	83.3
Shueilin Township	11	11	100	27.3	18.2	9.1	27.3	0.0	0.0	18.2	45.5

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Kaohsiung County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Kaohsiung County	429	429	100	27.5	35.0	22.1	9.6	1.6	0.0	4.2	62.5
Fongshan City	80	80	100	25.0	41.3	22.5	7.5	0.0	0.0	3.8	66.3
Gangshan Township	34	34	100	8.8	50.0	20.6	14.7	5.9	0.0	0.0	58.8
Cishan Township	19	19	100	63.2	5.3	21.1	5.3	0.0	0.0	5.3	68.4
Meinong Township	22	22	100	18.2	22.7	31.8	18.2	0.0	0.0	9.1	40.9
Linyuan Township	26	26	100	38.5	23.1	30.8	7.7	0.0	0.0	0.0	61.5
Daliao Township	41	41	100	31.7	31.7	17.1	7.3	4.9	0.0	7.3	63.4
Dashu Township	13	13	100	7.7	61.5	23.1	7.7	0.0	0.0	0.0	69.2
Renwu Township	30	30	100	13.3	43.3	20.0	13.3	0.0	0.0	10.0	56.7
Dashe Township	18	18	100	22.2	38.9	11.1	11.1	0.0	0.0	16.7	61.1
Niaosong Township	16	16	100	62.5	18.8	0.0	6.3	6.3	0.0	6.3	81.3
Ciaotou Township	9	9	100	44.4	33.3	22.2	0.0	0.0	0.0	0.0	77.8
Yanchao Township	17	17	100	17.6	41.2	11.8	17.6	5.9	0.0	5.9	58.8
Tianliao Township	4	4	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Alian Township	5	5	100	40.0	40.0	20.0	0.0	0.0	0.0	0.0	80.0
Lujhu Township	15	15	100	13.3	33.3	33.3	13.3	6.7	0.0	0.0	46.7
Hunei Township	9	9	100	55.6	22.2	11.1	11.1	0.0	0.0	0.0	77.8
Jiading Township	13	13	100	46.2	23.1	30.8	0.0	0.0	0.0	0.0	69.2
Yong-an Township	4	4	100	50.0	25.0	25.0	0.0	0.0	0.0	0.0	75.0
Mituo Township	4	4	100	50.0	50.0	0.0	0.0	0.0	0.0	0.0	100.0
Zihguan Township	18	18	100	22.2	38.9	27.8	11.1	0.0	0.0	0.0	61.1
Liouguei Township	5	5	100	0.0	60.0	40.0	0.0	0.0	0.0	0.0	60.0
Jiasian Township	4	4	100	25.0	50.0	25.0	0.0	0.0	0.0	0.0	75.0
Shanlin Township	8	8	100	25.0	37.5	25.0	0.0	0.0	0.0	12.5	62.5
Neimen Township	7	7	100	28.6	14.3	14.3	42.9	0.0	0.0	0.0	42.9
Maolin Township	2	2	100	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0
Taoyuan Township	4	4	100	0.0	50.0	50.0	0.0	0.0	0.0	0.0	50.0
Sanmin Township	2	2	100	0.0	50.0	0.0	50.0	0.0	0.0	0.0	50.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Kaohsiung City, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Kaohsiung City	425	425	100	60.2	8.5	21.4	4.9	1.4	0.0	3.5	68.7
Yancheng District	12	12	100	83.3	0.0	8.3	0.0	0.0	0.0	8.3	83.3
Gushan District	46	46	100	60.9	4.3	26.1	4.3	0.0	0.0	4.3	65.2
Zuoying District	46	46	100	69.6	2.2	15.2	6.5	0.0	0.0	6.5	71.7
Nanzih District	41	41	100	61.0	19.5	9.8	7.3	2.4	0.0	0.0	80.5
Sanmin District	80	80	100	38.8	15.0	32.5	6.3	1.3	0.0	6.3	53.8
Sinsing District	13	13	100	76.9	7.7	15.4	0.0	0.0	0.0	0.0	84.6
Cianjin District	15	15	100	40.0	20.0	40.0	0.0	0.0	0.0	0.0	60.0
Lingya District	55	55	100	63.6	5.5	23.6	1.8	1.8	0.0	3.6	69.1
Cianjhen District	72	72	100	63.9	5.6	19.4	5.6	4.2	0.0	1.4	69.4
Cijin District	5	5	100	60.0	0.0	40.0	0.0	0.0	0.0	0.0	60.0
Siaogang District	40	40	100	75.0	5.0	10.0	7.5	0.0	0.0	2.5	80.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009.. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Pingtung County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Pingtung County	369	369	100	51.8	12.2	21.7	8.7	1.6	0.0	4.1	64.0
Pingtung City	78	78	100	51.3	11.5	24.4	6.4	1.3	0.0	5.1	62.8
Chaozhou Township	19	19	100	68.4	10.5	21.1	0.0	0.0	0.0	0.0	78.9
Donggang Township	11	11	100	72.7	0.0	9.1	18.2	0.0	0.0	0.0	72.7
Hengchun Township	4	4	100	0.0	25.0	50.0	25.0	0.0	0.0	0.0	25.0
Wandan Township	19	19	100	68.4	10.5	15.8	5.3	0.0	0.0	0.0	78.9
Changjih Township	16	16	100	12.5	31.3	37.5	6.3	0.0	0.0	12.5	43.8
Linluo Township	1	1	100	0.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0
Jiouru Township	5	5	100	80.0	0.0	20.0	0.0	0.0	0.0	0.0	80.0
Ligang Township	12	12	100	8.3	25.0	50.0	8.3	0.0	0.0	8.3	33.3
Yanpu Township	13	13	100	46.2	0.0	15.4	15.4	15.4	0.0	7.7	46.2
Gaoshu Township	15	15	100	60.0	13.3	20.0	6.7	0.0	0.0	0.0	73.3
Wanluan Township	17	17	100	52.9	17.6	29.4	0.0	0.0	0.0	0.0	70.6
Neipu Township	52	52	100	50.0	9.6	23.1	9.6	1.9	0.0	5.8	59.6
Jhutian Township	12	12	100	41.7	8.3	8.3	33.3	8.3	0.0	0.0	50.0
Sinpi Township	4	4	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Fangliao Township	11	11	100	36.4	27.3	9.1	18.2	0.0	0.0	9.1	63.6
Sinyuan Township	6	6	100	83.3	0.0	0.0	16.7	0.0	0.0	0.0	83.3
Kanding Township	5	5	100	80.0	0.0	0.0	20.0	0.0	0.0	0.0	80.0
Linbian Township	9	9	100	22.2	22.2	44.4	11.1	0.0	0.0	0.0	44.4
Nanjhou Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Jiadong Township	8	8	100	87.5	12.5	0.0	0.0	0.0	0.0	0.0	100.0
Liouciou Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Checheng Township	5	5	100	80.0	0.0	0.0	0.0	0.0	0.0	20.0	80.0
Manjhou Township	5	5	100	80.0	0.0	20.0	0.0	0.0	0.0	0.0	80.0
Fangshan Township	2	2	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Sandimen Township	5	5	100	20.0	20.0	40.0	20.0	0.0	0.0	0.0	40.0
Wutai Township	1	1	100	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Majia Township	4	4	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Taiwu Township	2	2	100	50.0	0.0	0.0	50.0	0.0	0.0	0.0	50.0
Laiyi Township	10	10	100	20.0	40.0	30.0	10.0	0.0	0.0	0.0	60.0
Chunrih Township	6	6	100	66.7	0.0	0.0	16.7	0.0	0.0	16.7	66.7
Shihzih Township	2	2	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Mudan Township	6	6	100	66.7	0.0	16.7	0.0	16.7	0.0	0.0	66.7

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Penghu County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Penghu County	9	9	100	55.6	11.1	22.2	11.1	0.0	0.0	0.0	66.7
Magong City	5	5	100	60.0	0.0	20.0	20.0	0.0	0.0	0.0	60.0
Husi Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Baisha Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0	0.0	100.0
Siyu Township	1	1	100	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0
Wang-an Township	0	0	--	--	--	--	--	--	--	--	--
Cimei Township	0	0	--	--	--	--	--	--	--	--	--

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Taitung County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Taitung County	102	102	100	30.4	43.1	16.7	7.8	1.0	0.0	1.0	73.5
Taitung City	46	46	100	21.7	47.8	19.6	8.7	2.2	0.0	0.0	69.6
Chenggong Township	7	7	100	14.3	57.1	0.0	14.3	0.0	0.0	14.3	71.4
Guanshan Township	4	4	100	25.0	50.0	25.0	0.0	0.0	0.0	0.0	75.0
Beinan Township	12	12	100	41.7	50.0	0.0	8.3	0.0	0.0	0.0	91.7
Dawu Township	2	2	100	50.0	0.0	50.0	0.0	0.0	0.0	0.0	50.0
Taimali Township	4	4	100	25.0	50.0	25.0	0.0	0.0	0.0	0.0	75.0
Donghe Township	3	3	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Changbin Township	3	3	100	33.3	0.0	33.3	33.3	0.0	0.0	0.0	33.3
Luye Township	2	2	100	50.0	50.0	0.0	0.0	0.0	0.0	0.0	100.0
Chihshang Township	4	4	100	0.0	50.0	25.0	25.0	0.0	0.0	0.0	50.0
Lyudao Township	0	0	--	--	--	--	--	--	--	--	--
Yanping Township	10	10	100	60.0	20.0	20.0	0.0	0.0	0.0	0.0	80.0
Haiduan Township	4	4	100	0.0	75.0	25.0	0.0	0.0	0.0	0.0	75.0
Daren Township	0	0	--	--	--	--	--	--	--	--	--
Jinfong Township	0	0	--	--	--	--	--	--	--	--	--
Lanyu Township	1	1	100	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

Treatment outcomes for new smear-positive cases, Hualien County, 2008 cohort

	Notified ^a	Regst'd	Regst'd (%)	Treatment Outcomes (%) ^b							Treatment Success (%)
				Cured	Completed Treatment	Died	Failed	Defaulted	Transferred	Not Eval'd	
Hualien County	177	177	100	46.9	18.6	20.3	11.3	0.0	0.0	2.8	65.5
Hualien City	34	34	100	35.3	32.4	23.5	5.9	0.0	0.0	2.9	67.6
Fonglin Township	5	5	100	20.0	0.0	20.0	40.0	0.0	0.0	20.0	20.0
Yuli Township	18	18	100	44.4	38.9	16.7	0.0	0.0	0.0	0.0	83.3
Sincheng Township	13	13	100	46.2	23.1	15.4	15.4	0.0	0.0	0.0	69.2
Ji-an Township	30	30	100	56.7	10.0	26.7	6.7	0.0	0.0	0.0	66.7
Shoufong Township	11	11	100	63.6	0.0	18.2	18.2	0.0	0.0	0.0	63.6
Guangfu Township	7	7	100	28.6	42.9	28.6	0.0	0.0	0.0	0.0	71.4
Fongbin Township	3	3	100	0.0	0.0	66.7	33.3	0.0	0.0	0.0	0.0
Rueisuei Township	6	6	100	83.3	0.0	16.7	0.0	0.0	0.0	0.0	83.3
Fuli Township	2	2	100	50.0	0.0	0.0	50.0	0.0	0.0	0.0	50.0
Sioulin Township	29	29	100	51.7	13.8	10.3	13.8	0.0	0.0	10.3	65.5
Wanrong Township	8	8	100	50.0	25.0	12.5	12.5	0.0	0.0	0.0	75.0
Jhuosi Township	11	11	100	45.5	0.0	27.3	27.3	0.0	0.0	0.0	45.5

a: A patient in whom tuberculosis has been confirmed by bacteriology or diagnosed by clinician that meet the definition of tuberculosis cases in line with WHO.

b: TB patients diagnosed during 2008 and treated/followed-up through 2009. (12 months)

Regst'd: Verified patients registry to National Tuberculosis Registration System preserved by CDC.

Not Eval'd: Not evaluated; Patients still on treatment at 12 month follow-up and did not meet any other outcome.

■ Estimated TB Burden

2005 - 16472

2008 - 14265

2009 - 13336



Estimated TB burden, by countries, 2008

	Population (thousands)	Incidence ^a				Prevalence		Mortality		HIV prevalence in incident TB cases (%)
		All forms		Smear-positive		All forms		All forms		
		Number	Per 100 000 pop per year	Number	Per 100 000 pop per year	Number	Per 100 000 pop per year	Number	Per 100 000 pop per year	
Taiwan	22 998	19 376	84	7 450	32	11 268	49	762	3.3	0.7
USA	311 666	15 000	4.8	550	1.7	7 900	2.5	840	<1	10.0
Canada	33 259	1 700	5	560	1.7	2 700	2.7	92	<1	12.4
United Kingdom	61 231	7 600	12	1 500	2.4	2 800	4.5	440	<1	3.8
Japan	127 293	28 000	22	10 000	8.1	16 000	12	1 800	1.4	0.5
Rep. Korea	48 152	42 000	88	13 000	26	24 000	50	2 700	5.5	0.5
Hong Kong	6 982	6 400	91	1 700	24	4 000	58	410	5.8	0.5
Singapore	4 615	1 800	39	600	13	1 300	27	110	2.5	2.5
Malaysia	27 014	28 000	100	14 000	51	34 000	120	4 000	15.0	12.1
Australia	21 074	1 400	6.6	340	1.6	940	4.5	89	<1	2.4
Thailand	67 386	92 000	140	45 000	66	110 000	160	13 000	19.0	17.4
Viet Nam	87 096	170 000	200	8 600	99	240 000	280	30 000	34.0	3.9
Russian Federation	141 394	150 000	110	4 600	33	9 800	69	2 100	15.0	6.0
Philippines	90 348	260 000	280	130 000	140	490 000	550	47 000	52.0	0.3
Indonesia	2 273 451	430 000	190	210 000	92	480 000	210	62 000	27.0	2.8
China	1 337 411	1 300 000	97	640 000	48	1 200 000	88	160 000	12.0	1.7
India	1 181 412	2 000 000	170	890 000	75	2 200 000	190	280 000	23.0	6.5
AFR	804 865	2 800 000	350	1 300 000	160	3 900 000	480	410 000	51.0	39.3
AMR	919 896	280 000	31	160 000	17	230 000	25	31 000	3.0	13.6
EMR	584 355	650 000	110	280 000	49	870 000	150	110 000	19.0	2.2
EUR	889 170	430 000	48	130 000	15	350 000	39	58 000	7.0	5.6
SEAR	1 760 486	3 200 000	180	1 500 000	84	3 900 000	220	490 000	28.0	5.6
WPR	1 788 177	1 900 000	110	950 000	53	2 000 000	110	270 000	15.0	2.4
Global	6746948	9 400 000	140	4 300 000	64	11 000 000	170	1 400 000	21.0	14.9

Note: 1.^a All estimates include TB/HIV co-infected cases.

2. International country profiles quotes from the WHO Report 2009.

Estimated TB burden, Taiwan, 2008

	Population	Incidence ^a				Prevalence		Mortality		HIV prevalence in incident TB cases (%)
		All forms		Smear-positive		All forms		All forms		
		Number	Per 100 000 pop per year	Number	Per 100 000 pop per year	Number	Per 100 000 pop per year	Number	Per 100 000 pop per year	
Taiwan	22 997 696	19 376	84	7 450	32	11 268	49	762	3.3	0.7
Taipei Area	7 385 215	5 222	71	2 030	27	3 046	41	185	2.5	0.7
Yilan County	460 650	498	108	167	36	291	63	18	3.9	0.3
Keelung City	389 688	498	128	220	56	290	74	13	3.3	0.4
Taipei City	2 626 096	1 806	69	641	24	1 054	40	69	2.6	0.8
Taipei County	3 815 872	2 376	62	1 003	26	1 386	36	83	2.2	0.8
Kinmen County	83 058	50	60	11	13	29	35	2	2.4	0.0
Lienchiang County	9 851	0	0	0	0	0	0	0	0.0	0.0
Northern Area	3 408 857	2 559	75	861	25	1 492	44	94	2.8	0.7
Taoyuan County	1 946 827	1 188	61	411	21	693	36	43	2.2	0.7
Hsinchu County	499 547	479	96	124	25	279	56	22	4.4	0.0
Hsinchu City	402 203	313	78	90	22	182	45	14	3.5	1.5
Miaoli County	560 280	544	97	656	117	317	57	15	2.7	1.2
Central Area	4 461 813	3 611	81	1 289	29	2 106	47	151	3.4	0.9
Taichung County	1 554 420	1 505	97	411	26	878	56	45	2.9	0.6
Taichung City	1 061 013	672	63	419	39	392	37	25	2.4	2.7
Changhua County	1 313 645	1 099	84	413	31	641	49	57	4.3	0.4
Nantou County	532 735	484	91	202	38	282	53	24	4.5	0.3
Southern Area	3 419 678	3 687	108	1 530	45	2 151	63	111	3.2	0.3
Tainan County	1 104 978	1 278	116	505	46	746	67	35	3.2	0.4
Tainan City	766 555	538	70	201	26	314	41	16	2.1	0.6
Chiayi County	550 038	583	106	441	80	340	62	21	3.8	0.0
Chiayi City	273 434	363	133	216	79	211	77	5	1.8	0.7
Yunlin County	724 673	988	136	344	48	576	80	34	4.7	0.2
Kao-Ping Area	3 747 011	3 837	102	1 538	41	2 238	60	185	4.9	0.6
Kaohsiung County	1 243 862	1 459	117	491	39	851	68	66	5.3	0.7
Kaohsiung City	1 523 099	1 147	75	493	32	669	44	50	3.3	0.6
Pingtung County	887 201	1 156	130	519	58	674	76	68	7.7	0.5
Penghu County	92 849	0	0	0	0	0	0	1	1.1	0.0
Eastern Area	575 122	689	120	335	58	402	70	36	6.3	0.2
Taitung County	232 754	233	100	115	49	136	58	12	5.2	0.0
Hualien County	342 368	455	133	221	65	265	77	24	7.0	0.3

Note: ^a All estimates include TB/HIV co-infected cases.

■ Country Profiles

2005 - 16472

2008 - 14265

2009 - 13336

Taiwan

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	22 997 696
	All forms of TB (new cases per year)	19 376
	All forms of TB (new cases per 100 000 pop/yr)	84
	Rate of change in incidence rate (%), 2007-2008	-1.8
	New ss+ cases (new ceases per year)	7 450
	New ss+ cases (per 100 000 pop/yr)	32
	HIV+ incident TB cases (% of all TB cases)	0.7
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.5
	Prevalence burden	All forms of TB (cases per year)
All forms of TB (cases per 100 000 pop/yr)		49
Mortality	All forms of TB (cases per year)	762
	All forms of TB (cases per 100 000 pop/yr)	3.3
Multidrug-resistant TB	MDR-TB among all new TB cases (%)	1.0
	MDR-TB among previously treated TB cases (%)	6.3
Total notifications, 2008		
	Notified new and relapse cases (cases)	14 845
	Notified new and relapse cases (per 100 000 pop/yr)	65
	Notified new ss+ cases (cases)	5 559
	Notified new ss+ cases (per 100 000 pop/yr)	24.2
	as % of new pulmonary cases	41
	sex ratio (male/female)	2.3
	DOTS case detection rate (% of estimated new ss+)	75
	Notified new extrapulmonary cases (cases)	641
	as % of notified new cases	4.5
	Notified new ss+ cases in children (<15yr) (cases)	117
	as % of notified new ss+ cases	0.8
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	65
	Notification rate (new cases/100 000 pop)	62
	Notification rate (new ss+ cases/100 000 pop)	24
	Case detection rate (all new cases, %)	74
	Case detection rate (new ss+ cases, %)	75
	Treatment success (new ss+ patients, 2007 cohort, %)	67
	Treatment success (new ss+ patients, 2008 cohort, %)	67

Yilan County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	460 650
	All forms of TB (new cases per year)	498
	All forms of TB (new cases per 100 000 pop/yr)	108
	Rate of change in incidence rate (%), 2007-2008	2.5
	New ss+ cases (new ceases per year)	167
	New ss+ cases (per 100 000 pop/yr)	36
	HIV+ incident TB cases (% of all TB cases)	0.3
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.3
Prevalence burden	All forms of TB (cases per year)	291
	All forms of TB (cases per 100 000 pop/yr)	63
Mortality	All forms of TB (cases per year)	18
	All forms of TB (cases per 100 000 pop/yr)	3.9
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.8
	MDR-TB among previously treated TB cases (%)	0.0
Total notifications, 2008		
	Notified new and relapse cases (cases)	380
	Notified new and relapse cases (per 100 000 pop/yr)	82
	Notified new ss+ cases (cases)	125
	Notified new ss+ cases (per 100 000 pop/yr)	27.1
	as % of new pulmonary cases	36
	sex ratio (male/female)	2.9
	DOTS case detection rate (% of estimated new ss+)	75
	Notified new extrapulmonary cases (cases)	12
	as % of notified new cases	3.3
	Notified new ss+ cases in children (<15yr) (cases)	6
	as % of notified new ss+ cases	1.7
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	82
	Notification rate (new cases/100 000 pop)	78
	Notification rate (new ss+ cases/100 000 pop)	27
	Case detection rate (all new cases, %)	72
	Case detection rate (new ss+ cases, %)	75
	Treatment success (new ss+ patients, 2007 cohort, %)	63
	Treatment success (new ss+ patients, 2008 cohort, %)	70

Keelung City

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	389 688
	All forms of TB (new cases per year)	498
	All forms of TB (new cases per 100 000 pop/yr)	128
	Rate of change in incidence rate (%), 2007-2008	-7.1
	New ss+ cases (new ceases per year)	220
	New ss+ cases (per 100 000 pop/yr)	56
	HIV+ incident TB cases (% of all TB cases)	0.4
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.0
Prevalence burden	All forms of TB (cases per year)	290
	All forms of TB (cases per 100 000 pop/yr)	74
Mortality	All forms of TB (cases per year)	13
	All forms of TB (cases per 100 000 pop/yr)	3.3
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.1
	MDR-TB among previously treated TB cases (%)	0.0
Total notifications, 2008		
	Notified new and relapse cases (cases)	279
	Notified new and relapse cases (per 100 000 pop/yr)	72
	Notified new ss+ cases (cases)	122
	Notified new ss+ cases (per 100 000 pop/yr)	31.3
	as % of new pulmonary cases	47
	sex ratio (male/female)	2.1
	DOTS case detection rate (% of estimated new ss+)	55
	Notified new extrapulmonary cases (cases)	9
	as % of notified new cases	3.4
	Notified new ss+ cases in children (<15yr) (cases)	4
	as % of notified new ss+ cases	1.5
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	72
	Notification rate (new cases/100 000 pop)	69
	Notification rate (new ss+ cases/100 000 pop)	31
	Case detection rate (all new cases, %)	54
	Case detection rate (new ss+ cases, %)	56
	Treatment success (new ss+ patients, 2007 cohort, %)	64
	Treatment success (new ss+ patients, 2008 cohort, %)	75

Taipei City

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	2 626 096
	All forms of TB (new cases per year)	1 806
	All forms of TB (new cases per 100 000 pop/yr)	69
	Rate of change in incidence rate (%), 2007-2008	-7.8
	New ss+ cases (new ceases per year)	641
	New ss+ cases (per 100 000 pop/yr)	24
	HIV+ incident TB cases (% of all TB cases)	0.8
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.8
Prevalence burden	All forms of TB (cases per year)	1 054
	All forms of TB (cases per 100 000 pop/yr)	40
Mortality	All forms of TB (cases per year)	69
	All forms of TB (cases per 100 000 pop/yr)	2.6
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.5
	MDR-TB among previously treated TB cases (%)	11.5
Total notifications, 2008		
	Notified new and relapse cases (cases)	1 210
	Notified new and relapse cases (per 100 000 pop/yr)	46
	Notified new ss+ cases (cases)	445
	Notified new ss+ cases (per 100 000 pop/yr)	16.9
	as % of new pulmonary cases	40
	sex ratio (male/female)	1.9
	DOTS case detection rate (% of estimated new ss+)	69
	Notified new extrapulmonary cases (cases)	57
	as % of notified new cases	4.8
	Notified new ss+ cases in children (<15yr) (cases)	6
	as % of notified new ss+ cases	0.5
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	46
	Notification rate (new cases/100 000 pop)	45
	Notification rate (new ss+ cases/100 000 pop)	17
	Case detection rate (all new cases, %)	65
	Case detection rate (new ss+ cases, %)	69
	Treatment success (new ss+ patients, 2007 cohort, %)	64
	Treatment success (new ss+ patients, 2008 cohort, %)	65

Taipei County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	3 815 872
	All forms of TB (new cases per year)	2 376
	All forms of TB (new cases per 100 000 pop/yr)	62
	Rate of change in incidence rate (%), 2007-2008	-6.8
	New ss+ cases (new ceases per year)	1 003
	New ss+ cases (per 100 000 pop/yr)	26
	HIV+ incident TB cases (% of all TB cases)	0.8
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.7
Prevalence burden	All forms of TB (cases per year)	1 386
	All forms of TB (cases per 100 000 pop/yr)	36
Mortality	All forms of TB (cases per year)	83
	All forms of TB (cases per 100 000 pop/yr)	2.2
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.6
	MDR-TB among previously treated TB cases (%)	6.1
Total notifications, 2008		
	Notified new and relapse cases (cases)	2 232
	Notified new and relapse cases (per 100 000 pop/yr)	58
	Notified new ss+ cases (cases)	831
	Notified new ss+ cases (per 100 000 pop/yr)	21.8
	as % of new pulmonary cases	40
	sex ratio (male/female)	2.2
	DOTS case detection rate (% of estimated new ss+)	84
	Notified new extrapulmonary cases (cases)	94
	as % of notified new cases	4.4
	Notified new ss+ cases in children (<15yr) (cases)	25
	as % of notified new ss+ cases	1.2
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	58
	Notification rate (new cases/100 000 pop)	56
	Notification rate (new ss+ cases/100 000 pop)	22
	Case detection rate (all new cases, %)	90
	Case detection rate (new ss+ cases, %)	83
	Treatment success (new ss+ patients, 2007 cohort, %)	65
	Treatment success (new ss+ patients, 2008 cohort, %)	66

Kinmen County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	83 058
	All forms of TB (new cases per year)	50
	All forms of TB (new cases per 100 000 pop/yr)	60
	Rate of change in incidence rate (%), 2007-2008	-8.5
	New ss+ cases (new ceases per year)	11
	New ss+ cases (per 100 000 pop/yr)	13
	HIV+ incident TB cases (% of all TB cases)	0.0
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.0
Prevalence burden	All forms of TB (cases per year)	29
	All forms of TB (cases per 100 000 pop/yr)	35
Mortality	All forms of TB (cases per year)	2
	All forms of TB (cases per 100 000 pop/yr)	2.4
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.0
	MDR-TB among previously treated TB cases (%)	0.0
Total notifications, 2008		
	Notified new and relapse cases (cases)	25
	Notified new and relapse cases (per 100 000 pop/yr)	30
	Notified new ss+ cases (cases)	11
	Notified new ss+ cases (per 100 000 pop/yr)	13.2
	as % of new pulmonary cases	46
	sex ratio (male/female)	3.0
	DOTS case detection rate (% of estimated new ss+)	105
	Notified new extrapulmonary cases (cases)	1
	as % of notified new cases	4.0
	Notified new ss+ cases in children (<15yr) (cases)	0
	as % of notified new ss+ cases	0.0
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	30
	Notification rate (new cases/100 000 pop)	30
	Notification rate (new ss+ cases/100 000 pop)	13
	Case detection rate (all new cases, %)	50
	Case detection rate (new ss+ cases, %)	100
	Treatment success (new ss+ patients, 2007 cohort, %)	83
	Treatment success (new ss+ patients, 2008 cohort, %)	73

Lienchiang County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	9 851
	All forms of TB (new cases per year)	0
	All forms of TB (new cases per 100 000 pop/yr)	0
	Rate of change in incidence rate (%), 2007-2008	-33.2
	New ss+ cases (new ceases per year)	0
	New ss+ cases (per 100 000 pop/yr)	0
	HIV+ incident TB cases (% of all TB cases)	0.0
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.0
Prevalence burden	All forms of TB (cases per year)	0
	All forms of TB (cases per 100 000 pop/yr)	0
Mortality	All forms of TB (cases per year)	0
	All forms of TB (cases per 100 000 pop/yr)	0.0
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.0
	MDR-TB among previously treated TB cases (%)	0.0
Total notifications, 2008		
	Notified new and relapse cases (cases)	2
	Notified new and relapse cases (per 100 000 pop/yr)	20
	Notified new ss+ cases (cases)	0
	Notified new ss+ cases (per 100 000 pop/yr)	0.0
	as % of new pulmonary cases	0
	sex ratio (male/female)	-
	DOTS case detection rate (% of estimated new ss+)	0
	Notified new extrapulmonary cases (cases)	0
	as % of notified new cases	0.0
	Notified new ss+ cases in children (<15yr) (cases)	0
	as % of notified new ss+ cases	0.0
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	20
	Notification rate (new cases/100 000 pop)	20
	Notification rate (new ss+ cases/100 000 pop)	0
	Case detection rate (all new cases, %)	--
	Case detection rate (new ss+ cases, %)	--
	Treatment success (new ss+ patients, 2007 cohort, %)	--
	Treatment success (new ss+ patients, 2008 cohort, %)	--

Taoyuan County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	1 946 827
	All forms of TB (new cases per year)	1 188
	All forms of TB (new cases per 100 000 pop/yr)	61
	Rate of change in incidence rate (%), 2007-2008	-4.2
	New ss+ cases (new ceases per year)	411
	New ss+ cases (per 100 000 pop/yr)	21
	HIV+ incident TB cases (% of all TB cases)	0.7
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.7
Prevalence burden	All forms of TB (cases per year)	693
	All forms of TB (cases per 100 000 pop/yr)	36
Mortality	All forms of TB (cases per year)	43
	All forms of TB (cases per 100 000 pop/yr)	2.2
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.3
	MDR-TB among previously treated TB cases (%)	5.8
Total notifications, 2008		
	Notified new and relapse cases (cases)	1 061
	Notified new and relapse cases (per 100 000 pop/yr)	54
	Notified new ss+ cases (cases)	395
	Notified new ss+ cases (per 100 000 pop/yr)	20.3
	as % of new pulmonary cases	40
	sex ratio (male/female)	2.6
	DOTS case detection rate (% of estimated new ss+)	97
	Notified new extrapulmonary cases (cases)	45
	as % of notified new cases	4.4
	Notified new ss+ cases in children (<15yr) (cases)	18
	as % of notified new ss+ cases	1.8
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	54
	Notification rate (new cases/100 000 pop)	52
	Notification rate (new ss+ cases/100 000 pop)	20
	Case detection rate (all new cases, %)	86
	Case detection rate (new ss+ cases, %)	96
	Treatment success (new ss+ patients, 2007 cohort, %)	68
	Treatment success (new ss+ patients, 2008 cohort, %)	69

Hsinchu County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	499 547
	All forms of TB (new cases per year)	479
	All forms of TB (new cases per 100 000 pop/yr)	96
	Rate of change in incidence rate (%), 2007-2008	-18.9
	New ss+ cases (new ceases per year)	124
	New ss+ cases (per 100 000 pop/yr)	25
	HIV+ incident TB cases (% of all TB cases)	0.0
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.0
Prevalence burden	All forms of TB (cases per year)	279
	All forms of TB (cases per 100 000 pop/yr)	56
Mortality	All forms of TB (cases per year)	22
	All forms of TB (cases per 100 000 pop/yr)	4.4
Multidrug-resistant T	MDR-TB among all new TB cases (%)	3.4
	MDR-TB among previously treated TB cases (%)	0.0
Total notifications, 2008		
	Notified new and relapse cases (cases)	200
	Notified new and relapse cases (per 100 000 pop/yr)	40
	Notified new ss+ cases (cases)	69
	Notified new ss+ cases (per 100 000 pop/yr)	13.8
	as % of new pulmonary cases	37
	sex ratio (male/female)	2.7
	DOTS case detection rate (% of estimated new ss+)	56
	Notified new extrapulmonary cases (cases)	9
	as % of notified new cases	4.6
	Notified new ss+ cases in children (<15yr) (cases)	0
	as % of notified new ss+ cases	0.0
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	40
	Notification rate (new cases/100 000 pop)	39
	Notification rate (new ss+ cases/100 000 pop)	14
	Case detection rate (all new cases, %)	41
	Case detection rate (new ss+ cases, %)	56
	Treatment success (new ss+ patients, 2007 cohort, %)	68
	Treatment success (new ss+ patients, 2008 cohort, %)	65

Hsinchu City

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	402 203
	All forms of TB (new cases per year)	313
	All forms of TB (new cases per 100 000 pop/yr)	78
	Rate of change in incidence rate (%), 2007-2008	-26.9
	New ss+ cases (new ceases per year)	90
	New ss+ cases (per 100 000 pop/yr)	22
	HIV+ incident TB cases (% of all TB cases)	1.5
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	1.5
Prevalence burden	All forms of TB (cases per year)	182
	All forms of TB (cases per 100 000 pop/yr)	45
Mortality	All forms of TB (cases per year)	14
	All forms of TB (cases per 100 000 pop/yr)	3.5
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.0
	MDR-TB among previously treated TB cases (%)	16.7
Total notifications, 2008		
	Notified new and relapse cases (cases)	141
	Notified new and relapse cases (per 100 000 pop/yr)	35
	Notified new ss+ cases (cases)	45
	Notified new ss+ cases (per 100 000 pop/yr)	11.2
	as % of new pulmonary cases	36
	sex ratio (male/female)	1.8
	DOTS case detection rate (% of estimated new ss+)	51
	Notified new extrapulmonary cases (cases)	9
	as % of notified new cases	6.7
	Notified new ss+ cases in children (<15yr) (cases)	0
	as % of notified new ss+ cases	0.0
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	35
	Notification rate (new cases/100 000 pop)	33
	Notification rate (new ss+ cases/100 000 pop)	11
	Case detection rate (all new cases, %)	43
	Case detection rate (new ss+ cases, %)	50
	Treatment success (new ss+ patients, 2007 cohort, %)	70
	Treatment success (new ss+ patients, 2008 cohort, %)	67

Miaoli City

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	560 280
	All forms of TB (new cases per year)	544
	All forms of TB (new cases per 100 000 pop/yr)	97
	Rate of change in incidence rate (%), 2007-2008	12.8
	New ss+ cases (new ceases per year)	656
	New ss+ cases (per 100 000 pop/yr)	117
	HIV+ incident TB cases (% of all TB cases)	1.2
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	1.2
Prevalence burden	All forms of TB (cases per year)	317
	All forms of TB (cases per 100 000 pop/yr)	57
Mortality	All forms of TB (cases per year)	15
	All forms of TB (cases per 100 000 pop/yr)	2.7
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.5
	MDR-TB among previously treated TB cases (%)	11.1
Total notifications, 2008		
	Notified new and relapse cases (cases)	268
	Notified new and relapse cases (per 100 000 pop/yr)	48
	Notified new ss+ cases (cases)	82
	Notified new ss+ cases (per 100 000 pop/yr)	14.6
	as % of new pulmonary cases	33
	sex ratio (male/female)	4.1
	DOTS case detection rate (% of estimated new ss+)	13
	Notified new extrapulmonary cases (cases)	9
	as % of notified new cases	3.5
	Notified new ss+ cases in children (<15yr) (cases)	1
	as % of notified new ss+ cases	0.4
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	48
	Notification rate (new cases/100 000 pop)	45
	Notification rate (new ss+ cases/100 000 pop)	15
	Case detection rate (all new cases, %)	47
	Case detection rate (new ss+ cases, %)	13
	Treatment success (new ss+ patients, 2007 cohort, %)	71
	Treatment success (new ss+ patients, 2008 cohort, %)	68

Taichuang County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	1 554 420
	All forms of TB (new cases per year)	1 505
	All forms of TB (new cases per 100 000 pop/yr)	97
	Rate of change in incidence rate (%), 2007-2008	2.3
	New ss+ cases (new ceases per year)	411
	New ss+ cases (per 100 000 pop/yr)	26
	HIV+ incident TB cases (% of all TB cases)	0.6
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.2
Prevalence burden	All forms of TB (cases per year)	878
	All forms of TB (cases per 100 000 pop/yr)	56
Mortality	All forms of TB (cases per year)	45
	All forms of TB (cases per 100 000 pop/yr)	2.9
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.5
	MDR-TB among previously treated TB cases (%)	3.8
Total notifications, 2008		
	Notified new and relapse cases (cases)	863
	Notified new and relapse cases (per 100 000 pop/yr)	56
	Notified new ss+ cases (cases)	251
	Notified new ss+ cases (per 100 000 pop/yr)	16.1
	as % of new pulmonary cases	31
	sex ratio (male/female)	2.2
	DOTS case detection rate (% of estimated new ss+)	61
	Notified new extrapulmonary cases (cases)	30
	as % of notified new cases	3.6
	Notified new ss+ cases in children (<15yr) (cases)	7
	as % of notified new ss+ cases	0.8
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	56
	Notification rate (new cases/100 000 pop)	54
	Notification rate (new ss+ cases/100 000 pop)	16
	Case detection rate (all new cases, %)	56
	Case detection rate (new ss+ cases, %)	61
	Treatment success (new ss+ patients, 2007 cohort, %)	71
	Treatment success (new ss+ patients, 2008 cohort, %)	64

Taichuang City

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	1 061 013
	All forms of TB (new cases per year)	672
	All forms of TB (new cases per 100 000 pop/yr)	63
	Rate of change in incidence rate (%), 2007-2008	7.3
	New ss+ cases (new ceases per year)	419
	New ss+ cases (per 100 000 pop/yr)	39
	HIV+ incident TB cases (% of all TB cases)	2.7
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	2.0
Prevalence burden	All forms of TB (cases per year)	392
	All forms of TB (cases per 100 000 pop/yr)	37
Mortality	All forms of TB (cases per year)	25
	All forms of TB (cases per 100 000 pop/yr)	2.4
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.5
	MDR-TB among previously treated TB cases (%)	6.5
Total notifications, 2008		
	Notified new and relapse cases (cases)	612
	Notified new and relapse cases (per 100 000 pop/yr)	58
	Notified new ss+ cases (cases)	186
	Notified new ss+ cases (per 100 000 pop/yr)	17.5
	as % of new pulmonary cases	33
	sex ratio (male/female)	2.2
	DOTS case detection rate (% of estimated new ss+)	45
	Notified new extrapulmonary cases (cases)	26
	as % of notified new cases	4.4
	Notified new ss+ cases in children (<15yr) (cases)	1
	as % of notified new ss+ cases	0.2
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	58
	Notification rate (new cases/100 000 pop)	56
	Notification rate (new ss+ cases/100 000 pop)	18
	Case detection rate (all new cases, %)	88
	Case detection rate (new ss+ cases, %)	44
	Treatment success (new ss+ patients, 2007 cohort, %)	67
	Treatment success (new ss+ patients, 2008 cohort, %)	73

Changhua County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	1 313 645
	All forms of TB (new cases per year)	1 099
	All forms of TB (new cases per 100 000 pop/yr)	84
	Rate of change in incidence rate (%), 2007-2008	3.9
	New ss+ cases (new ceases per year)	413
	New ss+ cases (per 100 000 pop/yr)	31
	HIV+ incident TB cases (% of all TB cases)	0.4
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.4
Prevalence burden	All forms of TB (cases per year)	641
	All forms of TB (cases per 100 000 pop/yr)	49
Mortality	All forms of TB (cases per year)	57
	All forms of TB (cases per 100 000 pop/yr)	4.3
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.1
	MDR-TB among previously treated TB cases (%)	12.0
Total notifications, 2008		
	Notified new and relapse cases (cases)	1 002
	Notified new and relapse cases (per 100 000 pop/yr)	76
	Notified new ss+ cases (cases)	413
	Notified new ss+ cases (per 100 000 pop/yr)	31.4
	as % of new pulmonary cases	44
	sex ratio (male/female)	2.3
	DOTS case detection rate (% of estimated new ss+)	100
	Notified new extrapulmonary cases (cases)	22
	as % of notified new cases	2.3
	Notified new ss+ cases in children (<15yr) (cases)	4
	as % of notified new ss+ cases	0.4
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	76
	Notification rate (new cases/100 000 pop)	73
	Notification rate (new ss+ cases/100 000 pop)	31
	Case detection rate (all new cases, %)	88
	Case detection rate (new ss+ cases, %)	100
	Treatment success (new ss+ patients, 2007 cohort, %)	66
	Treatment success (new ss+ patients, 2008 cohort, %)	60

Nantou County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	532 735
	All forms of TB (new cases per year)	484
	All forms of TB (new cases per 100 000 pop/yr)	91
	Rate of change in incidence rate (%), 2007-2008	-8.7
	New ss+ cases (new ceases per year)	202
	New ss+ cases (per 100 000 pop/yr)	38
	HIV+ incident TB cases (% of all TB cases)	0.3
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.3
Prevalence burden	All forms of TB (cases per year)	282
	All forms of TB (cases per 100 000 pop/yr)	53
Mortality	All forms of TB (cases per year)	24
	All forms of TB (cases per 100 000 pop/yr)	4.5
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.0
	MDR-TB among previously treated TB cases (%)	8.6
Total notifications, 2008		
	Notified new and relapse cases (cases)	411
	Notified new and relapse cases (per 100 000 pop/yr)	77
	Notified new ss+ cases (cases)	144
	Notified new ss+ cases (per 100 000 pop/yr)	27.0
	as % of new pulmonary cases	39
	sex ratio (male/female)	2.5
	DOTS case detection rate (% of estimated new ss+)	71
	Notified new extrapulmonary cases (cases)	14
	as % of notified new cases	3.7
	Notified new ss+ cases in children (<15yr) (cases)	1
	as % of notified new ss+ cases	0.3
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	77
	Notification rate (new cases/100 000 pop)	72
	Notification rate (new ss+ cases/100 000 pop)	27
	Case detection rate (all new cases, %)	79
	Case detection rate (new ss+ cases, %)	71
	Treatment success (new ss+ patients, 2007 cohort, %)	66
	Treatment success (new ss+ patients, 2008 cohort, %)	65

Tainan County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	1 104 978
	All forms of TB (new cases per year)	1 278
	All forms of TB (new cases per 100 000 pop/yr)	116
	Rate of change in incidence rate (%), 2007-2008	2.4
	New ss+ cases (new ceases per year)	505
	New ss+ cases (per 100 000 pop/yr)	46
	HIV+ incident TB cases (% of all TB cases)	0.4
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.4
Prevalence burden	All forms of TB (cases per year)	746
	All forms of TB (cases per 100 000 pop/yr)	67
Mortality	All forms of TB (cases per year)	35
	All forms of TB (cases per 100 000 pop/yr)	3.2
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.1
	MDR-TB among previously treated TB cases (%)	5.4
Total notifications, 2008		
	Notified new and relapse cases (cases)	792
	Notified new and relapse cases (per 100 000 pop/yr)	72
	Notified new ss+ cases (cases)	297
	Notified new ss+ cases (per 100 000 pop/yr)	26.9
	as % of new pulmonary cases	40
	sex ratio (male/female)	2.6
	DOTS case detection rate (% of estimated new ss+)	59
	Notified new extrapulmonary cases (cases)	30
	as % of notified new cases	3.9
	Notified new ss+ cases in children (<15yr) (cases)	6
	as % of notified new ss+ cases	0.8
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	72
	Notification rate (new cases/100 000 pop)	69
	Notification rate (new ss+ cases/100 000 pop)	27
	Case detection rate (all new cases, %)	60
	Case detection rate (new ss+ cases, %)	59
	Treatment success (new ss+ patients, 2007 cohort, %)	65
	Treatment success (new ss+ patients, 2008 cohort, %)	67

Tainan City

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	766 555
	All forms of TB (new cases per year)	538
	All forms of TB (new cases per 100 000 pop/yr)	70
	Rate of change in incidence rate (%), 2007-2008	22.9
	New ss+ cases (new ceases per year)	201
	New ss+ cases (per 100 000 pop/yr)	26
	HIV+ incident TB cases (% of all TB cases)	0.6
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.4
Prevalence burden	All forms of TB (cases per year)	314
	All forms of TB (cases per 100 000 pop/yr)	41
Mortality	All forms of TB (cases per year)	16
	All forms of TB (cases per 100 000 pop/yr)	2.1
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.3
	MDR-TB among previously treated TB cases (%)	4.8
Total notifications, 2008		
	Notified new and relapse cases (cases)	488
	Notified new and relapse cases (per 100 000 pop/yr)	64
	Notified new ss+ cases (cases)	179
	Notified new ss+ cases (per 100 000 pop/yr)	23.4
	as % of new pulmonary cases	40
	sex ratio (male/female)	2.5
	DOTS case detection rate (% of estimated new ss+)	89
	Notified new extrapulmonary cases (cases)	18
	as % of notified new cases	3.8
	Notified new ss+ cases in children (<15yr) (cases)	0
	as % of notified new ss+ cases	0.0
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	64
	Notification rate (new cases/100 000 pop)	61
	Notification rate (new ss+ cases/100 000 pop)	23
	Case detection rate (all new cases, %)	88
	Case detection rate (new ss+ cases, %)	89
	Treatment success (new ss+ patients, 2007 cohort, %)	67
	Treatment success (new ss+ patients, 2008 cohort, %)	69

Chiayi County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	550 038
	All forms of TB (new cases per year)	583
	All forms of TB (new cases per 100 000 pop/yr)	106
	Rate of change in incidence rate (%), 2007-2008	-1.2
	New ss+ cases (new ceases per year)	441
	New ss+ cases (per 100 000 pop/yr)	80
	HIV+ incident TB cases (% of all TB cases)	0.0
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.0
Prevalence burden	All forms of TB (cases per year)	340
	All forms of TB (cases per 100 000 pop/yr)	62
Mortality	All forms of TB (cases per year)	21
	All forms of TB (cases per 100 000 pop/yr)	3.8
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.1
	MDR-TB among previously treated TB cases (%)	12.0
Total notifications, 2008		
	Notified new and relapse cases (cases)	368
	Notified new and relapse cases (per 100 000 pop/yr)	67
	Notified new ss+ cases (cases)	147
	Notified new ss+ cases (per 100 000 pop/yr)	26.7
	as % of new pulmonary cases	43
	sex ratio (male/female)	3.9
	DOTS case detection rate (% of estimated new ss+)	33
	Notified new extrapulmonary cases (cases)	16
	as % of notified new cases	4.4
	Notified new ss+ cases in children (<15yr) (cases)	1
	as % of notified new ss+ cases	0.3
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	67
	Notification rate (new cases/100 000 pop)	66
	Notification rate (new ss+ cases/100 000 pop)	27
	Case detection rate (all new cases, %)	62
	Case detection rate (new ss+ cases, %)	33
	Treatment success (new ss+ patients, 2007 cohort, %)	64
	Treatment success (new ss+ patients, 2008 cohort, %)	64

Chiayi City

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	273 434
	All forms of TB (new cases per year)	363
	All forms of TB (new cases per 100 000 pop/yr)	133
	Rate of change in incidence rate (%), 2007-2008	-14.9
	New ss+ cases (new ceases per year)	216
	New ss+ cases (per 100 000 pop/yr)	79
	HIV+ incident TB cases (% of all TB cases)	0.7
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.7
Prevalence burden	All forms of TB (cases per year)	211
	All forms of TB (cases per 100 000 pop/yr)	77
Mortality	All forms of TB (cases per year)	5
	All forms of TB (cases per 100 000 pop/yr)	1.8
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.0
	MDR-TB among previously treated TB cases (%)	0.0
Total notifications, 2008		
	Notified new and relapse cases (cases)	148
	Notified new and relapse cases (per 100 000 pop/yr)	54
	Notified new ss+ cases (cases)	54
	Notified new ss+ cases (per 100 000 pop/yr)	19.7
	as % of new pulmonary cases	41
	sex ratio (male/female)	1.9
	DOTS case detection rate (% of estimated new ss+)	25
	Notified new extrapulmonary cases (cases)	13
	as % of notified new cases	9.0
	Notified new ss+ cases in children (<15yr) (cases)	0
	as % of notified new ss+ cases	0.0
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	54
	Notification rate (new cases/100 000 pop)	53
	Notification rate (new ss+ cases/100 000 pop)	20
	Case detection rate (all new cases, %)	40
	Case detection rate (new ss+ cases, %)	25
	Treatment success (new ss+ patients, 2007 cohort, %)	63
	Treatment success (new ss+ patients, 2008 cohort, %)	76

Yunlin County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	724 673
	All forms of TB (new cases per year)	988
	All forms of TB (new cases per 100 000 pop/yr)	136
	Rate of change in incidence rate (%), 2007-2008	6.8
	New ss+ cases (new ceases per year)	344
	New ss+ cases (per 100 000 pop/yr)	48
	HIV+ incident TB cases (% of all TB cases)	0.2
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.2
Prevalence burden	All forms of TB (cases per year)	576
	All forms of TB (cases per 100 000 pop/yr)	80
Mortality	All forms of TB (cases per year)	34
	All forms of TB (cases per 100 000 pop/yr)	4.7
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.7
	MDR-TB among previously treated TB cases (%)	7.7
Total notifications, 2008		
	Notified new and relapse cases (cases)	614
	Notified new and relapse cases (per 100 000 pop/yr)	85
	Notified new ss+ cases (cases)	246
	Notified new ss+ cases (per 100 000 pop/yr)	33.9
	as % of new pulmonary cases	45
	sex ratio (male/female)	2.0
	DOTS case detection rate (% of estimated new ss+)	71
	Notified new extrapulmonary cases (cases)	33
	as % of notified new cases	5.7
	Notified new ss+ cases in children (<15yr) (cases)	5
	as % of notified new ss+ cases	0.9
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	85
	Notification rate (new cases/100 000 pop)	80
	Notification rate (new ss+ cases/100 000 pop)	34
	Case detection rate (all new cases, %)	59
	Case detection rate (new ss+ cases, %)	71
	Treatment success (new ss+ patients, 2007 cohort, %)	72
	Treatment success (new ss+ patients, 2008 cohort, %)	71

Kaohsiung County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	1 243 862
	All forms of TB (new cases per year)	1 459
	All forms of TB (new cases per 100 000 pop/yr)	117
	Rate of change in incidence rate (%), 2007-2008	-0.4
	New ss+ cases (new ceases per year)	491
	New ss+ cases (per 100 000 pop/yr)	39
	HIV+ incident TB cases (% of all TB cases)	0.7
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.6
Prevalence burden	All forms of TB (cases per year)	851
	All forms of TB (cases per 100 000 pop/yr)	68
Mortality	All forms of TB (cases per year)	66
	All forms of TB (cases per 100 000 pop/yr)	5.3
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.9
	MDR-TB among previously treated TB cases (%)	4.7
Total notifications, 2008		
	Notified new and relapse cases (cases)	1 105
	Notified new and relapse cases (per 100 000 pop/yr)	89
	Notified new ss+ cases (cases)	431
	Notified new ss+ cases (per 100 000 pop/yr)	34.7
	as % of new pulmonary cases	43
	sex ratio (male/female)	2.5
	DOTS case detection rate (% of estimated new ss+)	88
	Notified new extrapulmonary cases (cases)	54
	as % of notified new cases	5.1
	Notified new ss+ cases in children (<15yr) (cases)	5
	as % of notified new ss+ cases	0.5
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	89
	Notification rate (new cases/100 000 pop)	85
	Notification rate (new ss+ cases/100 000 pop)	35
	Case detection rate (all new cases, %)	73
	Case detection rate (new ss+ cases, %)	88
	Treatment success (new ss+ patients, 2007 cohort, %)	64
	Treatment success (new ss+ patients, 2008 cohort, %)	62

Kaohsiung City

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	1 523 099
	All forms of TB (new cases per year)	1 147
	All forms of TB (new cases per 100 000 pop/yr)	75
	Rate of change in incidence rate (%), 2007-2008	-6.8
	New ss+ cases (new ceases per year)	493
	New ss+ cases (per 100 000 pop/yr)	32
	HIV+ incident TB cases (% of all TB cases)	0.6
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.3
Prevalence burden	All forms of TB (cases per year)	669
	All forms of TB (cases per 100 000 pop/yr)	44
Mortality	All forms of TB (cases per year)	50
	All forms of TB (cases per 100 000 pop/yr)	3.3
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.3
	MDR-TB among previously treated TB cases (%)	6.4
Total notifications, 2008		
	Notified new and relapse cases (cases)	1 040
	Notified new and relapse cases (per 100 000 pop/yr)	68
	Notified new ss+ cases (cases)	429
	Notified new ss+ cases (per 100 000 pop/yr)	28.2
	as % of new pulmonary cases	45
	sex ratio (male/female)	2.2
	DOTS case detection rate (% of estimated new ss+)	87
	Notified new extrapulmonary cases (cases)	61
	as % of notified new cases	6.0
	Notified new ss+ cases in children (<15yr) (cases)	9
	as % of notified new ss+ cases	0.9
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	68
	Notification rate (new cases/100 000 pop)	66
	Notification rate (new ss+ cases/100 000 pop)	28
	Case detection rate (all new cases, %)	88
	Case detection rate (new ss+ cases, %)	87
	Treatment success (new ss+ patients, 2007 cohort, %)	71
	Treatment success (new ss+ patients, 2008 cohort, %)	69

Pingtung County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	887 201
	All forms of TB (new cases per year)	1 156
	All forms of TB (new cases per 100 000 pop/yr)	130
	Rate of change in incidence rate (%), 2007-2008	4.9
	New ss+ cases (new ceases per year)	519
	New ss+ cases (per 100 000 pop/yr)	58
	HIV+ incident TB cases (% of all TB cases)	0.5
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.5
Prevalence burden	All forms of TB (cases per year)	674
	All forms of TB (cases per 100 000 pop/yr)	76
Mortality	All forms of TB (cases per year)	68
	All forms of TB (cases per 100 000 pop/yr)	7.7
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.8
	MDR-TB among previously treated TB cases (%)	3.9
Total notifications, 2008		
	Notified new and relapse cases (cases)	917
	Notified new and relapse cases (per 100 000 pop/yr)	103
	Notified new ss+ cases (cases)	369
	Notified new ss+ cases (per 100 000 pop/yr)	41.6
	as % of new pulmonary cases	44
	sex ratio (male/female)	2.2
	DOTS case detection rate (% of estimated new ss+)	71
	Notified new extrapulmonary cases (cases)	48
	as % of notified new cases	5.4
	Notified new ss+ cases in children (<15yr) (cases)	11
	as % of notified new ss+ cases	1.2
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	103
	Notification rate (new cases/100 000 pop)	100
	Notification rate (new ss+ cases/100 000 pop)	42
	Case detection rate (all new cases, %)	76
	Case detection rate (new ss+ cases, %)	71
	Treatment success (new ss+ patients, 2007 cohort, %)	71
	Treatment success (new ss+ patients, 2008 cohort, %)	64

Penghu County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	92 849
	All forms of TB (new cases per year)	0
	All forms of TB (new cases per 100 000 pop/yr)	0
	Rate of change in incidence rate (%), 2007-2008	16.9
	New ss+ cases (new ceases per year)	0
	New ss+ cases (per 100 000 pop/yr)	0
	HIV+ incident TB cases (% of all TB cases)	0.0
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.0
Prevalence burden	All forms of TB (cases per year)	0
	All forms of TB (cases per 100 000 pop/yr)	0
Mortality	All forms of TB (cases per year)	1
	All forms of TB (cases per 100 000 pop/yr)	1.1
Multidrug-resistant T	MDR-TB among all new TB cases (%)	0.0
	MDR-TB among previously treated TB cases (%)	0.0
Total notifications, 2008		
	Notified new and relapse cases (cases)	33
	Notified new and relapse cases (per 100 000 pop/yr)	36
	Notified new ss+ cases (cases)	9
	Notified new ss+ cases (per 100 000 pop/yr)	9.7
	as % of new pulmonary cases	30
	sex ratio (male/female)	3.3
	DOTS case detection rate (% of estimated new ss+)	0
	Notified new extrapulmonary cases (cases)	3
	as % of notified new cases	9.1
	Notified new ss+ cases in children (<15yr) (cases)	0
	as % of notified new ss+ cases	0.0
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	36
	Notification rate (new cases/100 000 pop)	36
	Notification rate (new ss+ cases/100 000 pop)	10
	Case detection rate (all new cases, %)	--
	Case detection rate (new ss+ cases, %)	--
	Treatment success (new ss+ patients, 2007 cohort, %)	100
	Treatment success (new ss+ patients, 2008 cohort, %)	67

Taitung County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	232 754
	All forms of TB (new cases per year)	233
	All forms of TB (new cases per 100 000 pop/yr)	100
	Rate of change in incidence rate (%), 2007-2008	9.3
	New ss+ cases (new ceases per year)	115
	New ss+ cases (per 100 000 pop/yr)	49
	HIV+ incident TB cases (% of all TB cases)	0.0
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.0
Prevalence burden	All forms of TB (cases per year)	136
	All forms of TB (cases per 100 000 pop/yr)	58
Mortality	All forms of TB (cases per year)	12
	All forms of TB (cases per 100 000 pop/yr)	5.2
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.0
	MDR-TB among previously treated TB cases (%)	4.3
Total notifications, 2008		
	Notified new and relapse cases (cases)	250
	Notified new and relapse cases (per 100 000 pop/yr)	107
	Notified new ss+ cases (cases)	102
	Notified new ss+ cases (per 100 000 pop/yr)	43.8
	as % of new pulmonary cases	47
	sex ratio (male/female)	2.5
	DOTS case detection rate (% of estimated new ss+)	88
	Notified new extrapulmonary cases (cases)	14
	as % of notified new cases	6.0
	Notified new ss+ cases in children (<15yr) (cases)	1
	as % of notified new ss+ cases	0.4
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	107
	Notification rate (new cases/100 000 pop)	100
	Notification rate (new ss+ cases/100 000 pop)	44
	Case detection rate (all new cases, %)	100
	Case detection rate (new ss+ cases, %)	89
	Treatment success (new ss+ patients, 2007 cohort, %)	69
	Treatment success (new ss+ patients, 2008 cohort, %)	74

Hualien County

Estimates of epidemiological burden, 2008		All
Incidence burden	Population	342 368
	All forms of TB (new cases per year)	455
	All forms of TB (new cases per 100 000 pop/yr)	133
	Rate of change in incidence rate (%), 2007-2008	-7.9
	New ss+ cases (new ceases per year)	221
	New ss+ cases (per 100 000 pop/yr)	65
	HIV+ incident TB cases (% of all TB cases)	0.3
	HIV+ incident TB cases (% of all 15-49 yrs TB cases)	0.3
Prevalence burden	All forms of TB (cases per year)	265
	All forms of TB (cases per 100 000 pop/yr)	77
Mortality	All forms of TB (cases per year)	24
	All forms of TB (cases per 100 000 pop/yr)	7.0
Multidrug-resistant T	MDR-TB among all new TB cases (%)	1.5
	MDR-TB among previously treated TB cases (%)	3.8
Total notifications, 2008		
	Notified new and relapse cases (cases)	404
	Notified new and relapse cases (per 100 000 pop/yr)	118
	Notified new ss+ cases (cases)	177
	Notified new ss+ cases (per 100 000 pop/yr)	51.7
	as % of new pulmonary cases	51
	sex ratio (male/female)	2.3
	DOTS case detection rate (% of estimated new ss+)	80
	Notified new extrapulmonary cases (cases)	14
	as % of notified new cases	3.9
	Notified new ss+ cases in children (<15yr) (cases)	6
	as % of notified new ss+ cases	1.7
DOTS coverage		
	DOTS coverage (%)	100
	Notification rate (new & relapse cases/100 000 pop)	118
	Notification rate (new cases/100 000 pop)	105
	Notification rate (new ss+ cases/100 000 pop)	52
	Case detection rate (all new cases, %)	79
	Case detection rate (new ss+ cases, %)	80
	Treatment success (new ss+ patients, 2007 cohort, %)	62
	Treatment success (new ss+ patients, 2008 cohort, %)	66

Taiwan Tuberculosis Control Report 2010

Frequency: Annual

Editor: Centers for Disease Control, Department of Health, R. O. C. (Taiwan)

Chief Editor: Feng-Yee Chang

Associate Editors: Wen-Yi Shi, Ting Lin, Jih-Haw Chou, Ying-Hwei Chen, Jen-Hsiang Chuang,
Chin-Hui Yang

Executive Editors: Shiang-Lin Yang, Hsiu-Yun Lo, Cheng-Yi Lee, Kwei-Feng Wang, Pei-Chun
Chan

Publisher: Centers for Disease Control, Department of Health, R. O. C. (Taiwan)

Address: No.6, Linshen S. Road, Taipei, Taiwan 100

Telephone No: +886-2-2395-9825

Website: <http://www.cdc.gov.tw>

Printer:

Address:

Telephone No.:

Date of Publication: November, 2010

Date of Begin Publication: July, 2007

Price: NT. \$ 300

Available at the following bookstores: :

1. Government Publish Store

Add. : 1F., No.209, Songjiang Rd., Zhongshan District, Taipei City 104, Taiwan (R.O.C.)

Tel : +886-2-2518-0207

Website : <http://www.govbooks.com.tw>

2. Wu Nan Bookstore

Add. : 6 Jhongshan Rd., Taichung City, Taiwan

Tel : +886-4-2226-0330

Website : <http://www.wunanbooks.com.tw/>

3. eslitebooks.com

Website : <http://www.eslitebooks.com/xinyi/>

4. Books.com Co.

Website : <http://www.books.com.tw/>

GPN : 2009604164

ISSN : 1996-8221

Copyrighted by Centers for Disease Control, Department of Health, R.O.C. (Taiwan) . No part of this publication may be reproduced, stored in any retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission from the copyright owner.

