Taiwan CDC

2021-2022 Influenza Season

Week 40, Oct 3 - Oct 9, 2021

## **Synopsis**

#### The number of medical visits for influenza-like illness was still low.


- Influenza virus activity was low in community. Other respiratory viruses remained dominant during the past four weeks.
- A total of two influenza cases with severe complications (1 H3N2, 1 A untyped), including one death, during 2020-2021 flu season. There were no influenza cases with severe complications since October 1, 2021.

## Laboratory Surveillance<sup>1</sup>

### **Laboratory Automated Reporting System (LARS)**

The number of influenza-positive specimens continued to be low. During the past four weeks, the proportions of influenza A and influenza B positive specimens were 29% and 71% respectively.

#### Trend of influenza-positive specimens according to LARS



<sup>&</sup>lt;sup>1</sup> In terms of the surveillance systems in Taiwan, please see: Jian, S. W., Chen, C. M., Lee, C. Y., & Liu, D. P. (2017). Real-Time Surveillance of Infectious Diseases: Taiwan's Experience. Health security, 15(2), 144-153.




疫情通報及關懷專線: (1922 http://www.cdc.gov.tw


#### **Contracted Virology Laboratories Surveillance**

During the past four weeks (week 35 to week 38, 2021), there were no influenza isolates, and the top two respiratory virus isolates were HSV (60.6%) and adenovirus (36.4%). Weekly virus data are available at <a href="https://nidss.cdc.gov.tw/">https://nidss.cdc.gov.tw/</a>.

### Influenza isolates according to Contracted Virology Laboratories



#### Respiratory virus isolates according to Contracted Virology Laboratories




#### **Antigenicity and Antiviral Resistance**

There was no influenza virus isolates to test for antigenicity compared with the 2020-21 influenza vaccine, and antiviral resistance.


# Influenza-like Illness (ILI) Surveillance

During week 40, the proportions of ILI visits were 0.2% and 4.7% for the outpatient and ER visits, respectively. The proportion of ER visits was below the national baseline of 11.0%. The total number of visits for ILI in outpatient and ER was 15,459 and remained low in recent weeks.

### Percentages of outpatient and ER visits for ILI



#### Total number of outpatient and ER visits for ILI



### **Influenza Case with Severe Complications**

A total of two influenza cases (1 H3N2, 1 A untyped) with severe complications, including one death during 2020-2021 flu season. There were no influenza cases with severe complications since October 1, 2021.

## Pneumonia and Influenza (P&I) Mortality Surveillance

Based on the Internet System for Death Reporting (ISDR)<sup>2</sup> data, the number of deaths attributed to pneumonia and influenza (P&I) deceased in recent weeks. The proportion of deaths attributed to P&I for adults aged 65 and older was the highest among the three age groups (0–49, 50–64, and 65<sup>+</sup>). Weekly P&I data are available at https://nidss.cdc.gov.tw/.



<sup>&</sup>lt;sup>2</sup> Medical institutions are required to report any mortality case to the Ministry of Health and Welfare (MOHW) within 7 days after a death certificate is issued through the Internet System for Death Reporting (ISDR). Either the immediate cause of death or the underlying cause of death was used to identify P&I death cases. Only those with keyword texts containing 'pneumonia', 'influenza' or 'common cold' were counted as a P&I death.



疫情通報及關懷專線: (1922 http://www.cdc.gov.tw