

## REFERENCES

Anazawa, K. (1931), Observations on natural infection of various Taiwan anophelines with reference to the critical value of each from the malaria epidemiological point of view (in Japanese with English summary). *Journal of the Formosan Medical Association*, No. 319, 1027-1049.

Bergner, J.F., Jr., Raulaton, G.L., de Beaucair, Inez and Khaw, O.K. (1973), A team approach to a disease survey on an aboriginal island (Orchid Island, Taiwan): Introduction to the Yami and description of the habitat. *Chinese Journal of Microbiology*, 6, 157-163.

Brown, A. W A., Haworth, J. and Zahar A.R.(1976), Malaria eradication and control from a global standpoint (review article). *Journal of Medical Entomology*, 13 (1), 1-25.

Brown, A.W.A. AND Pal R. (1971), *Insecticide Resistance in Arthropods*. Monograph Series No. 38 (491 pages), World Health Organization, Geneva.

Busvine, J.R. and Lien, J.C. (1961), Methods of measuring insecticide susceptibility levels in bedbugs, cone-nosed bugs, fleas and lice: *Bulletin of the World Health Organization*, 24, 509-517.

Chang, K.K. (1982), Rural health programs in Taiwan area, ROC. *Industry of Free China*, September 1982, 7-25.

Chang, T.L. and Huang, T.C. (1954), A practical guide to the identification of anopheline mosquitoes in Taiwan, China. *Chinese Medical Journal* (Free China Edition), 1, 341-346; 2, 57-77.

Chang, T.L., Watson, R.B. and Chow, C.Y. (1950), Notes on the seasonal prevalence of Anopheles mosquitoes in southern Formosa. *Indian Journal of Malariology*, 4 (3), 281-293.

Chen, C.T. (1959), Malaria in Taiwan and its control strategy (in Japanese). Presented at Symposium 37: Recent Advances in Medical Zoology in Japan. *Japanese Medical Association Technical Series II*, 692-699.

Chen, C.T. and Liang, K.C.(1956). Malaria surveillance program in Taiwan. *Bulletin of the World Health Organization*, 15, 805-810.

Chen, C.T., Wu, Y.T. and Hsieh, H.C. (1954), Differences in detectability of minor splenomegaly through variation in the recumbent position of the patient. *Journal of the Formosan Medical Association*, 53(9), 561-567.

Chen, H.H. (1955), Filariasis infection among the mosquitoes collected in the Pescadores. TAMRI 31th Monthly Report.

Chen, H.H., Lien, J.C. and Tseng, P.T. (1956), Comparative effect of house cleaning and antimalaria residual DDT house spray for bedbugs, fleas and cockroaches in Taiwan. *Journal of the Formosan Medical Association*, 55(11), 562-567.

Chen, H.H., Tseng, P.T. and Pletsch D.J. (1956), DDT resistant bedbugs (*Cimex hemipterus Fabr.*) found in an army camp in southern Taiwan, China. *Journal of the Formosan Medical Association*, 55(4), 143-149.

Chen, H.H., Pletsch, D.J., Tseng, P.T., Liu, S.Y. and Lein, J.C. (1957), Entomological aspects of malaria control and eradication in Taiwan (unpublished).

Chen, K.P., Kuo, T.H. and Wu, T.H. (1986), A demographic of Yami tribe on Orchid Island, Taiwan. *Journal of the Formosan Medical Association*, 67(3), 64-77.

Chen, M.Y. and Wang, R.C. (1956), Studies on the control of DDT and dieldrin resistant strain of bedbugs (*Cimex hemipterus*). *Journal of the Formosan Medical Association*, 64(4), 239-246.

Chen, P.S. (1997), Studies on fish as agents in mosquito control. *Proceedings of the National Science Council*, No. 10, Part 2, 79-103.

Chen, W. I (1960), Malaria surveillance and its cost in Taiwan. Presented at the WHO Expert Committee Meeting on Malaria, July 1960, Mal/Exp. Com.8/WP/17.

Chen, W. I, Chuang, C.H. and Han, C.M. (1960), Radical treatment of malaria cases and its operational aspects in the Taiwan malaria eradication program. Presented at the WHO Expert Committee Meeting on Malaria, July 1960 (unpublished).

Chen, W. I, Chuang, C.H. and Liu, S.Y. (1960), The discovery and characteristics of minimal foci of malaria transmission in Taiwan. Presented at the WHO Expert Committee Meeting on Malaria, July 1960 (unpublished).

Chen, W. I (1962), Methods to prevent re-introduction of malaria infection in Taiwan. Presented at the WHO Expert Committee Meeting on Malaria, April 1962. (unpublished).

Chen, W. I (1962), Relationship between health services and malaria eradication in Taiwan. Presented at the WHO Expert Committee Meeting on Malaria, April 1962 (unpublished).

Chen, W. I (1962), Vigilance activities in the maintenance phase projected for the Taiwan malaria eradication program. Presented at the WHO Expert Committee Meeting on Malaria, April 1962 (unpublished).

Chen, W. I (1962), Objectives of entomological activities in each phase of a malaria eradication program. Presented at the WHO Expert Committee Meeting on Malaria, April 1962 (unpublished).

Chen, W. I (1962), Epidemiological assessment of the malaria eradication program in Taiwan. Presented at the Fourth Asian Malaria Conference, September 1962 (unpublished).

Chen, W. I (1963), Assessment of spraying attack in the Taiwan malaria eradication program. Presented at the WHO Expert Committee Meeting on Malaria, September 1963 (unpublished).

Chen, W. I, Liang, Y.S., Liu, S.Y. and Wu, Y.T. (1963), Discovery of a transmission focus of *P. falciparum* infection at the advanced stages of the malaria eradication program in Taiwan. Presented at the WHO Expert Committee Meeting, April 1962 (unpublished).

Chen, W. I and Tsai, F. (1963), Health and morbidity surveys and reporting in Taiwan, Republic of China. Presented at the Seminar on Health Surveys and Reporting, Manila, November 1963 (unpublished).

Chow, C.Y., Liang, K.C. and Pletsch, D.J. (1951), Observations on anopheline populations in human dwellings in southern Taiwan (Formosa). *Indian Journal of Malariology*, 5(4), 569-578.

Chow, C.Y., Watson, R.B. and Chang, T.L. (1950), Natural infection of anopheline mosquitoes with malaria parasites in Formosa. *Indian Journal of Malariology*, 4(3), 295-300.

Chuang, C.H., Hsieh, H.C. and Wu, Y.T. (1957), A new endemic area of *Wuchereria bancrofti* in Taiwan. *Journal of the Formosan Medical Association*, 56(5), 171-175.

Chuang, C.H., Lien, J.C. and Lin, S.T. (1966), Further studies on simian malaria in Taiwan, WHO/Mal/66.567.

Cowan, F.A., McGregor, T. and Randolph, N.M. (1947), DDT dust for the control of head-lice. *American Journal of Tropical Medicine*, 27, 67-68.

Demos, E.A., Chen, H.H. and Hsieh, H.C. (1954), Malaria and filariasis investigation in Pescadores (Penghu) Islands of Taiwan. *Journal of the Formosan Medical Association*, 53(9), 541-552.

Downs, W.G., Bordas E. and Navarro L. (1951), Duration of action of residual DDT deposits on adobe surfaces. *Science*, 114(2958), 259-262.

Fan, P.C. and Hsu J. (1954), Filariasis in Free China. Part 1: Incidence in Taiwan, Penghu (Pescadores) and Kinmen (Quemoy). *Chinese Medical Journal (Free China Edition)*, 1, 77-86.



Fan, P.C. AND Hsu, J. (1955), Filariasis in Free China. Part 2: Incidence in Taiwan. *Chinese Medical Journal* (Free China Edition), 2, 151-164.

Farid, M.A., Pinto, N. and Chow, C.Y. (1966), Assignment report of the WHO evaluation team for the certification of achieved malaria eradication in Taiwan, Republic of China (revised text). WHO/WPR/30/65, 131 pages.

Farinaud, M.E., Jolivet, P., Thymakis, K. and Caprasi, P. (1957), Report of advisory team on malaria eradication No. 4 on Taiwan, China, January - March 1957. WHO/AS/103.7.

Fitzgerald, E.L., S.J. (1961), Basic sanitation problems on Orchid Island, 1960. *Journal of the Formosan Medical Association*, 60(8), 713-720.

Fritz, R. and Pletsch, D.J. (1959), A practical device for weighing insecticides in malaria eradication programs. *Bulletin of the World Health Organization*, 21, 221-214.

Hackett, L.W. (1944), Spleen measurement in malaria. *Journal of the National Malaria Society*, 3(2), 121-133.

Hsieh, H.C. (1954), D.D.T. intoxication in a family of southern Taiwan. A.M.A. Archives of *Industrial Hygiene and Occupational Medicine*, 10, 334-346.

Hsieh, H.C. (1954), A rapid staining method of malaria parasites using the J.S.B. stain: a preparation of cross thick blood smears for microscopical examination of malaria parasites in mass survey. *Journal of the Formosan Medical Association*, 53(6), 414-416.

Hsieh, H.C. (1957), Studies of the relationship of palpable livers to malaria in Taiwan (Formosa). *Journal of the Formosan Medical Association*, 56(6), 241-251.

Hsieh, H.C., Chuang, C.H., Tseng, P.T. and Chen, W. I (1954), Some epidemiological observations of malaria in Shihtzu district of southern Taiwan. *Journal of the Formosan Medical Association*, 53(9), 553-560.

Hsieh, H.C. and Liang, K.C. (1956), Residual foci of malarial infection in the DDT-spayed area of Taiwan. *Bulletin of the World Health Organization*, 15, 810-813.

Hsieh, H.C., Tseng, P.T. and Chuang, C.H. (1956), Larval filariae found in *Anopheles* mosquitoes in southern Taiwan. *Journal of the Formosan Medical Association*, 55(7), 320-325.

Hsieh, H.C. and Lien, J.C. (1958), Epidemiological studies on *bancrofti filariasis* in Hsinhua town, Taiwan hsien, southern Taiwan. Presented at the 5th Regional Meeting of the Formosan Medical Association (unpublished).

Hsieh, P.Y. and Jameson, E.W., Jr. (1971), A new *Ctenophthalmus* (*Siphonaptera*: *Hystrichopsyllidae*) from voles on Taiwan. *Journal of Medical Entomology*, 8(4), 399-400.

Huang, T.Y. (1943), The results of examination of blood smears taken at night from 5,267 inhabitants on Riukyusho (Liuchiu Islands) and Bantansho (Wantan town) of Taiwan for *microfilaria bancrofti*, *Tropical Medicine* (in Japanese), 1(3,4), 375.

Jameson, E. W., Jr. and Hsieh, P.Y. (1966), Fleas of the family Leptopsyllidae (*Siphonaptera*) in Taiwan. *Journal of Medical Entomology*, 3(3-4), 299-305.

Jameson, E.W., Jr. and Hsieh, P.Y.(1967), Notes on the flea genus *Hustringopsylla* (*Siphonaptera*) from Japan and Taiwan. *Journal of Medical Entomology*, 4(2), 81-82.

Jameson, E.W., Jr. and Hsieh, P.Y. (1969), Fleas of the subfamily Ctenophthalminae (*Hystrichopsyllidae*, *Siphonaptera*) in Taiwan. *Journal of Medical Entomology*, 6(2), 179-185.

Kuo, T.H. (1967), Human genetic study on Yami tribe in Orchid Island. *Journal of the Formosan Medical Association*, 66(11), 547-561.

Lee, C.Y. (1966), Training or retraining of medical and paramedical personnel, including laboratory personnel in malaria. WHO/Mal/67.590.

Lee, C.Y. Chen, K.P. and Kuo, H.H.(1949), An epidemiological study of malaria in Botel Tobago Island (Formosa). *Journal of the Formosan Medical Association*, 48(7-8), 161-165.

Liang, K.C. (1954), Benefits of decentralized malaria control operations and problems encountered in implementation. Presented at the Malaria Conference for the Western Pacific and Southeast Asia Regions. WHO/Mal/109.

Liang, K.C. (1956), The advisability and practicability of malaria eradication in Taiwan, China. Presented at the Interregional Conference on Malaria for the Eastern Mediterranean and European Regions. WHO/Mal/169.

Liang, K.C. (1956), The present malaria regulations in Taiwan, China. Presented at the Interregional Conference on Malaria for the Eastern Mediterranean and European Regions (unpublished).

Liang, K.C. and Hsieh, H.C. (1952), New antimalaria drugs (in Chinese). *Journal of the Formosan Medical Associations*, 51(1), 24-26.

Lien, J.C., Cheng, C.I. and Lien, S.C. (1974), A team approach to a disease survey on an aboriginal island (Orchid Island, Taiwan). IV. Mosquitoes and chiggers on Lanyu (Orchid Island), Taitung Hsien, Taiwan. *Chinese Journal of Microbiology*, 7, 36-41.

Lien, J.C. and Fan, P.C. (1971), A new record of Ceratophyllid flea (*Siphonaptera*) from Taiwan. *Chinese Journal of Microbiology*, 4, 254-259.

Liu, S.Y. (1958), A summary of recent insecticidal tests on some insects of medical importance in Taiwan. *Bulletin of the World Health Organization*, 18, 623-649.

Lofgren, C.S., Keller, J.C. and Burden, G.S. (1958), Resistance tests with the bedbug and evaluation of insecticides for its control. *Journal of Economic entomology*, 51(2), 241-244.

Logan, J.A. (editor), (1953), *The Sardinian Project: An Experiment in the Eradication of an Indigenous Malaria Vector*. Johns Hopkins Press, Baltimore.

Matsumoto, T. and Motoura F.(1939), On a species of anopheline found in Hualien. *Journal of the Formosan Medical Association* (in Japanese with English summary), 38, 1642-1649.

Miyahara H. (1937), On the malaria in Kotosho. *Journal of the Formosan Medical Association* (in Japanese), 36, 2801-2802.

Morishita, K. and Katagai, T. (1933), Examination of the blood meals of Formosan anophelines by precipitin tests (in Japanese), *Journal of Zoology* (Tokyo), 45.

Morishita, K. (1954), A retrospect of thirty-five years of malaria control by antiparasite measures. Presented at the Malaria Conference for the Western Pacific and Southeast Asia Regions. WHO/Mal/111.

Morishita K. (1976), *Epidemiology and Prevention of Malaria: Records and Studies in Taiwan during the Japanese Administration* (in Japanese), Kikuya Shobo, Tokyo, 287 pages.

Najera, J.A. (1989), Malaria and the work of WHO. *Bulletin of the World Health Organizations*, 67(3), 229-243.

Omori, N. (1937), On the anopheline mosquitoes of Kotosho. *Journal of the Formosan Medical Association* (in Japanese), 36, 2800-2801.

Omori, N. and Noda H. (1943), On an anopheline mosquito, *Anopheles arbumbrosus*, newly found in Taiwan (in Japanese, with English summary). *Studia Medica Tropicalis (Formosa)*, 1, 83-93.

Paul, J.H., Watson, R.B. and Liang, K.C. (1950), A further report on the use of chlorguanide (paludrine) to suppress malaria prevalence in southern Formosan villages. *Journal of the National Malaria Society*, 9(4), 356-365.

Peyton, E.L. and Harrison, B.A. (1980), *Anopheles (Cellia) takasagoensis* Morishita 1946, and additional species in the *balabacensis* complex of southeast Asia (*Diptera: Culicidae*). *Mosquito Systematics*, 12(3), 335-347.

Pletsch, D.J. and Chen, C.T. (1954), Economic and social effects of malaria control with some specific instances from Taiwan. Presented at the Malaria Conference for the Western Pacific and Southeast Asia Regions. WHO/Mal/108.

Pletsch, D.J. and Demos, E.A. (1954), Selective spraying of premises in the control of *minimus*-transmitted malaria in Taiwan. Presented at the Malaria Conference for the Western Pacific and Southeast Asia Regions. WHO/Mal/107.

Pletsch, D.J., Tseng, P.T. and Chen, H. H. (1956), Daytime populations of anophelines in houses and stables of rural Taiwan (Formosa), China. *Journal of the Formosan Medical Association*, 55(12), 614-621.

Tanaka, S. (1937), Diagnosis of the microfilariae from the people of Taiwan in the Pescadores, and clinical observation. *Journal of the Formosan Malaria Association* (in Japanese), 36(7), 1815-1825.

Tseng, P.T. (1985), Epidemiological study of malaria cases discovered during the maintenance phase (1965 - 1979) of the Taiwan malaria eradication program (in Chinese). Collection of Research Papers of the Taiwan Provincial Institute of Infectious Diseases, 1975-1984, 229-266.

Tseng, P.T., Chen, H.H. and Pletsch, D.J. (1956), Daytime resting places of *An. minimus* in rural houses of Taiwan (Formosa), China. *Journal of the Formosan Medical Association*, 55(12), 622-628.

Tseng, P.T. and Hsieh, H.C. (1954), Natural infections of *Anopheles* with malaria parasites in southern Taiwan (Formosa): A report on recent dissections. *Journal of the Formosan Medical Association*, 53(9), 568-573.

Tu, Tsungming (1951), Development of medical science in Formosa. *Journal of the Formosan Medical Associations*, 50(11), 263-267.

Tu, Tsungming (1957), The increase of the population during the development of Formosa in ancient times (Opening address at the Fiftieth Annual Meeting of the Formosan Medical Association), *Journal of the Formosan Medical Association*, 56(11-12), 499-516.

Watson, R.B. and Liang, K.C. (1950), Seasonal prevalence of malaria in southern Formosa. *Indian Journal of Malariology*, 4, 471-486.

Watson, R.B., Paul, J.H. and Liang, K.C. (1950), A report on one year's field trial of chlorguanide (paludrine) as a suppressive and as a therapeutic agent in southern Taiwan (Formosa). *Journal of the National Malaria Society*, 9(1), 25-43.

Watson, R.B., Paul, J.H., Chow, L.P. and Peng, R.Y. (1950), Field trial of chloroquine (SN-7618-5) for malaria control in central Taiwan (Formosa). *Indian Journal of Malariology*, 4(3), 301-315.

Weeks, E.B. (1954), Experiences in the control of malaria carried by *An. minimus* in Burma. Presented at the Malaria Conference for the Western Pacific and Southeast Asia Regions. WHO/Mal/112.

Wernsdorfer, W.H., McGregor, I. (1988), *Malaria Principles and Practice of Malariology*. Churchill Livingston.

Wu, Y.T. (1956), Observations of malaria incidence in the aboriginal regions of central Taiwan in the pre-operational period of the current island-wide residual insecticide spraying. *Journal of the Formosan Medical Association*, 55(10), 494-501.

Wu, Y.T. (1961), Studies on filariasis in Taiwan (in Japanese). *Igaku Kenkyu (ACIA AMEDICA)*, 31(1), 209-228.

Wu, Y.T. and Chen, C.T. (1960), Filariasis endemic areas in Taiwan proper. Part 1: Incidence of *bancroftian* microfilarial infection among the native people in southern Taiwan. *Journal of the Formosan Medical Association*, 59(4), 262-272.

Wu, Y.T., Chen, C.T., Chen, H.H., Chen, W. I, Tseng, P.T., Hsieh, H.C., Wang, C.C., Tse, W.Y. and Cheng, I.C. (1959), Filariasis and its control in Taiwan. *Journal of the Formosan Medical Association*, 58(4), 228-239.

Wu, Y.T. and Chuang, C.H. (1956), Correlated data between the palpable spleens and parasites in malaria. *Journal of the Formosan Medical Association*, 55(11), 547-554.

Wu, Y.T. and Huang, Y.S. (1955), Filariasis among Ta-chen evacuees. *Journal of the Formosan Medical Association*, 54(8), 247-254.

Yokogawa, S., Kobayashi, H., Osaka, K., Ro, M., Yumoto, Y. and Yokogawa, M. (1939), Epidemiological investigations on *Wuchereria bancrofti* in the Pescadores (in Japanese). *Journal of the Formosan Medical Association* 38, 1452.

## SELECTED REPORTS AND DOCUMENTS

Chinese - American Joint Commission for Rural Reconstruction (JCRR) (1952 - 1954), General Report III (July 1, 1951 - June 30, 1952), 198-222; General Report IV (July 1, 1952 - June 30, 1953), 146-169; General Report V (July 1, 1953 - June 30, 1954), 167-185.

Chinese Military Antimalaria Service, Annual Reports, 1956-1965.

Taiwan Government (Japanese Administration), Governor's Decrees on malaria control regulations, 1913 - 1927.

Taiwan Provincial Government, Department of Health, *Taiwan's Health*, 1963 - 1975, (7 issues).

Taiwan Provincial Malaria Research Institute and WHO Malaria Team in Taiwan (1958), Malaria control and eradication in Taiwan - Progress Report, May 1952 - June 1957, *Bulletin of the World Health Organization*, 19: 595-620.

Taiwan Provincial Malaria Research Institute and WHO Malaria Team in Taiwan, Monthly Reports, May 1952 - May 1959 (85 issues), WHO/WPRO/China-7.

Taiwan Provincial Malaria Research Institute:

- Annual Report, January - December 1951.
- Annual Report, January - October 1952.
- An outline of the malaria eradication in Taiwan, 1946 - 1964.
- Malaria and filariasis control in Taiwan, 1952 - 1960 (in Chinese and English), 45 pages.
- Entomological studies of the sericultural problems in relation with DDT residual spraying (December 1953).
- Report on the malaria campaign in Taiwan, 1952 - 1956, 86 pages.
- Plan of operations for malaria eradication in Taiwan (1962), 129 pages.
- Annexes to the plan of operations for malaria eradication in Taiwan, 1963, 259 pages.
- Semi-annual Reports, January 1966 - December 1968.
- Monthly *TAMRI Newsletter* (in Chinese), August 1958 - October 1964 (75 issues).
- Bi-monthly *TAMRI Newsletter* (in Chinese), March 1965 - June 1974 (46 issues).

World Health Organization (1950), *Report on the Third Session of the Expert Committee on Malaria*. Technical Report Series No. 8.

World Health Organization (1957), *Malaria: Sixth Report of the Expert Committee*. Technical Report Series No. 123.

World Health Organization (1959), *Malaria: Seventh Report of the Expert Committee*. Technical Report Series No. 162.

World Health Organization (1961), *Malaria: Eighth Report of the Expert Committee*. Technical Report Series No. 205.

World Health Organization (1962), *Malaria: Ninth Report of the Expert Committee*. Technical Report Series No. 243.



World Health Organization (1964), *Malaria: Tenth Report of the Expert Committee*. Technical Report Series No. 272.

World Health Organization (1989), Malaria makes new inroads. *World Health* (December 1989), 30.

World Health Organization (1951), Agreement between the Government of the Republic of China and the World Health Organization for the operation of a malaria and insect control project, November 1951.

World Health Organization (1953), Report submitted by the Republic of China, SEA/Mal/10, New Dehli, July 1, 1953.

World Health Organization (1960), Taiwan's surveillance programme. WHO/Mal/Inform/53, January 14, 1960.

World Health Organization (1954), Information on the malaria control programme in the Republic of China (Taiwan). Presented at the Malaria Conference for the Western Pacific and Southeast Asia Regions. WHO/Mal/103.7.

World Health Organization, First addendum to the plan of operation for malaria eradication program in Taiwan, July 1963-December 1964 (1963/9/12), WPR/360/63.

## LIST OF MAPS

	<u>Page</u>
Map 1: Taiwan, topography and administrative division .....	2
Map 2: Sea coast - foothill transect (Line 1) .....	61
Map 3: Malariometric surveys at different altitudes (Lines 2, 3 and 4).....	64
Map 4: Four-year malaria control project.....	72
Map 5: Pilot project area - Chishan district, Kaoshiung county.....	75
Map 6: Six-year malaria eradication project, DDT spraying coverage in Taiwan, 1952 - 1957 .....	108
Map 7: Frequency of spraying operations, 1953 - 1957.....	109
Map 8: Simultaneous parasite survey - December 17, 1951 .....	144
Map 9: Pre-spraying malaria endemicity in Taiwan - spleen rate of 1953 survey.....	147
Map 10: Post-spraying malaria endemicity in Taiwan - spleen rate of 1955 survey.....	148
Map 11: Distribution of <i>An. minimus</i> in Taiwan based on surveys from May 1955 - June 1957.....	155
Map 12: Areas defined for stratified malaria surveillance, 1963 and 1964.....	162
Map 13: Townships with one or more localities positive for <i>An. minimus</i> , based on surveys from January 1966 - December 1988.....	190
Map 14: Indigenous <i>P. vivax</i> infections in northern Taiwan (July 1966 - August 1973).....	192
Map 15: Malarious areas with <i>P. falciparum</i> resistant or sensitive to chloroquine, 1990.....	193
Map 16: Pilot project area, Chishan district, Kaoshiung county .....	218
Map 17: Lanyu.....	245
Map 18: Countries served by ex-TAMRI staff .....	271

---

## LIST OF TABLES

	<u>Page</u>
Table 1: Normal annual and monthly average temperature .....	4
Table 2: Normal annual and monthly rainfall .....	4
Table 3: Number of malaria patients seen between July - September (3-months), 1882 - 1886 at the McKay Hospital.....	10
Table 4: Annual malaria death rate in Taiwan (1906 - 1942).....	11
Table 5: Population subject to periodic examination in relation to the total in the control areas and the total in Taiwan.....	13
Table 6: Number of blood smears examines, positive cases and positivity rates, 1910 - 1944 .....	14
Table 7: Seasonal variation of parasite and spleen rates and of spleen size in the children of Suili Primary School as determined by monthly surveys, June 1947 - May 1948 .....	23
Table 8: Natural infection of anopheline mosquitoes from Taichung (central Taiwan) .....	24
Table 9: Results of dissections of 45,458 <i>An. sinensis</i> and 6,498 <i>An. minimus</i> from three locations in Taiwan, 1947 - 1949.....	25
Table 10: Flushing control and impact on malaria .....	29
Table 11: Daytime mosquito collections in sprayed houses .....	31
Table 12: Total anophelines captured in sprayed and unsprayed villages, January 1950 - June 1951 .....	31
Table 13: Growth of local health centers and stations .....	37
Table 14: Standardization of health station buildings .....	38
Table 15: Work accomplished by antimalaria stations .....	42
Table 16: Distribution of anopheline mosquitoes in Taiwan Province.....	47
Table 17: Earlier and current nomenclature of Taiwan anophelines .....	48
Table 18: Distribution of <i>An. minimus</i> females resting in houses during the daytime; analysis of 757 houses harboring <i>An. minimus</i> , Taiwan, April 192 - June 1954 .....	58
Table 19: Results of the surveys made in localities at different distances from the sea coast.....	62
Table 20: Spleen or parasite rate among school children at different altitudes.....	65

---

	<u>Page</u>
Table 21: Blood smears examined in the aboriginal areas in Taiwan .....	66
Table 22: Blood smears examined and malaria cases detected by the Penghu Antimalaria Station, 1939 - 1943 .....	69
Table 23: Mortalities (percentages) of <i>An. sinensis</i> exposed for 15 minutes to sprayed (DDT) and unsprayed plaster and mud walls, Nantou town, Nantou county, Taiwan.....	81
Table 24: Spleen and malaria parasite surveys among children ages 2 - 14 in Chishan district, 1952 - 1956.....	94
Table 25: Monthly infant parasite surveys in the Chishan district, June 1952 - June 1954 .....	97
Table 26: Consolidated data from fever case surveys in the Chishan district, July 1952 - May 1954 .....	98
Table 27: Summary of training courses, 1952 - 1957 .....	120
Table 28: Curricula of training courses in 1955 .....	123
Table 29: Regional timing for spraying.....	124
Table 30: Analyses of spraying operations, 1952 - 1957 .....	139
Table 31: Summary of annual spraying operations, July 1952 - October 1957 .....	140
Table 32: Analyses of cost of operations 1952 - 1956 .....	141
Table 33: Factors to be considered in interpreting cost of operations.....	142
Table 34: Island-wide simultaneous malaria parasite surveys among per-school age children, by species of malaria parasite, 1951 - 1960.....	143
Table 35: Results of the spleen surveys, 1953 and 1955.....	149
Table 36: Monthly infant parasite surveys in Nantou and Taichung counties, December 1952 - June 1954.....	150
Table 37: Results of daytime <i>Anopheles</i> collections before and after The antimalaria DDT spraying, April 1952 - May 1957.....	153
Table 38: Areas defined for stratified malaria surveillance, July 1958 - December 1964 .....	161
Table 39: Case detection protocol for the 1963 and 1964 Surveillance program .....	165
Table 40: Annual summaries and analyses of spraying operations, CY 1958 - FY 1962 .....	173

	<u>Page</u>
Table 41: Annual summaries of Full-Scale Stratified Malaria Surveillance (July 1958 - December 1964).....	179
Table 42: Case detection in maintenance phase in Taiwan (1966 - 1988) .....	186
Table 43: Blood smears examined and cases found, By sources of infection, 1965 - 1989 .....	189
Table 44: Military DDT house spraying, 1956 - 1961 .....	198
Table 45: Blood smears examined and cases found (1956 - 1979).....	199
Table 46: Source of funds - November 1946 through December 1951 .....	211
Table 47: Annual financial contributions, by source of funds 1952 - 1957 (Attack Phase).....	213
Table 48: Expenditures for the DDT spraying operations, and per capita analysis, 1952 - 1957 (Attack Phase) .....	214
Table 49: Spray coverage in selective spray sectors .....	219
Table 50: Adult <i>Anopheles</i> collections in houses and adjoining stables, Chungliiao township, Nantou county, November 1952 - September 1955.....	221
Table 51: Difference in spleen rate and AES obtained from two different recumbent positions .....	237
Table 52: Percentage of blood positives in each spleen class .....	238
Table 53: Monthly infant parasite surveys in the five epidemic villages in Kaoshu, township, October 1953 - April 1955 .....	242
Table 54: Spleen and malaria parasite surveys among school children ages 6-15 from five epidemic villages in Kaoshu township, October 1953 - April 1955 .....	243
Table 55: Population of Yami tribe in Lanyu .....	252
Table 56: Malariometric surveys in Lanyu, April 1953 - April 1960.....	256
Table 57: Number of people examined according to age groups in the first three surveys in Lanyu .....	257
Table 58: Malaria out-patients at the Lanyu health station .....	258
Table 59: Results of bedbug surveys.....	260
Table 60: Japanese Encephalitis in Taiwan, 1956 - 1979.....	267

---

## LIST OF FIGURES

	<u>Page</u>
Fig. 1: Birth, death and natural increase rates (per 1,000), Taiwan area, 1947 - 1988 .....	5
Fig. 2: Taking blood smears in the village.....	15
Fig. 3: Cutting and clearing .....	16
Fig. 4: Taiwan Provincial Malaria Research Institute (TAMRI) Chaochou, Pingtung county (1948 - 1969) .....	18
Fig. 5: New malaria infections of infants and young children of Chaochou .....	20
Fig. 6: Three weeks' moving means of density values for <i>An. sinensis</i> and <i>An. minimus</i> , from seven collecting stations in Chaochou township, 1949.....	21
Fig. 7: Paludrine is distributed to villagers in Sanhsing village, Chaochou Township, 1947 .....	26
Fig. 8: Larviciding .....	30
Fig. 9: Intradomiciliary spraying with DDT .....	32
Fig. 10: First training course for county malaria supervisors, 1947 .....	34
Fig. 11: Health station in Tounan county, 1953 .....	39
Fig. 12: Antimalaria station, Pangliao, Pingtung county.....	41
Fig. 13: One of the favorite breeding places of <i>An. Minimus</i> .....	50
Fig. 14: <i>Anopheles minimus</i> .....	51
Fig. 15: Showing villagers a cageful of anopheline mosquitoes .....	52
Fig. 16: Species composition of <i>Anopheles</i> populations in rural houses in Taiwan.....	54
Fig. 17: Daytime resting places, by rooms, of <i>An. minimus</i> in rural houses of Taiwan .....	55
Fig. 18: Daytime resting places, by microhabitats, of <i>An. minimus</i> in rural houses of Taiwan.....	56
Fig. 19: The favorite resting place of <i>An. minimus</i> underneath sleeping platforms or beds.....	57
Fig. 20: Native raincoat - a non-sprayable daytime resting place of <i>An. Minimus</i> .....	58
Fig. 21: Typical <i>An. minimus</i> breeding site in a foothill area .....	63
Fig. 22: Children with enlarged spleen in mountain district in Taiwan.....	67

	<u>Page</u>
Fig. 23: Improvised Petri dish holder .....	78
Fig. 24: Entomology technician preparing equipment and mosquitoes for bioassay test.....	79
Fig. 25: Bioassay test with <i>An. sinensis</i> exposed to DDT deposit.....	80
Fig. 26: Spraying squad (on foreman, four spraymen and two helpers).....	83
Fig. 27: House marked with "DDT" label after foreman's inspection.....	84
Fig. 28: Spraying squad moving from one village to another, on foot.....	85
Fig. 29: Spraying squad moving from one village to another, by bicycle.....	85
Fig. 30: Squad organization, 1-4-2 mode .....	86
Fig. 31: Village meeting .....	87
Fig. 32: Squad flag.....	88
Fig. 33: Dr. Paul Q. Peterson (MS A Health Officer) visiting a spraying squad and interviewing a Chishan Resident.....	89
Fig. 34: 1947 Dodge pick-up truck.....	90
Fig. 35: 1947 Willys jeep crossing a suspension bridge in..... Liukuei, Kaohsiung county .....	91
Fig. 36: Taking blood smears at school .....	92
Fig. 37: Examination of blood smears .....	93
Fig. 38: Infant survey.....	95
Fig. 39: Window trap .....	100
Fig. 40: Cost analysis - first year operation.....	102
Fig. 41: Dr. Shih Chu Hsu (center), Chief, Rural Health Division, JCRR, reviewing six-year malaria eradication program.....	107
Fig. 42: Personnel of the engineering section.....	112
Fig. 43: Special training class held at TAMRI for county supervisors, 1953 .....	114
Fig. 44: Using cloth screens to practice spraying technique .....	116
Fig. 45: Using bamboo screens to practice spraying technique.....	117
Fig. 46: Practicing spraying technique .....	118
Fig. 47: Mayor of Chishan explaining DDT spraying to policemen.....	120
Fig. 48: "Do not forget to spray the underside of beds." .....	122
Fig. 49: The difficult job of spraying the underside of platforms.....	122
Fig. 50: Preparing a house for spraying.....	125
Fig. 51: Ceiling of a house being sprayed .....	126

	<u>Page</u>
Fig. 52: Foreman inspecting DDT deposits .....	126
Fig. 53: Warning strip no doorway reminding residents: "Do not wipe off DDT deposits." .....	127
Fig. 54: "Do not wipe off DDT deposits." .....	127
Fig. 55: Warning strip on the doorway of a house sprayed with DDT .....	128
Fig. 56: Taiwan Agricultural Chemical Works (DDT plant in Kaohsiung city).....	129
Fig. 57: Variety of hand compression sprayers.....	130
Fig. 58: Multi-outlet pumps .....	131
Fig. 59: Accessories and tools .....	132
Fig. 60: Transportation of DDT .....	133
Fig. 61: Spraying squad transporting its own DDT and equipment in remote mountainous areas .....	134
Fig. 62: Collapsed pump cylinders .....	136
Fig. 63: Review of spraying record by Dr. W. Ross Cameron, MSA Health Officer.....	137
Fig. 64: Island-wide simultaneous malaria parasite surveys among pre-school children, 1951 - 1960.....	145
Fig. 65: Spleen survey of school children .....	149
Fig. 66: Monthly infant survey .....	151
Fig. 67: A mailman delivering blood smears.....	166
Fig. 68: Preparing blood smears for staining.....	166
Fig. 69: Staining blood smears .....	167
Fig. 70: Examination of blood smears .....	168
Fig. 71: Preparing blood smears from monkey .....	169
Fig. 72: Charcoal workers live under precarious conditions; temporary huts sometimes went unnoticed and unsprayed.....	176
Fig. 73: Dr. Siegel presenting the WHO Certificate of Registration to Mr. Lien on December 4, 1965 .....	180
Fig. 74: Decline and fall of malaria in Taiwan .....	183
Fig. 75: Military malaria unit at TAMRI .....	197
Fig. 76: Training of military spraying personnel .....	198
Fig. 77: Children isolating cats outside the house prior to the spraying .....	205
Fig. 78: Villagers' meeting.....	207



---

	<u>Page</u>
Fig. 79: A handbill for DDT spraying.....	209
Fig. 80: Sampling for bedbugs - straw mat was rolled, lifted and dropped suddenly into the pan.....	224
Fig. 81: Bedbugs were then collected from the pan .....	225
Fig. 82: Silkworms after incubation in a rural household .....	228
Fig. 83: Trays of silkworm larvae suspended in rearing room .....	230
Fig. 84: Diagram showing classes of splenic enlargement.....	235
Fig. 85: A child lying on his back (first recumbent position).....	236
Fig. 86: A child lying on her right side (second recumbent position) .....	236
Fig. 87: Staining individual blood smears .....	240
Fig. 88: A young Yami couple .....	247
Fig. 89: Yami men in ceremonial dress .....	247
Fig. 90: Daytime house - a platform on stilts .....	248
Fig. 91: Yami working house.....	248
Fig. 92: A typical typhoon-proof "winter house" .....	249
Fig. 93: A maternity house.....	249
Fig. 94: Yami men returning from a fishing trip.....	250
Fig. 95: A Yami man hanging fish to dry.....	250
Fig. 96: Spraying the inside of a "winter house" is a difficult task, even for a local sprayman .....	254
Fig. 97: Yami men unloading DDT from their boat .....	254
Fig. 98: Spleen examination, Lanyu .....	255
Fig. 99: Checking for head lice.....	261
Fig.100: Treating head lice with insecticide.....	262
Fig.101: Indoor ULV spraying for dengue control .....	269
Fig.102: Outdoor ULV spraying for dengue control .....	270

---

**INDEX**

- Aboriginal areas, 65-66, 107, 123, 146
- Aedes aegypti*, 154, 268
- Amodiaquine, 170, 171
- Anazawa, 23, 24, 174
- Annual blood examination rate  
(ABER), 165, 179
- Anopheles* (An.):  
distribution, 47  
fauna, 46  
natural infection, 23-25, 51-52  
nomenclature, 48  
resting places, 53-59  
seasonal prevalence, 22-23  
Species:  
*annularis*, 24, 47, 48  
*balabacensis*, 46, 47, 48  
*barbumbrosus*, 46, 47, 48  
*bengalensis*, 48  
*dirus*, 48  
*fluviatilis*, 47, 48  
*gigas* var. *Baileyi*, 47, 48  
*indefinitus*, 48, 50, 69  
*insulaeflorum*, 47, 48  
*jeyporiensis*, 48  
*labranchiae*, 217  
*leucophyrus*, 46, 47  
*lindesayi* ssp. *pleccau*, 48, 63  
*ludlowae*, 24, 48, 52, 69  
*maculatus*, 24, 47, 48, 53, 63, 69,  
174, 253, 259  
*minimus*, 20-22, 24, 25, 28, 31,  
47, 48, 50-59, 63, 69, 79, 81,  
98, 106, 152-155, 172, 174,  
184, 188, 190, 191, 194, 208  
217, 220, 221, 253, 258, 259  
*sinensis*, 20-25, 48, 50-56, 62, 63  
69, 70, 79, 81, 99, 152-154,  
174, 220, 221, 253, 258, 259  
*splendidus*, 24, 47, 48  
*takasagoensis*, 24, 47, 48  
*tessellatus*, 24, 47, 48, 52  
vectors of malaria:  
primary vector, 49, 50, 52, 56  
secondary vector, 49, 53
- Antimalaria stations, 17, 18, 40-42, 60  
66, 68, 69, 142, 143
- Anti-mosquito measures, 172
- Automatic flushing, 17, 28-29
- Average enlarged spleen (AES), 26, 69,  
70, 149, 237, 238, 243, 253, 256
- Basic health services, 35-43
- Bedbugs, resistance to DDT, 156, 222,  
226, 259-260
- BHC (gamma-BHC), 172, 191, 201,  
214, 226
- Bioassay tests, 77, 79, 80-81, 172
- Biting midges, 263-264
- Blackflies, 263
- Botel Tobago, *see* Lanyu
- Brugia malayi*, 203, 265
- Bulletin board, 89, 137
- Busvine & Nash's (susceptibility) test,  
174
- Cameron, W. Ross, 137
- Carter, J.C., 17

- 
- Case:
- classification, 170, 180, 188
    - Cryptic, 170, 179
    - imported, 68, 170, 176, 179, 182, 189, 195
    - indigenous, 170, 172, 178, 179, 182, 189, 191, 192
    - induced, 168, 170, 179, 189
    - Introduced, 170, 179
    - relapsing, 170, 179, 189, 191
  - detection, 163, 165, 171, 185-187, 192, 205
    - active (ACD), 163, 165
    - passive (PCD), 163, 165
  - fever, see fever case surveys
  - investigation, 169, 170, 188
  - reporting, 157, 186-187
- Cash (incentive) awards, 111, 163, 164, 167, 168, 206
- Chanos chanos*, see Milk fish
- Chigger mites, 264
- Chishan district (Pilot project area), 73, 75
- Chlorguanide (Paludrine), 25-27
- Chloroquine, 27, 170, 171, 175, 191, 194, 253, 258
  - resistance to, 193
- Cimex*:
- species:
    - hemipterus*, 222-223, 226, 259
    - lectularius*, 222, 226
- Cleaning, semi-annual, 45, 223, 225
- Collection stations, entomological, 99, 152, 174
- Communication and coordination, 206
- Community participation, 204-210
- Congenital infection, 179, 258
- Consolidation phase, 170
- Control area, 12-13, 40, 66, 68
- Council for United States Aid (CUSA), 37, 73, 106, 159, 182, 196, 201, 210-214
- County malaria supervisor, 34, 105, 113, 118-120, 124, 136, 137, 188, 206, 208
- Crithidial forms (*trypanosome*), see flagellates
- Culex (Cx.)*:
- species:
    - annulus*, 264, 266
    - fuscocephala*, 266
    - quinquefasciatus*, 264-266
    - tritaeniorhynchus*, 264, 266
- Culicoides arakawae*, 264
- DDT (*dichloro-diphenyl-trichloroethane*), 17, 29, 77, 89, 106, 112, 129, 210, 226
  - deposit, 45, 82, 98, 204
  - imported, 129, 134, 141, 153
  - toxicity, 204, 228-229, 231, 233-234
  - local, 129, 141, 153
  - residual house spraying, 30-33, 40
    - 77, 81, 100-102, 106-141, 172, 191 197, 198, 201, 251, 253-255
  - accessory equipment, 43, 124, 130, 132, 134
  - Annual summary (1952-1957), 109, 140
  - Annual summary (1958-1962), 172, 173
  - Analysis of, 100-102, 138-142, 173
  - complete, 81, 82, 91, 99, 216-222

- cost analysis, 102, 141, 142, 214
- cycle, 77
- emergency, 241
- frequency of, 109
- personnel, 76, 82
- reporting, 136
- selective, 74, 81, 82, 93, 99, 217-222
- sequence of, 125-128
- technique, 116, 118, 125
- timing, 124
- Decentralized operation, 43-45, 71, 139
- Dengue fever control, 268-270
- Department of Health (DOH), 6, 268
- Department of Environmental Protection (DEP), 268
- Diethylcarbamazine*, 266
- Diazinon, 226
- Dieldrin, 226
- Entomology:
  - evaluation, 98-100, 152-155, 256-259
  - Museum, 263
  - surveillance, 188
  - surveys, 69, 98, 90, 98, 152, 255, 258
  - vigilance, 174, 188
- Engineering Section, TAMRI, 11, 112
- Eutrombicula wichmanni*, 264
- Epidemiology:
  - evaluation, 91-98, 142-151
  - Investigations, 168, 171, 186, 187
- Epidemic in Kaoshu and its economic impact, 240-244
- Examination stations, 169
- Feline (cat) fatalities, 156, 233, 204, 205, 234
- Fever case surveys, 96, 98, 165, 187
- Filariasis control, 184, 203, 265, 266
- Films and slides about MEP, 209
- Flagellates (*trypanosome*), 24, 51, 52
- Fleas, 263
- Foreign Operations Administration (FOA), 106, 130
- Foremen, spraying, 76, 82, 88, 89, 113, 114, 118-120, 124, 136, 212, 234
- Fumigation, 14, 15
- Full-Scale Stratified Malaria Surveillance(FSMS), 158, 160, 163, 178, 179
- Gambusia affinis*, 14
- Geographical reconnaissance, 46
- Green Island, *see* Lutao
- Hackett, 234, 235
- Handbills and posters, 89, 209, 212
- Head lice, 261-262
- Health centers (county), 6, 35-37, 40, 41, 43, 71, 71, 103, 104, 110, 111, 164, 177, 180, 182, 184, 191
- Health stations (township), 6, 35-39, 40, 41, 71, 74, 89, 103, 110, 111, 164, 182, 184, 191, 207, 258
- Helpers, 76, 82, 88, 113, 118, 212
- Hetrazan, 201, 203
- Household registration, 45-46, 92
- Hsu, Shih-Chu, 38, 107
- Imported cases, *see* Case
- Indicator districts, 150, 152
- Indigenous transmission, 182
- Induced malaria, *see* Case
- Infant surveys:
  - Island-wide, 150-151
  - Monthly, 19, 32, 95-98, 150-151, 219, 242

- 
- Insecticide mixture, 172,226
- Insects of medical importance, 264
- International Cooperation  
Administration (ICA), 73, 158, 182, 196, 201, 210, 211, 214, 265
- International travellers, 184,193
- Japanese encephalitis, 184, 266-268
- Joint Commission for Rural Reconstruction (JCRR), 33, 35-41, 73, 196, 209, 211-213, 265
- Kinoshita, 23
- Koch, Robert, 12, 14
- Kuolei (operation), 159, 177, 200
- Lantern slides, 210
- Lanyu (Botel Tobago, Kotosho, Orchid Island), 70, 240 245-262
- Laveran, Charles Alphonse, 8
- Larviciding, 17, 29-30
- Larvivorous fish, 14
- Leptotrombidium (L.)*:  
species:  
*deliense*, 264  
*akamushi*, 264
- Lutao (Green Island), 70
- Maintenance phase, 182,184,186,188, 192, 196
- Malaria:  
control program, 40, 71-73, 106, 211  
death (1906-1942), 11, 194  
decline and fall of, 183  
endemicity, 60-65, 146-148  
  holoendemic, 70, 253  
  hyperendemic, 60, 66, 67, 71, 107, 158  
  hypoendemic, 68, 69, 71, 107, 146, 158, 238  
  in aboriginal areas, 65-68  
  mesoendemic, 71, 146, 159  
  non-malarious, 69, 106, 107  
  on adjacent islands, 68-70  
  epidemic, *see* epidemic in Kaoshu  
  eradication program (MEP), 19, 43, 106-108, 196  
  prevalence, 19-22, 60  
  surveillance, 157-180, 182, 199  
  transmission:  
    Indigenous, 182  
    foci, 175, 191  
    vigilance, 184, 199
- Malaria Eradication Special Account (MESA), 159, 163, 214
- Malaria Meetings, 207,208
- Malaria Research Center, 17
- Malariometric surveys, 64, 66, 69, 90, 98, 146, 152, 157, 219, 252, 253, 255, 256
- Manson, Patrick, 8, 9
- Maxwell, I.L., 8
- McKay Hospital, 9, 10
- Microhabitats, 53, 56, 57, 152, 216, 220
- Migrants, 165, 175, 232
- Military Assistance Advisory Group (MAAG), 196, 210
- Military Malaria Surveillance Section (MMSS), 199-201, 203
- Milk fish (*Chanos chanos*), 231-232
- Mobile investigation and control teams, 170
- Mobile malaria detection teams, 157-158
- Morishita, Kaoru, 8, 10, 46, 65

- Mountain district (township), 65, 67, 138
- MSA/CUSA/JCRR medical depot, 36, 37
- Multi-outlet sprayers, 130, 131
- Mutual Security Agency (MSA), 36, 40, 89, 137, 209, 211-213
- National Defense Medical College (NDMC), 196, 210
- National Health Administration (NHA), 6, 73, 191, 210, 211
- National Institute of Health (NIH), 17, 35
- National Institute of Preventive Medicine (NIPM), 184, 266
- National Malaria Coordination Committee, 196, 210
- Newsletter (TAMRI), 206-209
- Notifiable diseases, 157
- Operational manuals, 104, 105, 123
- Orchid Island, *see* Lanyu
- Paludrine, 25-27, 42, 196
- Pan American Health Organization (PAHO), 272
- Parasite rates, 32, 70, 93, 103, 106, 143, 146, 220, 238, 243, 253, 256, 257
- Parasite surveys, 60, 92, 94, 98, 174, 243, 255
- simultaneous, 142-145, 157, 174
- Paul, J. Harland, 17
- Penghu (Pescadores), 68-70, 106, 197, 268
- Permethrin, 268
- Peterson, Paul Q., 89
- Pilot project, 40, 43, 73, 75-105, 216, 218
- Plasmodium (P.)*:  
    resistance to chloroquine, 193  
    species:  
        *falciparum*, 8, 23, 26, 143, 151, 157-159, 169-171, 175, 177-179, 194, 195, 238, 239, 242, 257  
        *inui*, 167  
        *malariae*, 8, 26, 143, 168, 170, 171, 175, 177-179, 201, 238, 242, 253, 257, 258  
        *ovale*, 177, 179  
        *vivax*, 8, 22, 23, 143, 151, 164, 170, 171, 175-179, 191, 192, 201, 232, 238, 239, 242
- Poecilia reticulata*, 14
- Post-operational children (POC), 157, 158, 169
- Precipitin test, 50
- Primaquine, 170, 175, 191, 201
- Problems encountered but surmounted, 156
- Program funding, 106-107, 211-215
- Prototype stratified malaria Surveillance, 160-162
- Provincial Health Administration (PHA), 6, 17, 18, 35, 73, 177, 182, 191, 210, 211, 212
- Provincial Institute of Infectious Diseases (TIID), 184, 266
- Public physicians, 10, 35
- Pyrimethamine, 175
- Questionnaire forms for travelers, 184, 185, 193
- Quinacrine (Atebrin), 26
- Quinine hydrochloride, 8, 12, 194
- Relapsing malaria, *see* Case

- 
- Rickettsia, 264  
Rockefeller Foundation, 17-19, 33, 50, 90, 211  
Ross, Ronald, 9, 46  
Rural malaria vigilance group (RMVG), 163-165  
Sardinian project, 217  
Sandflies, 163  
Screen for spraying practice, cloth or bamboo, 115, 116, 117  
Screening (houses), 15  
Silkworms, 156, 226-230  
Side effects, treatment with drugs, 171  
Simian (monkey) malaria parasite, 167  
Simon's bioassay test, 174  
Site selection, 15  
Species sanitation, 49  
Spleen surveys, 23, 32, 92-94, 146, 149, 219, 243, 255  
    island-wide, 146-149, 157  
Splenomegaly, 234-238  
Sporozoites, 24, 51, 174  
Sprayers, 82, 86, 100, 101, 100-112, 130-135  
Spraymen, 76, 82, 88, 113, 118, 120, 212, 234  
Squads, spraying, 82-90, 101, 103, 104, 115, 119, 128, 132, 134, 137  
Squad flag, 88, 89, 137  
Staining technique, 239  
Stratification  
    of malarious areas, 71  
    of surveillance areas, 159, 162  
Sumithion EC, 267  
*Suncus murinus*, 264  
Supervision of DDT spraying, 136, 137  
Surgeon General's Office (SGO), 177, 196, 197, 199, 200, 201, 203, 210, 263, 265  
Tacheng Iron Works, 130  
Taiwan Agricultural Chemical Works (TACW), 129  
Taiwan Provincial Malaria Research Institute (TAMRI), 6, 18, 33, 43, 46, 50, 60, 67, 71, 73, 82, 90, 106, 112, 135, 163, 175, 182, 191, 194, 196, 197, 199-201, 203, 208-212, 263, 265, 271, 272  
*Taiwan Provincial Gazette*, 45, 105, 110, 111, 113, 157, 163, 182, 208, 212  
Technical dividend, 271  
Ticks, 263  
Township malaria supervisor 105, 206, 207, 208  
Township malaria surveillance Stations, 157, 158  
Township malaria vigilance units (TMVU), 164, 165  
*Toxorhynchites*, 263  
Training:  
    microscopists, 33  
    county malaria personnel, 33-34  
    military spraying personnel, 198  
    spraying personnel, 111-123  
        courses at TAMRI, 114  
        regional courses, 114, 115, 124  
        local courses, 118  
        curricula, 121-123  
Transmission foci, 157, 170, 174, 175, 178, 179, 182, 191  
Transportation of DDT and sprayers, 43, 133-134

- cost of transportation, 212
- Treatment of malaria, 170,205
  - radical cure, 171,191,201
  - suppressive, 27, 172, 175
- Trombiculid mites, 263, 264
- Trypanosome, 24, 51
- Tu, Tsungming, 8
- Ultra low volume (ULV), 268-270
- United Nations Relief and Reconstruction Administration (UNRRA), 91
- United States Agency for International Development (USAID), 266
- U.S. Naval Medical Research Unit, No. 2 (NAMRU-2), 48,264
- Urban malaria vigilance units (UMVU), 164, 165
- Vectors of malaria, *see* Anopheles
- Village meetings, 87, 206, 207
- Voluntary collaborators, 163, 187, 206
- Watson, Robert Briggs, 17
- World Health Organization (WHO), 42, 50, 73, 158, 159, 196, 201, 210-214
- WHO certificate of registration, 180-181, 211
- WHO evaluation team, 180
- WHO malaria team, 73, 210
- Wuchereria bancrofti*, 201, 203, 265
- Yami tribe, 246-252