week 48–49(Nov.25–Dec.8, 2018)

DOI: 10.6525/TEB.201812_34(24).0002

Weekly Data of Notifiable Infectious Diseases (by week of diagnosis)

	Case diagnosis year	Week				: 1–48	
				201		2017	7
Classification	Disease Diagnosed	2018	2017	Total cases★	Imported cases	Total cases★	Imported cases
	Plague	0	0	0	0	0	0
Category I	Rabies	0	0	0	0	0	0
	SARS Smallpox	0	0 0	0	0	0	0
	Acute Flaccid Paralysis	1	4	65	0	41	0
	Acute Viral Hepatitis type A	1	5	80	29	367	47
	Amoebiasis	11	18	307	136	334	179
	Anthrax	0	0	0	0	0	0
	Chikungunya Fever	0	0	6	6	11	11
	Cholera Dengue Fever	0 11	0 5	7 481	0 299	2 322	1 312
	Diphtheria	0	0	0	0	0	0
	Enterohemorrhagic E. coli Infection	ő	0	Ö	0	Ö	0
	Epidemic Typhus Fever	0	Ō	0	0	0	0
Category II	Hantavirus Pulmonary Syndrome	0	0	0	0	0	0
	Hemorrhagic Fever with Renal Syndrome	0	0	1	0	1	0
	Malaria	0	0	6	6	7	7
	Measles Meningococcal Meningitis	0	0 0	36 5	9 1	5 11	5 0
	Paratyphoid Fever	0	0	8	7	5	4
	Poliomyelitis	Ö	Ö	0	0	Ö	0
	Rubella	0	0	10	9	3	2
	Shigellosis	0	2	155	48	156	54
	Typhoid fever	1	0	14	10	17	14
	West Nile Fever	2	<u>0</u> 4	0 132	9	0 144	9
	Acute Viral Hepatitis type B Acute Viral Hepatitis type C	9	6	430	4	285	2
	Acute Viral Hepatitis type D	ő	0	0	0	1	0
	Acute Viral Hepatitis type E	0	Ō	7	0	15	3
	Congenital Syphilis	0	0	0	0	0	0
	Congenital Rubella Syndrome	0	0	0	0	1	1
Category III	Enteroviruses Infection with Severe Complications	0	0 0	37 5	0	11	0
	Haemophilus Influenza type b Infection Japanese Encephalitis	0	0	36	0	5 2 5	0
	Legionellosis	1	11	188	9	164	14
	Mumps	9	9	561	10	604	9
	Neonatal Tetanus	0	0	0	0	0	0
	Pertussis	0	0	30	2	34	0
	Tetanus	0	0	5	0	10	0
	Botulism Brucellosis	0	0 0	0	0	0	0
	Complicated Varicella	0	0	52	0	28	1
	Endemic Typhus Fever	Ö	Ö	23	1	35	1
	Herpesvirus B Infection	0	0	0	0	0	0
	Invasive Pneumococcal Disease	8	3	425	0	419	3
C-+	Leptospirosis	2	2	91	1	98	1
Category IV	Listeriosis	3 0	0	155	1 2	 1	 1
	Lyme Disease Melioidosis	1	1	24	1	25	1
	Q Fever	0	Ō	19	2	18	0
	Scrub Typhus	5	7	345	2	398	0
	Severe Complicated Influenza	10	8	1108	5	1301	7
	Toxoplasmosis	0	0	14	1	19	0
	Tularemia Ebola Virus Disease	0	0	0	0	0	0
	Lassa Fever	0	0	0	0	0	0
	Marburg Hemorrhagic Fever	0	0	ő	0	ő	0
Category V	Middle East Respiratory Syndrome Coronavirus	0	0	0	0	0	0
Category v	Novel Influenza A Virus Infections	0	0	0	0	1	1
	Rift Valley Fever	0	0	0	0	0	0
	Yellow Fever Zika virus infection	0	0 0	0 2	0 2	0 4	0 4
	Leiva vii as iiiiectioii	U	U			4	4

^{1. ★}The weekly and cumulative total numbers include indigenous and imported cases of notifiable infectious diseases.

^{2.} MDR-TB, Tuberculosis, Syphilis, Gonorrhea, HIV Infection, AIDS, Hansen Disease and Creutzfeldt-Jakob Disease are excluded from the table.

^{3.} Numbers of mumps and tetanus cases are summed up by the week of report.

^{4.} Since 2018/1/1, "Listeriosis" was listed as a Notifiable Infectious Disease. Symbols "..." means not under surveillance.

Suspected Clusters

● Thirty-one clusters were reported, including 9 tuberculosis clusters, 8 diarrhea clusters, 3 upper respiratory tract infection clusters, 1 influenza-like illness cluster, 9 varicella clusters, and 1 enterovirus cluster.

Imported Infectious Diseases

There were 14 confirmed imported cases from 7 countries during week 48 of 2018.

Country	Indonesia	Cambodia	Malaysia	Vietnam	Philippines	Singapore	Thailand	Total
DF		3	2	2	1	1		9
Amoebiasis	3				1		1	5
Total	3	3	2	2	2	1	1	14

. Note: The table summarized the number of imported cases that were either **confirmed** or **updated** in the given week.

- There are 602 confirmed imported cases from 30 different countries in 2018. The top 3 countries are Indonesia (177), Philippines (74), and Vietnam (68).
- Top 3 imported diseases are Dengue Fever (299), Amoebiasis (136), and Shigellosis (48).

Summary of Epidemic

- **Dengue Fever:** The risk of indigenous dengue epidemics has been slowed down. However, cases are likely to occur sporadically. The dengue epidemics are still at its peak or in the midst in some of the nearby Asian countries, the potential risks of imported cases remain in Taiwan.
- Influenza: Influenza activity is expected to gradually increase due to large temperature differences between night and day.
- ●Enterovirus: Most reported cases experienced mild symptoms. However, cases of enterovirus infection with severe complications are likely to occur sporadically.

Weekly Data of Notifiable Infectious Diseases (by week of diagnosis)

	Case diagnosis year	Week	49★	Week 1–49 2018 2017 Limported 11			
Classification	Disease Diagnosed	2018	2017	2018 Total cases★	Imported	2017 Total cases★	Imported
	Plague	0	0	0	cases 0	0	cases 0
Category I	Rabies	0	0	0	0	0	0
category	SARS Smallpox	0	0 0	0 0	0 0	0 0	0
	Acute Flaccid Paralysis	3	4	68	0	45	0
	Acute Viral Hepatitis type A	3	3	83	30	370	47
	Amoebiasis	9	12	315	140	346	181
	Anthrax Chikungunya Fever	0	0 0	0 6	0 6	0 11	0 11
	Cholera	0	0	7	0	2	1
	Dengue Fever	12	6	493	310	328	318
Category II	Diphtheria	0	0	0	0	0	0
	Enterohemorrhagic E. coli Infection	0	0	0	0	0	0
	Epidemic Typhus Fever Hantavirus Pulmonary Syndrome	0	0 0	0 0	0 0	0 0	0
Category II	Hemorrhagic Fever with Renal Syndrome	0	0	1	0	1	0
	Malaria	0	0	6	6	7	7
	Measles	0	0	36	9	5	5
	Meningococcal Meningitis Paratyphoid Fever	0	0 0	5 8	1 7	11 5	0 4
	Poliomyelitis	0	0	0	0	0	0
	Rubella	0	0	10	9	3	2
	Shigellosis	3	4	158	48	160	56
	Typhoid fever	0	0	14	10	17	14
	West Nile Fever Acute Viral Hepatitis type B	3	<u>0</u>	0 135	0 10	0 148	9
	Acute Viral Hepatitis type B Acute Viral Hepatitis type C	20	9	450	5	294	2
	Acute Viral Hepatitis type D	0	0	0	0	1	0
	Acute Viral Hepatitis type E	0	0	7	0	15	3
Category III	Congenital Syphilis	0	0	0	0	0	0
	Congenital Rubella Syndrome Enteroviruses Infection with Severe Complications	0 1	0 0	0 38	0 0	1 11	1 0
	Haemophilus Influenza type b Infection	0	1	5	0	6	0
	Japanese Encephalitis	1	0	37	0	25	0
	Legionellosis	11	8	199	10	172	14
	Mumps	10	10	571	10	614	9
	Neonatal Tetanus Pertussis	0	0 0	0 30	0 2	0 34	0
	Tetanus	0	0	50 5	0	10	0
	Botulism	0	0	0	0	0	0
	Brucellosis	0	0	0	0	0	0
	Complicated Varicella	0	0	52	0	28	1
	Endemic Typhus Fever Herpesvirus B Infection	0	0 0	23 0	1 0	35 0	1 0
	Invasive Pneumococcal Disease	6	7	431	0	426	3
	Leptospirosis	2	1	93	1	99	1
Category IV	Listeriosis	2		157	1	•••	
	Lyme Disease	0	0	2	2	1	1
	Melioidosis	0	0	24	1	25	1
	Q Fever Scrub Typhus	1 5	0 4	20 350	2 2	18 402	0
	Severe Complicated Influenza	10	10	1118	5	1311	7
	Toxoplasmosis	0	1	14	1	20	0
	Tularemia	0	0	0	0	0	0
	Ebola Virus Disease	0	0	0	0	0	0
	Lassa Fever Marburg Hemorrhagic Fever	0	0 0	0 0	0 0	0 0	0
	Middle East Respiratory Syndrome Coronavirus	0	0	0	0	0	0
Category V	Novel Influenza A Virus Infections	0	0	Ö	0	1	1
	Rift Valley Fever	0	0	0	0	0	0
	Yellow Fever	0	0	0	0	0	0
	Zika virus infection	1	0	3	3	4	4

^{1. ★}The weekly and cumulative total numbers include indigenous and imported cases of notifiable infectious diseases.

^{2.} MDR-TB, Tuberculosis, Syphilis, Gonorrhea, HIV Infection, AIDS, Hansen Disease and Creutzfeldt-Jakob Disease are excluded from the table.

^{3.} Numbers of mumps and tetanus cases are summed up by the week of report.

^{4.} Since 2018/1/1, "Listeriosis" was listed as a Notifiable Infectious Disease. Symbols " \cdots " means not under surveillance.

Suspected Clusters

■Twenty-three clusters were reported, including 9 tuberculosis clusters, 4 diarrhea clusters, 5 upper respiratory tract infection clusters, 1 influenza-like illness cluster, and 4 varicella clusters.

Imported Infectious Diseases

● There were 20 confirmed imported cases from 9 countries during week 49 of 2018.

Country	Vietnam	Cambodia	Indonesia	China	Thailand	Australia	Cuba	Malaysia	Philippines	Total
DF	4	4			1		1	1		11
Amoebiasis			3						1	4
Legionellosis				1						1
Acute Hepatitis C				1						1
Zika virus infection					1					1
Acute Hepatitis A						1				1
Acute Hepatitis B	1									1
Total	5	4	3	2	2	1	1	1	1	20

Note: The table summarized the number of imported cases that were either **confirmed** or **updated** in the given week.

- There are 622 confirmed imported cases from 31 different countries in 2018. The top 3 countries are Indonesia (180), Philippines (75), and Vietnam (73).
- Top 3 imported diseases are Dengue Fever (310), Amoebiasis (140), and Shigellosis (48).

Summary of Epidemic

- **Dengue Fever:** The risk of indigenous dengue epidemics has been slowed down. However, cases are likely to occur sporadically. The dengue epidemics are still at its peak or in the midst in some of the nearby Asian countries, the potential risks of imported cases remain in Taiwan.
- ●Influenza: Influenza activity has been increased gradually.
- Enterovirus: The epidemic has been increased slowly. Most reported cases experienced mild symptoms. However, cases of enterovirus infection with severe complications are likely to occur sporadically.

The Taiwan Epidemiology Bulletin series of publications is published by Centers for Disease Control, Ministry of Health and Welfare, Taiwan (R.O.C.) since Dec. 15, 1984.

Publisher: Jih-Haw Chou

Editor-in-Chief: Yung-Ching Lin

Executive Editor: Hsueh-Ju Chen, Hsin-Lun Lee

Address: No.6, Linsen S. Rd, Jhongjheng District, Taipei City 10050, Taiwan (R.O.C.)

Telephone No: +886-2-2395-9825 Website: http://www.cdc.gov.tw/rwd/english

Suggested Citation:

[Author].[Article title].Taiwan Epidemiol Bull 2018;34:[inclusive page numbers]. [DOI]