

# HIV/AIDS 統計月報表

資料擷取日期：2015/1/5

【西元 2014 年 12 月份】(依通報日分析)

【西元 2014 年 1 月 1 日累積至 2014 年 12 月 31 日】(依診斷日分析)

【西元 2011 年、2012 年、2013 年】(依診斷日分析)

【西元 1984 年累積至 2014 年 12 月 31 日】(依診斷日分析)

※自 2005 年起 AIDS 通報定義除出現伺機性感染和有關 AIDS 的腫瘤外，新增 CD4 小於 200cells/mm3

| 通報時國籍別 | 感染者數 ※1       |                 |                  | 發病者數       |                 |                  |
|--------|---------------|-----------------|------------------|------------|-----------------|------------------|
|        | 本月通報數(%)      | 本年個案數(%)        | 累積個案數(%)         | 本月通報數(%)   | 本年個案數(%)        | 累積個案數(%)         |
| 本國籍    | 185 (97.37% ) | 2,236 (97.22% ) | 28,711 (96.78% ) | 97 (100% ) | 1,387 (99.14% ) | 12,564 (99.01% ) |
| 外國籍    | 5 (2.63% )    | 64 (2.78% )     | 954 (3.22% )     | 0 (0% )    | 12 (0.86% )     | 126 (0.99% )     |
| 總計     | 190 (100% )   | 2,300 (100% )   | 29,665 (100% )   | 97 (100% ) | 1,399 (100% )   | 12,690 (100% )   |

※1：含發病數

註：感染者數銷案 0 例

本國籍感染人類免疫缺乏病毒者依性別統計表

| 性別 | 感染者數 ※1       |                 |                  | 發病者數         |                 |                  | 全死因死亡數       |               |                 |
|----|---------------|-----------------|------------------|--------------|-----------------|------------------|--------------|---------------|-----------------|
|    | 本月通報數(%)      | 本年個案數(%)        | 累積個案數(%)         | 本月通報數(%)     | 本年個案數(%)        | 累積個案數(%)         | 本月死亡數(%)     | 本年死亡數(%)      | 累積個案數(%)        |
| 女  | 3 (1.62% )    | 60 (2.68% )     | 1,819 (6.34% )   | 5 (5.15% )   | 64 (4.61% )     | 778 (6.19% )     | 3 (16.67% )  | 28 (7.63% )   | 366 (7.96% )    |
| 男  | 182 (98.38% ) | 2,176 (97.32% ) | 26,892 (93.66% ) | 92 (94.85% ) | 1,323 (95.39% ) | 11,786 (93.81% ) | 15 (83.33% ) | 339 (92.37% ) | 4,234 (92.04% ) |
| 總計 | 185 (100% )   | 2,236 (100% )   | 28,711 (100% )   | 97 (100% )   | 1,387 (100% )   | 12,564 (100% )   | 18 (100% )   | 367 (100% )   | 4,600 (100% )   |

※1：含發病數、死亡數

註 1：死亡累積個案數增加 24 例補通報

本國籍感染人類免疫缺乏病毒者依存活情形統計表

| 存活情形 | 感染者數 ※1          | 發病者數            |
|------|------------------|-----------------|
|      | 歷年累計個案數(%)       | 歷年累計個案數(%)      |
| 存活   | 24,073 (83.85% ) | 9,618 (76.55% ) |
| 死亡   | 4,600 (16.02% )  | 2,938 (23.38% ) |
| 離境   | 38 (0.13% )      | 8 (0.06% )      |
| 總計   | 28,711 (100% )   | 12,564 (100% )  |

※1：含發病數

本國籍感染人類免疫缺乏病毒者年齡別統計表

| HIV 診斷年齡 | 感染者數         |               |                 |               |                  |
|----------|--------------|---------------|-----------------|---------------|------------------|
|          | 本月通報數(%)     | 本年個案數(%)      | 2013 年個案數(%)    | 2012 年個案數(%)  | 歷年累計個案數(%)       |
| 0-4      | 0 (0% )      | 2 (0.09% )    | 0 (0% )         | 0 (0% )       | 28 (0.1% )       |
| 5-14     | 0 (0% )      | 2 (0.09% )    | 0 (0% )         | 1 (0.05% )    | 26 (0.09% )      |
| 15-24    | 70 (37.84% ) | 658 (29.43% ) | 664 (29.59% )   | 686 (30.87% ) | 6,552 (22.82% )  |
| 25-34    | 70 (37.84% ) | 979 (43.78% ) | 1,016 (45.28% ) | 944 (42.48% ) | 12,362 (43.06% ) |
| 35-49    | 39 (21.08% ) | 480 (21.47% ) | 460 (20.5% )    | 472 (21.24% ) | 7,745 (26.98% )  |
| 50-64    | 6 (3.24% )   | 95 (4.25% )   | 86 (3.83% )     | 99 (4.46% )   | 1,633 (5.69% )   |
| 65 以上    | 0 (0% )      | 20 (0.89% )   | 18 (0.8% )      | 20 (0.9% )    | 365 (1.27% )     |
| 總計       | 185 (100% )  | 2,236 (100% ) | 2,244 (100% )   | 2,222 (100% ) | 28,711 (100% )   |

本國籍感染人類免疫缺乏病毒發病者年齡別統計表

| AIDS 診斷年齡 | 發病者數         |               |               |               |                 |
|-----------|--------------|---------------|---------------|---------------|-----------------|
|           | 本月通報數(%)     | 本年個案數(%)      | 2013 年個案數(%)  | 2012 年個案數(%)  | 歷年累計個案數(%)      |
| 0-4       | 0 (0% )      | 0 (0% )       | 0 (0% )       | 0 (0% )       | 3 (0.02% )      |
| 5-14      | 0 (0% )      | 1 (0.07% )    | 0 (0% )       | 0 (0% )       | 8 (0.06% )      |
| 15-24     | 11 (11.34% ) | 161 (11.61% ) | 208 (14.54% ) | 176 (13.65% ) | 1,323 (10.53% ) |
| 25-34     | 42 (43.3% )  | 585 (42.18% ) | 627 (43.82% ) | 522 (40.5% )  | 4,904 (39.03% ) |
| 35-49     | 36 (37.11% ) | 492 (35.47% ) | 463 (32.35% ) | 442 (34.29% ) | 4,737 (37.7% )  |
| 50-64     | 8 (8.25% )   | 128 (9.23% )  | 115 (8.04% )  | 128 (9.93% )  | 1,288 (10.25% ) |
| 65 以上     | 0 (0% )      | 20 (1.44% )   | 18 (1.26% )   | 21 (1.63% )   | 301 (2.4% )     |
| 總計        | 97 (100% )   | 1,387 (100% ) | 1,431 (100% ) | 1,289 (100% ) | 12,564 (100% )  |

本國籍感染人類免疫缺乏病毒死亡者年齡別統計表

| 死亡年齡  | 全死因死亡數      |               |               |               |                 |
|-------|-------------|---------------|---------------|---------------|-----------------|
|       | 本月通報數       | 本年個案數         | 2013 年個案數(%)  | 2012 年個案數(%)  | 歷年累計個案數(%)      |
| 0-4   | 0 (0% )     | 0 (0% )       | 0 (0% )       | 0 (0% )       | 2 (0.04% )      |
| 5-14  | 0 (0% )     | 1 (0.27% )    | 0 (0% )       | 0 (0% )       | 2 (0.04% )      |
| 15-24 | 0 (0% )     | 8 (2.18% )    | 11 (2.71% )   | 16 (3.7% )    | 152 (3.3% )     |
| 25-34 | 1 (5.56% )  | 55 (14.99% )  | 81 (19.95% )  | 107 (24.71% ) | 1,117 (24.28% ) |
| 35-49 | 9 (50% )    | 186 (50.68% ) | 192 (47.29% ) | 197 (45.5% )  | 2,111 (45.89% ) |
| 50-64 | 6 (33.33% ) | 92 (25.07% )  | 91 (22.41% )  | 97 (22.4% )   | 894 (19.43% )   |
| 65 以上 | 2 (11.11% ) | 25 (6.81% )   | 31 (7.64% )   | 16 (3.7% )    | 322 (7% )       |
| 總計    | 18 (100% )  | 367 (100% )   | 406 (100% )   | 433 (100% )   | 4,600 (100% )   |

本國籍感染人類免疫缺乏病毒者依職業別統計表

| 職業別    | 本月通報數 |     |             | 本年個案數 |       |              | 2013 年個案數 |       |              | 2012 年個案數 |       |              | 歷年累計個案數 ※1 |        |                |
|--------|-------|-----|-------------|-------|-------|--------------|-----------|-------|--------------|-----------|-------|--------------|------------|--------|----------------|
|        | 女     | 男   | 總計(%)       | 女     | 男     | 總計(%)        | 女         | 男     | 總計(%)        | 女         | 男     | 總計(%)        | 女          | 男      | 總計(%)          |
| 工      | 0     | 7   | 7 (3.78%)   | 4     | 138   | 142 (6.35%)  | 3         | 129   | 132 (5.88%)  | 2         | 140   | 142 (6.39%)  | 104        | 2,959  | 3,063 (10.67%) |
| 不詳     | 1     | 70  | 71 (38.38%) | 8     | 329   | 337 (15.07%) | 4         | 283   | 287 (12.79%) | 4         | 132   | 136 (6.12%)  | 50         | 1,349  | 1,399 (4.87%)  |
| 公      | 0     | 0   | 0 (0%)      | 0     | 28    | 28 (1.25%)   | 0         | 33    | 33 (1.47%)   | 0         | 34    | 34 (1.53%)   | 3          | 430    | 433 (1.51%)    |
| 其他     | 0     | 9   | 9 (4.86%)   | 4     | 160   | 164 (7.33%)  | 2         | 146   | 148 (6.6%)   | 9         | 195   | 204 (9.18%)  | 150        | 2,134  | 2,284 (7.96%)  |
| 服務業    | 1     | 42  | 43 (23.24%) | 10    | 638   | 648 (28.98%) | 18        | 693   | 711 (31.68%) | 11        | 701   | 712 (32.04%) | 319        | 6,069  | 6,388 (22.25%) |
| 軍※2    | 0     | 3   | 3 (1.62%)   | 0     | 51    | 51 (2.28%)   | 0         | 61    | 61 (2.72%)   | 0         | 62    | 62 (2.79%)   | 0          | 743    | 743 (2.59%)    |
| 家管     | 0     | 0   | 0 (0%)      | 7     | 1     | 8 (0.36%)    | 6         | 3     | 9 (0.4%)     | 13        | 2     | 15 (0.68%)   | 255        | 22     | 277 (0.96%)    |
| 商      | 0     | 4   | 4 (2.16%)   | 3     | 169   | 172 (7.69%)  | 3         | 122   | 125 (5.57%)  | 2         | 125   | 127 (5.72%)  | 67         | 2,097  | 2,164 (7.54%)  |
| 專門技術※3 | 0     | 10  | 10 (5.41%)  | 0     | 145   | 145 (6.48%)  | 0         | 146   | 146 (6.51%)  | 1         | 133   | 134 (6.03%)  | 20         | 1,345  | 1,365 (4.75%)  |
| 無業     | 1     | 16  | 17 (9.19%)  | 23    | 253   | 276 (12.34%) | 12        | 278   | 290 (12.92%) | 31        | 318   | 349 (15.71%) | 818        | 7,064  | 7,882 (27.45%) |
| 農      | 0     | 2   | 2 (1.08%)   | 0     | 10    | 10 (0.45%)   | 0         | 5     | 5 (0.22%)    | 0         | 8     | 8 (0.36%)    | 4          | 157    | 161 (0.56%)    |
| 運輸業    | 0     | 0   | 0 (0%)      | 0     | 7     | 7 (0.31%)    | 1         | 9     | 10 (0.45%)   | 0         | 14    | 14 (0.63%)   | 3          | 197    | 200 (0.7%)     |
| 漁      | 0     | 0   | 0 (0%)      | 0     | 0     | 0 (0%)       | 0         | 1     | 1 (0.04%)    | 0         | 1     | 1 (0.05%)    | 2          | 79     | 81 (0.28%)     |
| 學生※4   | 0     | 19  | 19 (10.27%) | 1     | 247   | 248 (11.09%) | 3         | 283   | 286 (12.75%) | 0         | 284   | 284 (12.78%) | 24         | 2,247  | 2,271 (7.91%)  |
| 總計     | 3     | 182 | 185 (100%)  | 60    | 2,176 | 2,236 (100%) | 52        | 2,192 | 2,244 (100%) | 73        | 2,149 | 2,222 (100%) | 1,819      | 26,892 | 28,711 (100%)  |

※1：含發病數

※2：含義務役軍人

※3：包括教師、科學家、建築師、工程師、律師、記者、醫療工作者、會計、作家、音樂工作者、藝術工作者、宗教工作者、表演人員等

※4：包括血友病患 16 名

本國籍感染人類免疫缺乏病毒者依危險因子統計表

| 危險因子          | 本月通報數 |     |             | 本年個案數 |       |                | 2013 年個案數 |       |                | 2012 年個案數 |       |                | 歷年累計個案數 ※1 |        |                 |
|---------------|-------|-----|-------------|-------|-------|----------------|-----------|-------|----------------|-----------|-------|----------------|------------|--------|-----------------|
|               | 女     | 男   | 總計(%)       | 女     | 男     | 總計(%)          | 女         | 男     | 總計(%)          | 女         | 男     | 總計(%)          | 女          | 男      | 總計(%)           |
| 異性間<br>不安全性行為 | 2     | 8   | 10 (5.41%)  | 46    | 192   | 238 (10.64%)   | 42        | 240   | 282 (12.57%)   | 56        | 260   | 316 (14.22%)   | 877        | 4,444  | 5,321 (18.53%)  |
| 同性間<br>不安全性行為 | 0     | 94  | 94 (50.81%) | 0     | 1,637 | 1,637 (73.21%) | 0         | 1,687 | 1,687 (75.18%) | 0         | 1,554 | 1,554 (69.94%) | 0          | 13,600 | 13,600 (47.37%) |
| 雙性間<br>不安全性行為 | 0     | 10  | 10 (5.41%)  | 0     | 164   | 164 (7.33%)    | 0         | 190   | 190 (8.47%)    | 0         | 238   | 238 (10.71%)   | 1          | 2,485  | 2,486 (8.66%)   |
| 注射藥癮者         | 0     | 4   | 4 (2.16%)   | 10    | 42    | 52 (2.33%)     | 6         | 42    | 48 (2.14%)     | 16        | 69    | 85 (3.83%)     | 894        | 5,933  | 6,827 (23.78%)  |
| 接受輸血感染※3      | 0     | 0   | 0 (0%)      | 0     | 0     | 0 (0%)         | 1         | 0     | 1 (0.04%)      | 0         | 0     | 0 (0%)         | 11         | 66     | 77 (0.26%)      |
| 母子垂直感染        | 0     | 0   | 0 (0%)      | 2     | 1     | 3 (0.13%)      | 0         | 0     | 0 (0%)         | 0         | 1     | 1 (0.05%)      | 16         | 17     | 33 (0.11%)      |
| 不詳 ※2         | 1     | 66  | 67 (36.22%) | 2     | 140   | 142 (6.35%)    | 3         | 33    | 36 (1.6%)      | 1         | 27    | 28 (1.26%)     | 20         | 347    | 367 (1.28%)     |
| 總計            | 3     | 182 | 185 (100%)  | 60    | 2,176 | 2,236 (100%)   | 52        | 2,192 | 2,244 (100%)   | 73        | 2,149 | 2,222 (100%)   | 1,819      | 26,892 | 28,711 (100%)   |

※1：含發病數

※2：不詳(尚在疫調中)

※3：含 53 位 1997 年以前因輸血感染愛滋病毒之血友病人

本國籍感染人類免疫缺乏病毒者依居住地區別統計表

| 目前居住地區   | 感染者數 ※1      |               |               |               |               |
|----------|--------------|---------------|---------------|---------------|---------------|
|          | 本月通報數(%)     | 本年個案數(%)      | 2013 年個案數(%)  | 2012 年個案數(%)  | 歷年累計個案數(%)    |
| 台北市      | 32 (17.3% )  | 374 (16.73% ) | 380 (16.93% ) | 354 (15.93% ) | 4,027(14.03%) |
| 新北市(台北縣) | 44 (23.78% ) | 569 (25.45% ) | 542 (24.15% ) | 528 (23.76% ) | 6,496(22.63%) |
| 基隆市      | 3 (1.62% )   | 26 (1.16% )   | 25 (1.11% )   | 26 (1.17% )   | 533(1.86%)    |
| 宜蘭縣      | 6 (3.24% )   | 28 (1.25% )   | 24 (1.07% )   | 23 (1.04% )   | 323(1.13%)    |
| 金門縣      | 0 (0% )      | 0 (0% )       | 0 (0% )       | 1 (0.05% )    | 13(0.05%)     |
| 連江縣      | (% )         | (% )          | (% )          | (% )          | 0(0%)         |
| 新竹市      | 5 (2.7% )    | 41 (1.83% )   | 51 (2.27% )   | 32 (1.44% )   | 512(1.78%)    |
| 新竹縣      | 2 (1.08% )   | 30 (1.34% )   | 33 (1.47% )   | 29 (1.31% )   | 348(1.21%)    |
| 苗栗縣      | 0 (0% )      | 11 (0.49% )   | 17 (0.76% )   | 20 (0.9% )    | 235(0.82%)    |
| 台中市      | 24 (12.97% ) | 273 (12.21% ) | 283 (12.61% ) | 279 (12.56% ) | 3,091(10.77%) |
| 彰化縣      | 5 (2.7% )    | 54 (2.42% )   | 60 (2.67% )   | 56 (2.52% )   | 1,129(3.93%)  |
| 南投縣      | 3 (1.62% )   | 34 (1.52% )   | 32 (1.43% )   | 22 (0.99% )   | 549(1.91%)    |
| 雲林縣      | 1 (0.54% )   | 30 (1.34% )   | 27 (1.2% )    | 29 (1.31% )   | 833(2.9%)     |
| 嘉義市      | 1 (0.54% )   | 9 (0.4% )     | 11 (0.49% )   | 10 (0.45% )   | 132(0.46%)    |
| 嘉義縣      | 3 (1.62% )   | 14 (0.63% )   | 15 (0.67% )   | 10 (0.45% )   | 347(1.21%)    |
| 台南市      | 14 (7.57% )  | 157 (7.02% )  | 142 (6.33% )  | 149 (6.71% )  | 1,696(5.91%)  |
| 高雄市      | 24 (12.97% ) | 299 (13.37% ) | 310 (13.81% ) | 340 (15.3% )  | 4,121(14.35%) |
| 屏東縣      | 1 (0.54% )   | 60 (2.68% )   | 66 (2.94% )   | 70 (3.15% )   | 1,021(3.56%)  |
| 澎湖縣      | 0 (0% )      | 0 (0% )       | 1 (0.04% )    | 2 (0.09% )    | 25(0.09%)     |
| 花蓮縣      | 0 (0% )      | 21 (0.94% )   | 32 (1.43% )   | 29 (1.31% )   | 306(1.07%)    |
| 台東縣      | 2 (1.08% )   | 11 (0.49% )   | 11 (0.49% )   | 8 (0.36% )    | 163(0.57%)    |
| 其他       | 0 (0% )      | 0 (0% )       | 0 (0% )       | 0 (0% )       | 2(0.01%)      |
| 桃園市      | 15 (8.11% )  | 195 (8.72% )  | 182 (8.11% )  | 205 (9.23% )  | 2,809(9.78%)  |
| 總計       | 185 (100% )  | 2,236 (100% ) | 2,244 (100% ) | 2,222 (100% ) | 28,711(100%)  |

※1：含發病數、死亡數

本國籍感染人類免疫缺乏病毒者依居住地區別統計表

| 目前居住地區   | 發病者數        |              |              |              |               |
|----------|-------------|--------------|--------------|--------------|---------------|
|          | 本月通報數(%)    | 本年個案數(%)     | 2013 年個案數(%) | 2012 年個案數(%) | 歷年累計個案數(%)    |
| 台北市      | 9 (9.28%)   | 198 (14.28%) | 193 (13.49%) | 172 (13.34%) | 1,789(14.24%) |
| 新北市(台北縣) | 24 (24.74%) | 312 (22.49%) | 311 (21.73%) | 251 (19.47%) | 2,743(21.83%) |
| 基隆市      | 1 (1.03%)   | 19 (1.37%)   | 25 (1.75%)   | 15 (1.16%)   | 191(1.52%)    |
| 宜蘭縣      | 0 (0%)      | 12 (0.87%)   | 19 (1.33%)   | 13 (1.01%)   | 130(1.03%)    |
| 金門縣      | 0 (0%)      | 0 (0%)       | 1 (0.07%)    | 2 (0.16%)    | 9(0.07%)      |
| 連江縣      | (%)         | (%)          | (%)          | (%)          | 0(0%)         |
| 新竹市      | 2 (2.06%)   | 32 (2.31%)   | 31 (2.17%)   | 13 (1.01%)   | 241(1.92%)    |
| 新竹縣      | 0 (0%)      | 19 (1.37%)   | 24 (1.68%)   | 12 (0.93%)   | 180(1.43%)    |
| 苗栗縣      | 0 (0%)      | 10 (0.72%)   | 13 (0.91%)   | 13 (1.01%)   | 129(1.03%)    |
| 台中市      | 17 (17.53%) | 171 (12.33%) | 141 (9.85%)  | 146 (11.33%) | 1,431(11.39%) |
| 彰化縣      | 5 (5.15%)   | 60 (4.33%)   | 71 (4.96%)   | 55 (4.27%)   | 505(4.02%)    |
| 南投縣      | 2 (2.06%)   | 25 (1.8%)    | 27 (1.89%)   | 20 (1.55%)   | 214(1.7%)     |
| 雲林縣      | 3 (3.09%)   | 32 (2.31%)   | 37 (2.59%)   | 39 (3.03%)   | 341(2.71%)    |
| 嘉義市      | 0 (0%)      | 9 (0.65%)    | 3 (0.21%)    | 8 (0.62%)    | 69(0.55%)     |
| 嘉義縣      | 3 (3.09%)   | 17 (1.23%)   | 15 (1.05%)   | 8 (0.62%)    | 167(1.33%)    |
| 台南市      | 7 (7.22%)   | 83 (5.98%)   | 93 (6.5%)    | 87 (6.75%)   | 791(6.3%)     |
| 高雄市      | 15 (15.46%) | 194 (13.99%) | 223 (15.58%) | 224 (17.38%) | 1,702(13.55%) |
| 屏東縣      | 2 (2.06%)   | 35 (2.52%)   | 43 (3%)      | 58 (4.5%)    | 450(3.58%)    |
| 澎湖縣      | 0 (0%)      | 0 (0%)       | 1 (0.07%)    | 2 (0.16%)    | 10(0.08%)     |
| 花蓮縣      | 1 (1.03%)   | 23 (1.66%)   | 21 (1.47%)   | 15 (1.16%)   | 188(1.5%)     |
| 台東縣      | 1 (1.03%)   | 5 (0.36%)    | 7 (0.49%)    | 6 (0.47%)    | 79(0.63%)     |
| 其他       | (%)         | (%)          | (%)          | (%)          | 0(0%)         |
| 桃園市      | 5 (5.15%)   | 131 (9.44%)  | 132 (9.22%)  | 130 (10.09%) | 1,205(9.59%)  |
| 總計       | 97 (100%)   | 1,387 (100%) | 1,431 (100%) | 1,289 (100%) | 12,564(100%)  |

本國籍感染人類免疫缺乏病毒者依居住地區別統計表

| 目前居住地區   | 全死因死亡數     |             |              |              |             |
|----------|------------|-------------|--------------|--------------|-------------|
|          | 本月通報數(%)   | 本年個案數(%)    | 2013 年個案數(%) | 2012 年個案數(%) | 歷年累計個案數(%)  |
| 台北市      | 5 (27.78%) | 42 (11.44%) | 27 (6.65%)   | 43 (9.93%)   | 570(12.39%) |
| 新北市(台北縣) | 2 (11.11%) | 56 (15.26%) | 52 (12.81%)  | 77 (17.78%)  | 905(19.67%) |
| 基隆市      | 0 (0%)     | 8 (2.18%)   | 11 (2.71%)   | 9 (2.08%)    | 109(2.37%)  |
| 宜蘭縣      | 2 (11.11%) | 4 (1.09%)   | 3 (0.74%)    | 5 (1.15%)    | 44(0.96%)   |
| 金門縣      | 0 (0%)     | 0 (0%)      | 0 (0%)       | 0 (0%)       | 1(0.02%)    |
| 連江縣      | 0 (0%)     | 0 (0%)      | 0 (0%)       | 0 (0%)       | 0(0%)       |
| 新竹市      | 0 (0%)     | 0 (0%)      | 9 (2.22%)    | 4 (0.92%)    | 82(1.78%)   |
| 新竹縣      | 0 (0%)     | 4 (1.09%)   | 4 (0.99%)    | 1 (0.23%)    | 41(0.89%)   |
| 苗栗縣      | 0 (0%)     | 1 (0.27%)   | 5 (1.23%)    | 5 (1.15%)    | 49(1.07%)   |
| 台中市      | 2 (11.11%) | 49 (13.35%) | 36 (8.87%)   | 35 (8.08%)   | 466(10.13%) |
| 彰化縣      | 4 (22.22%) | 31 (8.45%)  | 30 (7.39%)   | 33 (7.62%)   | 246(5.35%)  |
| 南投縣      | 0 (0%)     | 11 (3%)     | 21 (5.17%)   | 12 (2.77%)   | 149(3.24%)  |
| 雲林縣      | 0 (0%)     | 22 (5.99%)  | 19 (4.68%)   | 27 (6.24%)   | 182(3.96%)  |
| 嘉義市      | 0 (0%)     | 2 (0.54%)   | 1 (0.25%)    | 3 (0.69%)    | 26(0.57%)   |
| 嘉義縣      | 1 (5.56%)  | 7 (1.91%)   | 5 (1.23%)    | 9 (2.08%)    | 78(1.7%)    |
| 台南市      | 1 (5.56%)  | 27 (7.36%)  | 33 (8.13%)   | 26 (6%)      | 311(6.76%)  |
| 高雄市      | 1 (5.56%)  | 57 (15.53%) | 74 (18.23%)  | 63 (14.55%)  | 600(13.04%) |
| 屏東縣      | 0 (0%)     | 17 (4.63%)  | 17 (4.19%)   | 25 (5.77%)   | 215(4.67%)  |
| 澎湖縣      | 0 (0%)     | 2 (0.54%)   | 0 (0%)       | 1 (0.23%)    | 7(0.15%)    |
| 花蓮縣      | 0 (0%)     | 1 (0.27%)   | 3 (0.74%)    | 8 (1.85%)    | 69(1.5%)    |
| 台東縣      | 0 (0%)     | 1 (0.27%)   | 6 (1.48%)    | 4 (0.92%)    | 37(0.8%)    |
| 其他       | 0 (0%)     | 0 (0%)      | 0 (0%)       | 0 (0%)       | 0(0%)       |
| 桃園市      | 0 (0%)     | 25 (6.81%)  | 50 (12.32%)  | 43 (9.93%)   | 413(8.98%)  |
| 總計       | 18 (100%)  | 367 (100%)  | 406 (100%)   | 433 (100%)   | 4,600(100%) |



本國籍感染人類免疫缺乏病毒者依檢體來源統計表

| 檢體來源      | 感染者數 ※1      |               |                |                |                |
|-----------|--------------|---------------|----------------|----------------|----------------|
|           | 本月通報數(%)     | 本年個案數(%)      | 2013 年個案數(%)   | 2012 年個案數(%)   | 歷年累計個案數(%)     |
| 本署指定醫院 ※2 | 104 (56.22%) | 1,686 (75.4%) | 1,662 (74.06%) | 1,612 (72.55%) | 17,406(60.62%) |
| 捐血中心      | 7 (3.78%)    | 72 (3.22%)    | 66 (2.94%)     | 59 (2.66%)     | 1,224(4.26%)   |
| 役男體檢      | 5 (2.7%)     | 88 (3.94%)    | 106 (4.72%)    | 104 (4.68%)    | 767(2.67%)     |
| 監所收容人員    | 3 (1.62%)    | 54 (2.42%)    | 63 (2.81%)     | 65 (2.93%)     | 4,586(15.97%)  |
| 其他 ※3     | 66 (35.68%)  | 336 (15.03%)  | 347 (15.46%)   | 382 (17.19%)   | 4,728(16.47%)  |
| 總計        | 185 (100%)   | 2,236 (100%)  | 2,244 (100%)   | 2,222 (100%)   | 28,711(100%)   |

※1：含發病數

※2：愛滋病指定醫院，請連結網頁：

<http://www.cdc.gov.tw/professional/info.aspx?treeid=BEAC9C103DF952C4&nowtreeid=67CCCCD371D8DD79&tid=DC7DB25738B03497>

※3：包括衛生局、所及醫院等

本國籍感染人類免疫缺乏病毒者依檢體來源統計表

| 檢體來源      | 發病者數        |              |              |              |               |
|-----------|-------------|--------------|--------------|--------------|---------------|
|           | 本月通報數(%)    | 本年個案數(%)     | 2013 年個案數(%) | 2012 年個案數(%) | 歷年累計個案數(%)    |
| 本署指定醫院 ※1 | 56 (57.73%) | 930 (67.05%) | 912 (63.73%) | 850 (65.94%) | 8,529(67.88%) |
| 捐血中心      | 3 (3.09%)   | 44 (3.17%)   | 48 (3.35%)   | 40 (3.1%)    | 512(4.08%)    |
| 役男體檢      | 4 (4.12%)   | 37 (2.67%)   | 52 (3.63%)   | 34 (2.64%)   | 255(2.03%)    |
| 監所收容人員    | 12 (12.37%) | 158 (11.39%) | 171 (11.95%) | 146 (11.33%) | 1,357(10.8%)  |
| 其他 ※2     | 22 (22.68%) | 218 (15.72%) | 248 (17.33%) | 219 (16.99%) | 1,911(15.21%) |
| 總計        | 97 (100%)   | 1,387 (100%) | 1,431 (100%) | 1,289 (100%) | 12,564(100%)  |

※1：愛滋病指定醫院，請連結網頁：

<http://www.cdc.gov.tw/professional/info.aspx?treeid=BEAC9C103DF952C4&nowtreeid=67CCCCD371D8DD79&tid=DC7DB25738B03497>

※2：包括衛生局、所及醫院等

本國籍感染人類免疫缺乏病毒者依檢體來源統計表


| 檢體來源      | 全死因死亡數       |               |               |               |               |
|-----------|--------------|---------------|---------------|---------------|---------------|
|           | 本月通報數(%)     | 本年個案數(%)      | 2013 年個案數(%)  | 2012 年個案數(%)  | 歷年累計個案數(%)    |
| 本署指定醫院 ※1 | 12 (66.67% ) | 165 (44.96% ) | 170 (41.87% ) | 193 (44.57% ) | 2,561(55.67%) |
| 捐血中心      | 0 (0% )      | 5 (1.36% )    | 8 (1.97% )    | 7 (1.62% )    | 143(3.11%)    |
| 役男體檢      | 0 (0% )      | 7 (1.91% )    | 4 (0.99% )    | 5 (1.15% )    | 46(1%)        |
| 監所收容人員    | 3 (16.67% )  | 108 (29.43% ) | 138 (33.99% ) | 136 (31.41% ) | 931(20.24%)   |
| 其他 ※2     | 3 (16.67% )  | 82 (22.34% )  | 86 (21.18% )  | 92 (21.25% )  | 919(19.98%)   |
| 總計        | 18 (100% )   | 367 (100% )   | 406 (100% )   | 433 (100% )   | 4,600(100%)   |

※1：愛滋病指定醫院，請連結網頁：

<http://www.cdc.gov.tw/professional/info.aspx?treeid=BEAC9C103DF952C4&nowtreeid=67CCCCD371D8DD79&tid=DC7DB25738B03497>

※2：包括衛生局、所及醫院等

本國籍感染人類免疫缺乏病毒者趨勢圖  
1984 年至 2014 年 12 月(依診斷日分析)



本表中

※HIV 感染者：指當年通報之 HIV 新增個案數

※AIDS 發病者：指當年通報之 AIDS 個案（包含前幾年已通報之 HIV 個案，當時尚未發病者）

| 診斷年份     | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 |
|----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| HIV 通報數  | 9    | 14   | 9    | 12   | 21   | 37   | 31   | 78   | 123  | 132  | 160  | 221  | 267  | 341  | 388  | 471  | 527  | 652  | 766  | 860  | 1520 | 3378 | 2918 | 1929 | 1739 | 1643 | 1795 | 1968 | 2222 | 2244 | 2236 |
| AIDS 通報數 | 0    | 0    | 1    | 1    | 2    | 8    | 5    | 13   | 23   | 35   | 64   | 97   | 156  | 136  | 153  | 181  | 180  | 167  | 181  | 235  | 269  | 588  | 787  | 1069 | 894  | 1009 | 1103 | 1100 | 1289 | 1431 | 1387 |