

Summary

According to the laboratory surveillance¹, Coxsackie A was the predominant virus type in the past four weeks (Figure 1), and EV71 and EV-D68 virus were active in community. During week 19, the total number of outpatient and ER visits for enterovirus infection was 11,916, which was increasing in recent weeks and was above the threshold (11,000 visits), as shown in Figure 2.

Between May 9 and 15, no new EVSC² case was confirmed. There have been three EVSC cases since 2023 (Figure 3), and cases caused by EV-D68, Coxsackie A6, and Echovirus 21, respectively. (Figure 3). All cases were below 5 years old (Table 1).

For further information, please visit the Taiwan National Infectious Disease Statistics System (NIDSS) website at https://nidss.cdc.gov.tw/en/Home/Index?op=1




Figure 1. Trend of Enterovirus Isolates, 2022-2023

^{1.} In terms of the surveillance systems in Taiwan, please see: Jian, S. W., Chen, C. M., Lee, C. Y., & Liu, D. P. (2017). Real-Time Surveillance of Infectious Diseases: Taiwan's Experience. Health security, 15(2), 144-153. 2. EVSC: Enteroviruses infection with Severe Complications






Figure 2. Trend of outpatient and ER visits for enterovirus infection, 2022-2023




Figure 3. Trend of EVSC, 2022-2023

Table 1. Age and sex distribution of EVSC cases in 2023

Age(year)	Male	Female	Total
<1	0	0	0
1	2	0	2
2	0	0	0
3	0	0	0
4	0	1	1
5	0	0	0
6	0	0	0
7-9	0	0	0
≥10	0	0	0
Total	2	1	3
Lienchia Co.(0)			




Figure 4. Geographical distribution of EVSC cases in 2023