

Number of Confirmed Cases of First-Category Notifiable Diseases-by Age

Type of Data: Date of disease confirmed

Data Period: 2023/6/1-2023/6/30

| Age | Smallpox | Plague | SARS | Rabies |
|-------|----------|--------|------|--------|
| Total | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 0 | 0 |
| 25-29 | 0 | 0 | 0 | 0 |
| 30-34 | 0 | 0 | 0 | 0 |
| 35-39 | 0 | 0 | 0 | 0 |
| 40-44 | 0 | 0 | 0 | 0 |
| 45-49 | 0 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 0 | 0 |
| 60-64 | 0 | 0 | 0 | 0 |
| 65-69 | 0 | 0 | 0 | 0 |
| 70+ | 0 | 0 | 0 | 0 |

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

Number of Confirmed Cases of Second-Category Notifiable Diseases-by Age(I)

Type of Data: Date of disease confirmed

Data Period: 2023/6/1-2023/6/30

| Age | Diphtheria | Typhoid Fever | Dengue Fever** | Meningococcal Meningitis | Paratyphoid Fever | Poliomyelitis | Acute Flaccid Paralysis§ | Shigellosis** | Amoebiasis** | Malaria* | |
|-------|------------|---------------|----------------|--------------------------|-------------------|---------------|--------------------------|---------------|--------------|------------|----------|
| | | | | | | | | | | indigenous | imported |
| Total | 0 | 0 | 138 | 0 | 1 | 0 | 8 | 7 | 14 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 3 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 25-29 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 3 | 2 | 0 | 0 |
| 30-34 | 0 | 0 | 8 | 0 | 0 | 0 | 0 | 2 | 4 | 0 | 0 |
| 35-39 | 0 | 0 | 9 | 0 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| 40-44 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 1 | 4 | 0 | 0 |
| 45-49 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 50-54 | 0 | 0 | 12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60-64 | 0 | 0 | 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 65-69 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 70+ | 0 | 0 | 31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

* WHO declared Taiwan as a malaria eradicated region in December 1965.

§ No wild poliovirus was detected since 1984. Nationwide surveillance of acute flaccid paralysis (AFP) has been used for detecting cases of poliomyelitis after implementing the “Eradication Program for Measles, Congenital Rubella Syndrome, Poliomyelitis and Neonatal Tetanus” since 1992.

※The total case number of the following diseases includes imported cases: Dengue Fever(12), Shigellosis(2), and Amoebiasis(4).

Number of Confirmed Cases of Second-Category Notifiable Diseases-by Age(II)

Type of Data: Date of disease confirmed

Data Period: 2023/6/1-2023/6/30

| Age | Measles | Acute Hepatitis A | EHEC (Enterohaemorrhagic <i>E. coli</i>) infection | Hantavirus syndrome | Cholera | Rubella | MDR-TB | Chikungunya Fever | West Nile Fever | Epidemic Typhus Fever | Anthrax | Zika Virus Infection | Mpox ^{**} |
|-------|---------|-------------------|---|---------------------|---------|---------|--------|-------------------|-----------------|-----------------------|---------|----------------------|--------------------|
| Total | 0 | 11 | 0 | 2 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 74 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 5-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 20-24 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 5 |
| 25-29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| 30-34 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 15 |
| 35-39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 24 |
| 40-44 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 11 |
| 45-49 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 55-59 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 60-64 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 65-69 | 0 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 70+ | 0 | 3 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 1 |

Note 1: The caseload of MDR-TB was calculated based on domestic citizens and CDC's registration date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

※The total case number of the following diseases includes imported cases: Mpox(2).

Number of Confirmed Cases of Third-Category Notifiable Diseases-by Age(I)

Type of Data: Date of disease confirmed

Data Period: 2023/6/1-2023/6/30

| Age | Pertussis | Tetanus # | Japanese Encephalitis | Tuberculosis | Congenital Rubella Syndrome | Acute Hepatitis B | Acute Hepatitis C | Acute Hepatitis D | Acute Hepatitis E | Acute Hepatitis Unspecified |
|-------|-----------|-----------|-----------------------|--------------|-----------------------------|-------------------|-------------------|-------------------|-------------------|-----------------------------|
| Total | 0 | 0 | 6 | 424 | 0 | 13 | 45 | 0 | 0 | 2 |
| 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25-29 | 0 | 0 | 0 | 2 | 0 | 1 | 4 | 0 | 0 | 0 |
| 30-34 | 0 | 0 | 0 | 6 | 0 | 2 | 10 | 0 | 0 | 1 |
| 35-39 | 0 | 0 | 0 | 6 | 0 | 1 | 4 | 0 | 0 | 0 |
| 40-44 | 0 | 0 | 0 | 5 | 0 | 2 | 5 | 0 | 0 | 0 |
| 45-49 | 0 | 0 | 0 | 18 | 0 | 1 | 6 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 2 | 26 | 0 | 2 | 2 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 2 | 30 | 0 | 1 | 2 | 0 | 0 | 1 |
| 60-64 | 0 | 0 | 1 | 31 | 0 | 1 | 2 | 0 | 0 | 0 |
| 65-69 | 0 | 0 | 1 | 61 | 0 | 1 | 3 | 0 | 0 | 0 |
| 70+ | 0 | 0 | 0 | 234 | 0 | 1 | 7 | 0 | 0 | 0 |

Note 1: The caseload of tuberculosis was calculated based on domestic citizens and notification date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

Tetanus was analyzed based on the local health bureau's data receiving date and only reported cases were included in the statistics.

Number of Confirmed Cases of Third-Category Notifiable Diseases-by Age(II)

Type of Data: Date of disease confirmed

Data Period: 2023/6/1-2023/6/30

| Age | Mumps # | Legionnaires' Disease* | Invasive Haemophilus Influenzae type b Infection | Syphilis | Congenital Syphilis | Gonorrhea | Neonatal Tetanus | Enteroviruses Infection with Severe Complications | HIV Infection | AIDS | Hansen's Disease |
|-------|---------|------------------------|--|----------|---------------------|-----------|------------------|---|---------------|------|------------------|
| Total | 31 | 40 | 0 | 791 | 1 | 650 | 0 | 1 | 84 | 44 | 0 |
| 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 5 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 1 | 0 | 0 | 25 | 0 | 81 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 1 | 0 | 0 | 93 | 0 | 148 | 0 | 0 | 12 | 1 | 0 |
| 25-29 | 0 | 0 | 0 | 113 | 0 | 129 | 0 | 0 | 12 | 4 | 0 |
| 30-34 | 1 | 0 | 0 | 146 | 0 | 99 | 0 | 0 | 21 | 11 | 0 |
| 35-39 | 0 | 0 | 0 | 91 | 0 | 68 | 0 | 0 | 16 | 10 | 0 |
| 40-44 | 4 | 1 | 0 | 73 | 0 | 63 | 0 | 0 | 7 | 8 | 0 |
| 45-49 | 0 | 1 | 0 | 48 | 0 | 34 | 0 | 0 | 6 | 2 | 0 |
| 50-54 | 2 | 6 | 0 | 31 | 0 | 8 | 0 | 0 | 6 | 5 | 0 |
| 55-59 | 2 | 5 | 0 | 22 | 0 | 9 | 0 | 0 | 2 | 0 | 0 |
| 60-64 | 1 | 7 | 0 | 16 | 0 | 5 | 0 | 0 | 1 | 2 | 0 |
| 65-69 | 1 | 6 | 0 | 13 | 0 | 3 | 0 | 0 | 1 | 1 | 0 |
| 70+ | 1 | 14 | 0 | 120 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Note 1: The caseload of HIV infection and AIDS were calculated based on domestic citizens and diagnosis date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

Mumps was analyzed based on the local health bureau's data receiving date and only reported cases were included in the statistics.

※The total case number of the following diseases includes imported cases: Legionnaires' Disease(2).

Number of Confirmed Cases of Fourth-Category Notifiable Diseases-by Age(I)

Type of Data: Date of disease confirmed

Data Period: 2023/6/1-2023/6/30

| Age | Herpesvirus B Infection | Leptospirosis | Melioidosis | Botulism | Invasive Pneumococcal Disease | Q Fever | Endemic Typhus Fever | Lyme Disease | Tularemia | Scrub Typhus |
|-------|-------------------------|---------------|-------------|----------|-------------------------------|---------|----------------------|--------------|-----------|--------------|
| Total | 0 | 8 | 1 | 0 | 27 | 0 | 4 | 0 | 0 | 24 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 15-19 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 25-29 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 |
| 30-34 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 2 |
| 35-39 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 |
| 40-44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| 45-49 | 0 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 |
| 50-54 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 2 |
| 55-59 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 5 |
| 60-64 | 0 | 2 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 2 |
| 65-69 | 0 | 1 | 1 | 0 | 5 | 0 | 1 | 0 | 0 | 1 |
| 70+ | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 0 | 0 | 3 |

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

Number of Confirmed Cases of Fourth-Category Notifiable Diseases-by Age(II)

Type of Data: Date of disease confirmed

Data Period: 2023/6/1-2023/6/30

| Age | Complicated Varicella | Toxoplasmosis | Influenza Case With Severe Complications ^{**} | Creutzfeldt-Jakob Disease | Brucellosis | Listeriosis | Severe Fever with Thrombocytopenia Syndrome | Severe Pneumonia with Novel Pathogens ^{**} |
|-------|-----------------------|---------------|--|---------------------------|-------------|-------------|---|---|
| Total | 2 | 3 | 113 | 0 | 0 | 19 | 0 | 8,892 |
| 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 55 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 38 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26 |
| 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 20 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 26 |
| 5-9 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 100 |
| 10-14 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 55 |
| 15-19 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 57 |
| 20-24 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 67 |
| 25-29 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 111 |
| 30-34 | 0 | 1 | 2 | 0 | 0 | 1 | 0 | 103 |
| 35-39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 129 |
| 40-44 | 0 | 0 | 4 | 0 | 0 | 1 | 0 | 236 |
| 45-49 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 268 |
| 50-54 | 0 | 0 | 9 | 0 | 0 | 1 | 0 | 344 |
| 55-59 | 1 | 1 | 8 | 0 | 0 | 0 | 0 | 509 |
| 60-64 | 0 | 0 | 15 | 0 | 0 | 1 | 0 | 719 |
| 65-69 | 0 | 0 | 11 | 0 | 0 | 0 | 0 | 775 |
| 70+ | 1 | 0 | 47 | 0 | 0 | 14 | 0 | 5,254 |

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

※The total number of the following diseases includes imported cases: Influenza Case With Severe Complications (1) and Severe Pneumonia with Novel Pathogens (7).

Number of Confirmed Cases of Fifth-Category Notifiable Diseases-by Age

Type of Data: Date of disease confirmed

Data Period: 2023/6/1-2023/6/30

| Age | Rift Valley Fever | Marburg Haemorrhagic Fever | Yellow Fever | Ebola Virus Disease | Lassa Fever | Middle East Respiratory Syndrome Coronavirus Infections | Novel Influenza A Virus Infections |
|-------|-------------------|----------------------------|--------------|---------------------|-------------|---|------------------------------------|
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25-29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30-34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35-39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40-44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 45-49 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 65-69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 70+ | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.