

**Number of Confirmed Cases of First-Category Notifiable Diseases-by Age**

Type of Data: Date of disease confirmed

Data Period: 2019/9/1-2019/9/30

Age	Smallpox	Plague	SARS	Rabies
Total	0	0	0	0
0	0	0	0	0
1	0	0	0	0
2	0	0	0	0
3	0	0	0	0
4	0	0	0	0
5-9	0	0	0	0
10-14	0	0	0	0
15-19	0	0	0	0
20-24	0	0	0	0
25-29	0	0	0	0
30-34	0	0	0	0
35-39	0	0	0	0
40-44	0	0	0	0
45-49	0	0	0	0
50-54	0	0	0	0
55-59	0	0	0	0
60-64	0	0	0	0
65-69	0	0	0	0
70+	0	0	0	0
unspecified	0	0	0	0

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

**Number of Confirmed Cases of Second-Category Notifiable Diseases-by Age(I)**

Type of Data: Date of disease confirmed

Data Period: 2019/9/1-2019/9/30

Age	Diphtheria	Typhoid Fever**	Dengue Fever**	Meningococcal Meningitis	Paratyphoid Fever**	Poliomyelitis	Acute Flaccid Paralysis§**	Shigellosis**	Amoebiasis**	Malaria*	
										indigenous	imported
Total	0	3	63	1	2	0	5	7	32	0	2
0	0	0	0	0	0	0	1	0	0	0	0
1	0	0	0	0	0	0	2	0	0	0	0
2	0	0	0	0	0	0	1	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0
5-9	0	0	1	0	0	0	1	0	0	0	0
10-14	0	0	3	0	0	0	0	0	0	0	0
15-19	0	2	5	0	1	0	0	0	0	0	0
20-24	0	0	9	0	0	0	0	1	3	0	0
25-29	0	0	8	0	0	0	0	3	2	0	0
30-34	0	0	6	0	0	0	0	2	9	0	0
35-39	0	1	9	0	1	0	0	1	10	0	0
40-44	0	0	5	0	0	0	0	0	4	0	0
45-49	0	0	4	0	0	0	0	0	2	0	1
50-54	0	0	3	0	0	0	0	0	0	0	1
55-59	0	0	4	0	0	0	0	0	0	0	0
60-64	0	0	3	0	0	0	0	0	1	0	0
65-69	0	0	3	0	0	0	0	0	0	0	0
70+	0	0	0	1	0	0	0	0	1	0	0
unspecified	0	0	0	0	0	0	0	0	0	0	0

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

\* WHO declared Taiwan as a malaria eradicated region in December 1965.

§ No wild poliovirus was detected since 1984. Nationwide surveillance of acute flaccid paralysis (AFP) has been used for detecting cases of poliomyelitis after implementing the “Eradication Program for Measles, Congenital Rubella Syndrome, Poliomyelitis and Neonatal Tetanus” since 1992.

※ The total case number of the following diseases includes imported cases : Typhoid Fever(3), Dengue fever(49), Paratyphoid Fever(2), Acute Flaccid Paralysis(1), Shigellosis(3), Amoebiasis(16) and Malaria(2).

**Number of Confirmed Cases of Second-Category Notifiable Diseases-by Age(II)**

Type of Data: Date of disease confirmed

Data Period: 2019/9/1-2019/9/30

Age	Measles*	Acute Hepatitis A*	EHEC (Enterohaemorrhagic <i>E. coli</i> ) infection	Hantavirus syndrome		Cholera	Rubella*	MDR-TB	Chikungunya Fever*	West Nile Fever	Epidemic Typhus Fever	Anthrax	Zika Virus Infection*
				Hemorrhagic Fever with Renal Syndrome	Hantavirus Pulmonary Syndrome								
Total	6	6	0	0	0	0	1	5	37	0	0	0	1
0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	1	0	0	0	1
5-9	0	0	0	0	0	0	0	0	1	0	0	0	0
10-14	0	0	0	0	0	0	0	1	0	0	0	0	0
15-19	0	0	0	0	0	0	0	1	0	0	0	0	0
20-24	1	0	0	0	0	0	0	0	5	0	0	0	0
25-29	1	0	0	0	0	0	0	0	2	0	0	0	0
30-34	1	1	0	0	0	0	0	0	2	0	0	0	0
35-39	3	0	0	0	0	0	0	0	2	0	0	0	0
40-44	0	0	0	0	0	0	0	0	2	0	0	0	0
45-49	0	1	0	0	0	0	1	0	2	0	0	0	0
50-54	0	2	0	0	0	0	0	0	5	0	0	0	0
55-59	0	0	0	0	0	0	0	1	3	0	0	0	0
60-64	0	0	0	0	0	0	0	1	4	0	0	0	0
65-69	0	1	0	0	0	0	0	0	5	0	0	0	0
70+	0	1	0	0	0	0	0	1	3	0	0	0	0
unspecified	0	0	0	0	0	0	0	0	0	0	0	0	0

Note 1: The caseload of MDR-TB was calculated based on domestic citizens and CDC's registration date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

\* The total case number of the following diseases includes imported cases :Measle(3), Acute Hepatitis A(2), Rubella(1), Chikungunya Fever(20) and Zika Virus Infection(1).

## Number of Confirmed Cases of Third-Category Notifiable Diseases-by Age(I)

Type of Data: Date of disease confirmed

Data Period: 2019/9/1-2019/9/30

Age	Pertussis	Tetanus #	Japanese Encephalitis	Tuberculosis	Congenital Rubella Syndrome	Acute Hepatitis B	Acute Hepatitis C	Acute Hepatitis D	Acute Hepatitis E**	Acute Hepatitis Unspecified
Total	1	1	0	447	0	8	45	0	1	0
0	1	0	0	3	0	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	1	0	0	0	0	0	0
15-19	0	0	0	4	0	0	0	0	0	0
20-24	0	0	0	7	0	1	0	0	0	0
25-29	0	0	0	6	0	3	3	0	0	0
30-34	0	0	0	9	0	0	9	0	0	0
35-39	0	0	0	15	0	0	10	0	0	0
40-44	0	0	0	12	0	0	6	0	0	0
45-49	0	0	0	26	0	0	1	0	0	0
50-54	0	0	0	26	0	2	3	0	0	0
55-59	0	0	0	30	0	1	5	0	0	0
60-64	0	0	0	45	0	1	1	0	0	0
65-69	0	0	0	50	0	0	5	0	1	0
70+	0	1	0	213	0	0	2	0	0	0
unspecified	0	0	0	0	0	0	0	0	0	0

Note 1: The caseload of tuberculosis was calculated based on domestic citizens and notification date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

# Tetanus was analyzed based on the local health bureau's data receiving date and only reported cases were included in the statistics.

※ The total case number of the following diseases includes imported cases :Acute Hepatitis E(1).

## Number of Confirmed Cases of Third-Category Notifiable Diseases-by Age(II)

Type of Data: Date of disease confirmed

Data Period: 2019/9/1-2019/9/30

Age	Mumps#	Legionnaires' Disease※	Invasive Haemophilus Influenzae type b Infection	Syphilis※	Congenital Syphilis	Gonorrhea	Neonatal Tetanus	Enteroviruses Infection with Severe Complications	HIV Infection	AIDS	Hansen's Disease
Total	51	20	0	749	0	402	0	7	116	74	2
0	0	0	0	0	0	0	0	2	0	0	0
1	0	0	0	0	0	0	0	0	0	0	0
2	1	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0
4	2	0	0	0	0	0	0	1	0	0	0
5-9	15	0	0	0	0	1	0	4	0	0	0
10-14	6	0	0	0	0	5	0	0	0	0	0
15-19	1	0	0	12	0	30	0	0	4	0	0
20-24	3	0	0	66	0	90	0	0	16	6	0
25-29	2	0	0	112	0	76	0	0	18	10	1
30-34	6	0	0	131	0	73	0	0	28	15	0
35-39	1	0	0	93	0	54	0	0	25	18	1
40-44	0	0	0	56	0	26	0	0	4	9	0
45-49	1	0	0	38	0	16	0	0	11	9	0
50-54	1	2	0	36	0	14	0	0	6	3	0
55-59	4	1	0	23	0	7	0	0	0	0	0
60-64	2	5	0	13	0	5	0	0	2	2	0
65-69	3	2	0	21	0	1	0	0	1	2	0
70+	3	10	0	146	0	2	0	0	1	0	0
unspecified	0	0	0	2	0	2	0	0	0	0	0

Note 1: The caseload of HIV infection and AIDS were calculated based on domestic citizens and notification date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

# Mumps was analyzed based on the local health bureau's data receiving date and only reported cases were included in the statistics.

※ The total case number of the following diseases includes imported cases :Legionnaires' Disease(1) and Syphilis(1).

**Number of Confirmed Cases of Fourth-Category Notifiable Diseases-by Age(I)**

Type of Data: Date of disease confirmed

Data Period: 2019/9/1-2019/9/30

Age	Herpesvirus B Infection	Leptospirosis	Melioidosis	Botulism	Invasive Pneumococcal Disease	Q Fever <sup>※</sup>	Endemic Typhus Fever <sup>※</sup>	Lyme Disease	Tularemia	Scrub Typhus <sup>※</sup>
Total	0	29	12	0	33	2	8	0	0	48
0	0	0	0	0	1	0	0	0	0	0
1	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	1	0	0	0	0	0
4	0	0	0	0	1	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	1
10-14	0	0	0	0	0	0	0	0	0	1
15-19	0	0	1	0	1	0	1	0	0	0
20-24	0	0	1	0	1	0	0	0	0	4
25-29	0	0	0	0	1	0	0	0	0	2
30-34	0	2	0	0	1	0	0	0	0	1
35-39	0	3	0	0	3	1	0	0	0	1
40-44	0	2	1	0	0	1	0	0	0	4
45-49	0	3	0	0	0	0	0	0	0	2
50-54	0	2	1	0	4	0	1	0	0	6
55-59	0	5	1	0	6	0	1	0	0	7
60-64	0	1	3	0	2	0	2	0	0	10
65-69	0	5	3	0	6	0	1	0	0	4
70+	0	6	1	0	5	0	2	0	0	5
unspecified	0	0	0	0	0	0	0	0	0	0

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

※ The total case number of the following diseases includes imported cases : Q Fever(1), Endemic Typhus Fever(2) and Scrub Typhus(1).

**Number of Confirmed Cases of Fourth-Category Notifiable Diseases-by Age(II)**

Type of Data: Date of disease confirmed

Data Period: 2019/9/1-2019/9/30

Age	Complicated Varicella	Toxoplasmosis	Severe Complicated Influenzas ※	Creutzfeldt-Jakob Disease	Brucellosis	Listeriosis
Total	9	0	243	0	0	13
0	2	0	1	0	0	0
1	0	0	2	0	0	0
2	0	0	2	0	0	0
3	0	0	2	0	0	0
4	0	0	1	0	0	0
5-9	0	0	5	0	0	0
10-14	0	0	2	0	0	0
15-19	1	0	0	0	0	0
20-24	1	0	4	0	0	0
25-29	0	0	1	0	0	0
30-34	2	0	3	0	0	0
35-39	1	0	6	0	0	1
40-44	1	0	13	0	0	1
45-49	0	0	12	0	0	1
50-54	1	0	15	0	0	0
55-59	0	0	33	0	0	1
60-64	0	0	26	0	0	0
65-69	0	0	28	0	0	1
70+	0	0	87	0	0	8
unspecified	0	0	0	0	0	0

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

※ The total case number of the following diseases includes imported cases : Severe Complicated Influenzas(1).

**Number of Confirmed Cases of Fifth-Category Notifiable Diseases-by Age**

Type of Data: Date of disease confirmed

Data Period: 2019/9/1-2019/9/30

Age	Rift Valley Fever	Marburg Haemorrhagic Fever	Yellow Fever	Ebola Virus Disease	Lassa Fever	Middle East Respiratory Syndrome Coronavirus Infections	Novel Influenza A Virus Infections
Total	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0
1	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0
25-29	0	0	0	0	0	0	0
30-34	0	0	0	0	0	0	0
35-39	0	0	0	0	0	0	0
40-44	0	0	0	0	0	0	0
45-49	0	0	0	0	0	0	0
50-54	0	0	0	0	0	0	0
55-59	0	0	0	0	0	0	0
60-64	0	0	0	0	0	0	0
65-69	0	0	0	0	0	0	0
70+	0	0	0	0	0	0	0
unspecified	0	0	0	0	0	0	0

Note: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.