Number of Confirmed Cases of First-Category Notifiable Diseases-by Age

Type of Data: Date of disease confirmed

Data Period: 2017/9/1-2017/9/30

| Data I CHou. | 2017/9/1-2017/9/30 | | | |
|--------------|--------------------|--------|------|--------|
| Age | Smallpox | Plague | SARS | Rabies |
| Total | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 0 | 0 |
| 25-29 | 0 | 0 | 0 | 0 |
| 30-34 | 0 | 0 | 0 | 0 |
| 35-39 | 0 | 0 | 0 | 0 |
| 40-44 | 0 | 0 | 0 | 0 |
| 45-49 | 0 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 0 | 0 |
| 60-64 | 0 | 0 | 0 | 0 |
| 65-69 | 0 | 0 | 0 | 0 |
| 70+ | 0 | 0 | 0 | 0 |
| unspecified | 0 | 0 | 0 | 0 |

Number of Confirmed Cases of Second-Category Notifiable Diseases-by Age(I)

Type of Data: Date of disease confirmed

Data Period: 2017/9/1-2017/9/30

| | D' Ld ' | | * | Meningococcal | Paratyphoid | D.P. P.C. | Acute Flaccid§ | * | | Malaı | ria** |
|-------------|------------|------------------|----------------|---------------|-------------|---------------|----------------|--------------------------|--------------|------------|----------|
| Age | Diphtheria | Typhoid Fever ** | Dengue Fever * | Meningitis | Fever | Poliomyelitis | Paralysis | Shigellosis [™] | Amoebiasis** | indigenous | imported |
| Total | 0 | 2 | 32 | 0 | 1 | 0 | 3 | 13 | 36 | 0 | 3 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 4 | 6 | 0 | 1 |
| 25-29 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 12 | 0 | 1 |
| 30-34 | 0 | 0 | 7 | 0 | 1 | 0 | 0 | 4 | 6 | 0 | 1 |
| 35-39 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 40-44 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 45-49 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 0 |
| 50-54 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 |
| 55-59 | 0 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| 60-64 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 65-69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 70+ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 |
| unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

^{*} WHO declared Taiwan as a malaria eradicated region in December 1965.

[§] No wild poliovirus was detected since 1984. Nationwide surveillance of acute flaccid paralysis (AFP) has been used for detecting cases of poliomyelitis after implementing the "Eradication Program for Measles, Congenital Rubella Syndrome, Poliomyelitis and Neonatal Tetanus" since 1992.

^{*}The total case number of the following diseases includes imported cases: dengue fever (30), amoebiasis (18), shigellosis (5), malaria (3), and typhoid fever (1).

Number of Confirmed Cases of Second-Category Notifiable Diseases-by Age(II)

Type of Data: Date of disease confirmed

| Data I CHOU. | 2017/9/1-201 | 1117130 | | | | | 1 | | | | | |
|--------------|--------------|---------------------------------|---|---|----------------------------------|---------|---------|--------|----------------------|--------------------|--------------------------|---------|
| Age | Measles | Acute Hepatitis ^{**} A | EHEC (Enterohaemorrhagic <i>E. coli</i>) infection | | Hantavirus Pulmonary Syndrome | Cholera | Rubella | MDR-TB | Chikungunya ** Fever | West Nile Fever | Epidemic Typhus Fever | Anthrax |
| Total | 0 | 13 | 0 | 0 | 0 | 1 | 1 | 16 | 1 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25-29 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30-34 | 0 | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 35-39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40-44 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 |
| 45-49 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | 0 | 0 | 0 |
| 60-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 0 |
| 65-69 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| 70+ | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 0 |
| unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Note 1: The caseload of MDR-TB was calculated based on domestic citizens and CDC's registration date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

^{*}The total case number of the following diseases includes imported cases: acute hepatitis A (3), and chikungunya fever (1).

Number of Confirmed Cases of Third-Category Notifiable Diseases-by Age(I)

Type of Data: Date of disease confirmed

| Data I CHOU. | 2017/9/1-2017/9/30 | | 1 | | | | 1 | 1 | 1 | |
|--------------|--------------------|----------------------|--------------------------|--------------|--------------------------------|----------------------|-------------------|-------------------|----------------------|--------------------------------|
| Age | Pertussis | Tetanus [#] | Japanese Encephalitis | Tuberculosis | Congenital Rubella Syndrome | Acute Hepatitis ** B | Acute Hepatitis C | Acute Hepatitis D | Acute Hepatitis E | Acute Hepatitis Unspecified |
| Total | 2 | 1 | 1 | 598 | 0 | 9 | 19 | 0 | 0 | 0 |
| 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 0 | 8 | 0 | 1 | 0 | 0 | 0 | 0 |
| 25-29 | 0 | 0 | 0 | 10 | 0 | 2 | 2 | 0 | 0 | 0 |
| 30-34 | 0 | 0 | 0 | 6 | 0 | 2 | 0 | 0 | 0 | 0 |
| 35-39 | 0 | 0 | 0 | 20 | 0 | 0 | 1 | 0 | 0 | 0 |
| 40-44 | 0 | 0 | 0 | 20 | 0 | 1 | 3 | 0 | 0 | 0 |
| 45-49 | 0 | 0 | 0 | 21 | 0 | 2 | 1 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 0 | 41 | 0 | 1 | 1 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 0 | 47 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60-64 | 0 | 0 | 0 | 56 | 0 | 0 | 1 | 0 | 0 | 0 |
| 65-69 | 0 | 0 | 0 | 61 | 0 | 0 | 4 | 0 | 0 | 0 |
| 70+ | 0 | 1 | 1 | 298 | 0 | 0 | 6 | 0 | 0 | 0 |
| unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Note 1: The caseload of tuberculosis was calculated based on domestic citizens and notification date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

[#] Tetanus was analyzed based on the local health bureau's data receiving date and only reported cases were included in the statistics.

^{*}The total case number of the following diseases includes imported cases: acute hepatitis B (2).

Number of Confirmed Cases of Third-Category Notifiable Diseases-by Age(II)

Type of Data: Date of disease confirmed

| Data I Cilou. | 2017/9/1-2017/9/ | 50 | | | | | | | | | |
|---------------|--------------------|--------------------------|--|----------|------------------------|-----------|------------------|---|---------------|------|---------------------|
| Age | Mumps [#] | Legionnaires' Disease | Invasive Haemophilus Influenzae type b Infection | Syphilis | Congenital Syphilis | Gonorrhea | Neonatal Tetanus | Enteroviruses Infection with Severe Complications | HIV Infection | AIDS | Hansen's ** Disease |
| Total | 54 | 10 | 1 | 860 | 0 | 374 | 0 | 1 | 203 | 136 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 18 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 6 | 0 | 0 | 1 | 0 | 4 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 18 | 0 | 33 | 0 | 0 | 7 | 1 | 0 |
| 20-24 | 1 | 0 | 0 | 82 | 0 | 78 | 0 | 0 | 32 | 12 | 0 |
| 25-29 | 2 | 0 | 0 | 184 | 0 | 99 | 0 | 0 | 52 | 23 | 0 |
| 30-34 | 2 | 0 | 0 | 128 | 0 | 61 | 0 | 0 | 47 | 27 | 0 |
| 35-39 | 4 | 1 | 0 | 83 | 0 | 44 | 0 | 0 | 21 | 16 | 1 |
| 40-44 | 1 | 0 | 0 | 63 | 0 | 22 | 0 | 0 | 16 | 22 | 0 |
| 45-49 | 1 | 0 | 0 | 53 | 0 | 14 | 0 | 0 | 8 | 11 | 0 |
| 50-54 | 2 | 2 | 0 | 36 | 0 | 7 | 0 | 0 | 10 | 13 | 0 |
| 55-59 | 2 | 0 | 0 | 26 | 0 | 3 | 0 | 0 | 2 | 6 | 0 |
| 60-64 | 1 | 0 | 0 | 14 | 0 | 3 | 0 | 0 | 3 | 2 | 0 |
| 65-69 | 0 | 1 | 1 | 25 | 0 | 3 | 0 | 0 | 4 | 1 | 0 |
| 70+ | 1 | 6 | 0 | 146 | 0 | 2 | 0 | 0 | 1 | 2 | 0 |
| unspecified | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |

Note 1: The caseload of HIV infection and AIDS were calculated based on domestic citizens and notification date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

[#] Mumps was analyzed based on the local health bureau's data receiving date and only reported cases were included in the statistics.

^{*} The total case number of the following diseases includes imported cases: Hansen's Disease (1).

Number of Confirmed Cases of Fourth-Category Notifiable Diseases-by Age(I)

Type of Data: Date of disease confirmed

| Data I CHou. | 2017/9/1-2017/9/3 | | | | | | | | | |
|--------------|----------------------------|---------------|-------------|----------|-------------------------------------|---------|-------------------------|--------------|-----------|--------------|
| Age | Herpesvirus B Infection | Leptospirosis | Melioidosis | Botulism | Invasive Pneumococcal Disease | Q Fever | Endemic Typhus Fever | Lyme Disease | Tularemia | Scrub Typhus |
| Total | 0 | 11 | 4 | 0 | 26 | 2 | 5 | 0 | 0 | 40 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 15-19 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 20-24 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 25-29 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| 30-34 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 1 |
| 35-39 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| 40-44 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 5 |
| 45-49 | 0 | 2 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 6 |
| 50-54 | 0 | 2 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 5 |
| 55-59 | 0 | 1 | 0 | 0 | 4 | 0 | 1 | 0 | 0 | 7 |
| 60-64 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 4 |
| 65-69 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 4 |
| 70+ | 0 | 0 | 3 | 0 | 10 | 0 | 1 | 0 | 0 | 2 |
| unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Note 1: The caseload of HIV infection and AIDS were calculated based on domestic citizens and notification date.

Note 2: Statistics in the table may be changed by case follow-up records, new evidences, and data debug steps.

[#] Mumps was analyzed based on the local health bureau's data receiving date and only reported cases were included in the statistics.

Number of Confirmed Cases of Fourth-Category Notifiable Diseases-by Age(II)

Type of Data: Date of disease confirmed

Data Period: 2017/9/1-2017/9/30

| Data I Cilou. | 2017/9/1-2017/9/30 | I | I | | |
|---------------|-----------------------|---------------|------------------------------|---------------------------|-------------|
| Age | Complicated Varicella | Toxoplasmosis | Severe Complicated Influenza | Creutzfeldt-Jakob Disease | Brucellosis |
| Total | 2 | 2 | 63 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 2 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 1 | 0 | 0 |
| 20-24 | 0 | 0 | 1 | 0 | 0 |
| 25-29 | 0 | 2 | 2 | 0 | 0 |
| 30-34 | 0 | 0 | 2 | 0 | 0 |
| 35-39 | 0 | 0 | 0 | 0 | 0 |
| 40-44 | 2 | 0 | 1 | 0 | 0 |
| 45-49 | 0 | 0 | 2 | 0 | 0 |
| 50-54 | 0 | 0 | 2 | 0 | 0 |
| 55-59 | 0 | 0 | 3 | 0 | 0 |
| 60-64 | 0 | 0 | 9 | 0 | 0 |
| 65-69 | 0 | 0 | 6 | 0 | 0 |
| 70+ | 0 | 0 | 32 | 0 | 0 |
| unspecified | 0 | 0 | 0 | 0 | 0 |

Number of Confirmed Cases of Fifth-Category Notifiable Diseases-by Age

Type of Data: Date of disease confirmed

Data Period: 2017/9/1-2017/9/30

| Data Period. | 2017/9/1-2017/9/30 | , | | | T | 1 | T | , |
|--------------|--------------------|-------------------------------|--------------|---------------------|-------------|---|---------------------------------------|-----------------------|
| Age | Rift Valley Fever | Marburg Haemorrhagic Fever | Yellow Fever | Ebola Virus Disease | Lassa Fever | Middle East Respiratory Syndrome Coronavirus Infections | Novel Influenza A Virus Infections | Zika Virus Infection* |
| Total | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5-9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15-19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25-29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 30-34 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35-39 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40-44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 45-49 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 50-54 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 55-59 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60-64 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 65-69 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 70+ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

^{*}The total case number of the following diseases includes imported cases: Zika virus infection (1).