



# Disease Surveillance Express

## Weekly Data of Notifiable Infectious Diseases (by week of diagnosis)

Classification	Case diagnosis week Disease Diagnosed <sup>1</sup>	Week 32		Week 1–32	
		2015	2014	2015	2014
Category I	Plague	0	0	0	0
	Rabies	0	0	0	0
	SARS	0	0	0	0
	Smallpox	0	0	0	0
Category II	Acute Flaccid Paralysis	0	1	10	26
	Acute Viral Hepatitis type A	2	1	63	72
	Amoebiasis	6	6	220	155
	Anthrax	0	0	0	0
	Chikungunya Fever	0	0	4	6
	Cholera	0	0	4	3
	Dengue Fever	482	161	1276	723
	Diphtheria	0	0	0	0
	Enterohemorrhagic E. coli Infection	0	0	0	0
	Epidemic Typhus Fever	0	0	0	0
	Hantavirus Pulmonary Syndrome	0	0	0	0
	Hemorrhagic Fever with Renal Syndrome	0	0	1	1
	Malaria	0	0	7	11
	Measles	0	0	27	17
	Meningococcal Meningitis	0	0	2	3
	Paratyphoid Fever	0	0	1	6
	Poliomyelitis	0	0	0	0
	Rubella	0	0	6	5
	Shigellosis	6	0	109	91
	Typhoid fever	0	0	21	14
West Nile Fever	0	0	0	0	
Category III	Acute Viral Hepatitis type B	4	4	76	70
	Acute Viral Hepatitis type C <sup>4</sup>	0	3	128	104
	Acute Viral Hepatitis type D	0	1	1	1
	Acute Viral Hepatitis type E	0	0	1	8
	Acute Viral Hepatitis untype	0	0	2	3
	Congenital Rubella Syndrome	0	0	0	0
	Enteroviruses Infection with Severe Complications	0	0	4	6
	Haemophilus Influenza type b Infection	0	0	1	2
	Japanese Encephalitis	1	1	26	13
	Legionellosis	3	2	103	78
	Mumps <sup>2</sup>	19	8	507	542
	Neonatal Tetanus	0	0	0	0
	Pertussis	1	5	56	34
	Tetanus <sup>2</sup>	0	0	6	3
Category IV	Botulism	0	0	2	0
	Brucellosis	0	0	0	0
	Complicated Influenza	7	10	758	1713
	Complicated Varicella <sup>3</sup>	1	0	36	37
	Endemic Typhus Fever	2	2	21	16
	Herpesvirus B Infection	0	0	0	0
	Invasive Pneumococcal Disease	6	9	345	402
	Leptospirosis	3	1	34	34
	Lyme Disease	0	0	2	0
	Melioidosis	0	2	17	13
	Q Fever	1	0	27	36
	Scrub Typhus	10	16	225	260
	Toxoplasmosis	0	0	6	8
Tularremia	0	0	0	0	
Category V	Ebola Virus Disease	0	0	0	0
	Ebola-Marburg Hemorrhagic Fever	0	0	0	0
	Novel Influenza A Virus Infections <sup>5</sup>	0	0	0	0
	Lassa Fever	0	0	0	0
	Rift Valley Fever	0	0	0	0
	Middle East Respiratory Syndrome Coronavirus	0	0	0	0
Yellow Fever	0	0	0	0	

- The following 8 chronic diseases are excluded from the table: MDR-TB, Tuberculosis, Syphilis, Gonorrhea, HIV Infection, AIDS, Hansen Disease and Creutzfeldt-Jakob Disease.
- Reported cases.
- Since 2014/1/1, "Varicella" was modified to "Complicated Varicella".
- Since 2014/3/6, the case definition for confirmed Acute hepatitis C was changed from "meet the clinical **and** laboratory conditions" to "meet the clinical **or** laboratory conditions".
- Since 2014/7/1, various subtypes of human cases of avian influenza are reported as "novel influenza A virus infections", a Category V Notifiable Infectious Disease. The original "H5N1 flu" and "H7N9 flu", which were respectively listed as a Category I Notifiable Infectious Disease and a Category V Notifiable Infectious Disease were removed from the list on the same day.



## Suspected Clusters

- Thirteen clusters were reported, including 5 diarrhea clusters, 4 tuberculosis clusters, and 3 upper respiratory tract infection clusters, and 1 enterovirus infection cluster.

## Imported Infectious Diseases

- 19 confirmed cases were imported from 6 countries during Week 32 of 2015.

Country Disease	Indonesia	Philippines	Vietnam	Cambodia	Thailand	UK	Total
Dengue Fever	2	2	1		2		7
Amoebiasis	6						6
Hepatitis A				2			2
Shigellosis	2						2
Melioidosis			1				1
Lyme Disease						1	1
Total	10	2	2	2	2	1	19

Note: The statistics listed in this table include imported cases that were either confirmed or updated\* in the previous week.

- A total of 409 confirmed cases were imported from 28 countries in 2015.
- Top 3 imported diseases : Dengue fever (149), Amoebiasis (132), Shigellosis (56).
- Top 3 countries responsible for most imported cases : Indonesia (243), Philippines (33), Vietnam (21).

## Summary of Epidemic

- Dengue Fever** : Dengue activity peaked and continued to increase. Heavy downpours has resulted in an increased number of water-filled containers and elevated the risk of an epidemic outbreak in the Kao-Ping area. 86% of the indigenous dengue cases reported thus far this summer were confirmed in Tainan City. The speed at which the number of cases grows in Tainan City this summer is the highest compared to the same period in the previous years. Approximately 56% of the cases in Tainan City were reported in North District. The outbreaks in West Central District, Yongkang District, South District, East District and Shanhua District, Tainan City have increased. On the other hand, in Kaohsiung City, the number of new cases reported in Week 32 is 2.2 times higher than that reported in Week 31. Notably, the outbreak in Sanmin District, Kaohsiung City has increased rapidly. The number of indigenous cases has continued to be reported in Pingtung County. The newly reported cases in Taoyuan City and Chiayi City have no travel histories to the Kao-Ping area.
- Enterovirus** : The outbreak is expected to gradually slow down. During Week 32, the ER



consultation rate for enterovirus infection was almost the same as the epidemic threshold. Coxsackie A16 virus is currently the dominant strain circulating in the community. Taiwan CDC will continue to closely monitor the outbreak for the upcoming semester.

